NOT TO BE CITED WITHOUT PRIOR REFERENCE TO THE SECRETARIAT

Northwest Atlantic



Fisheries Organization

NAFO/FC Doc. 93/13

Serial No. N2330

15TH ANNUAL MEETING - SEPTEMBER 1993

FISHERIES COMMISSION'S REQUEST FOR SCIENTIFIC ADVICE ON MANAGEMENT IN 1995 OF CERTAIN STOCKS IN SUBAREAS 3 AND 4

1.

The Fisheries Commission with the concurrence of the Coastal State as regards the stocks below which occur within its jurisdiction, requests that the Scientific Council, at a meeting in advance of the 1994 Annual Meeting, provide advice on the scientific basis for the management of the following fish and invertebrate stocks or groups of stocks in 1995:

> Cod (Div. 3NO; Div. 3M) Redfish (Div. 3LN; Div. 3M) American plaice (Div. 3LNO; Div. 3M) Witch flounder (Div. 3NO) Yellowtail flounder (Div. 3LNO) Capelin (Div. 3NO) Squid (Subareas 3 and 4) Shrimp (Div. 3M)

- 2. The Commission and the Coastal State request the Scientific Council to consider the following options in assessing and projecting future stock levels for those stocks listed above:
 - a) For those stocks subject to analytical dynamic-pool type assessments, the status of the stock should be reviewed and management options evaluated in terms of their implications for fishable stock size in both the short and long term. As general reference points the implications of fishing at $F_{0.1}$, F_{1993} and F_{max} in 1995 and subsequent years should be evaluated. The present stock size and spawning stock size should be described in relation to those observed historically and those expected in the longer term under this range of options.

Opinions of the Scientific council should be expressed in regard to stock size, spawning stock sizes, recruitment prospects, catch rates and TACs implied by these management strategies for 1995 and the long term. Values of F corresponding to the reference points should be given and their accuracy assessed.

For those stocks subject to general production-type assessments, the

time series of data should be updated, the status of the stock should be reviewed and management options evaluated in the way described above to the extent possible. In this case, the general reference points should be the level of fishing effort or fishing mortality (F) which is calculated to be required to take the MSY

catch in the long term and two-thirds of that effort level.

b)

For those resources of which only general biological and/or catch data are available, no standard criteria on which to base advice can be established. The evidence of stock status should, however, be weighed against a strategy of optimum yield management and maintenance of stock biomass at levels of about two-thirds of the virgin stock.

the state of the s

- d) Spawning stock biomass levels that might be considered necessary for maintenance of sustained recruitment should be recommended for each stock. In those cases where present spawning stock size is a matter of scientific concern in relation to the continuing productive potential of the stock, management options should be offered that specifically respond to such concerns.
- e) Presentation of the result should include the following:
 - i)

c)

- for stocks for which analytical dynamic-pool type assessments are possible:
 - a graph of yield and fishing mortality for at least the past 10 years.
 - a graph of spawning stock biomass and recruitment levels for at least the past 10 years.
 - a graph of catch options for the year 1995 over a range of fishing mortality rates (F) at least from $F_{0.1}$ to F_{max} .
 - a graph showing spawning stock biomass at 1.1.1996 corresponding to each catch option.
 - graphs showing the yield-per-recruit and spawning stock per-recruit values for a range of fishing mortality.
- ii) for stocks for which advice is based on general production models, the relevant graph of production on fishing mortality rate or fishing effort.

In all cases the three reference points, actual F, $F_{\rm max}$ and $F_{0.1}$ should be shown.

- The Fisheries Commission with the concurrence of the Coastal State requests that the Scientific Council continue to provide information, if available, on the stock separation in Div. 2J+3KL and the proportion of the biomass of the cod stock in Div. 3L in the Regulatory Area and a projection if possible of the proportion likely to be available in the Regulatory Area in future years. Information is also requested on the age composition of that portion of the stock occurring in the Regulatory Area.
- The Scientific Council is asked to review all data available on the implications of using 90 mm minimum mesh size in mid-water trawls when fishing for redfish in Div. 3LN, in comparison to 130 mm. This should include consideration of fish lost during haulbacks.
- 5. Noting that the Scientific Council has scheduled a Symposium on Seals in the Ecosystem for September 1995, the Fisheries Commission requests a report in 1994 on the nature and extent of analyses that are expected to be tabled at the Symposium with respect to the interrelation between seals and commercial fish stocks.

3.

4.

Noting the Scientific Council's recommendations for coordinated research on Greenland halibut, the Fisheries Commission and the two Coastal States emphasize the urgency of acquiring information on the distribution and stock status. The Scientific Council is requested to pursue its coordinated efforts and member countries are urged to commit the necessary resources to the research.

6.