



Serial No.2010
(D.c.2)

ICNAF Res.Doc.68/23

ANNUAL MEETING - JUNE 1968

Partial Bibliography
of Data available on Length, Weight and Girth Relationships
for ICNAF Species

COD

- Bohl, H. 1965. Comparative selection experiments with polypropylene and polyamide codends. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1965. Res.Doc.31, Serial No.1494 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1966, Pt.III: 85-92.
1966. Selection of cod by bottom trawl codends on Store Hellefiska Bank. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res. Doc.66/67, Serial No.1685 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1966, Pt.III: 97-104.
1967. Selection of cod by bottom trawl codends in Southwest Greenland waters. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res.Doc.67/31, Serial No. 1809 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1967, Pt.III: 75-81.
1967. Selection experiments with a large-meshed top-side chafer. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res.Doc.67/32, Serial No.1810 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1967, Pt. III: 82-89.
- Cendrero, O. 1963. Biological fishing cruises on board pair trawler Playa de Ondarreta off Newfoundland and Nova Scotia. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1963, Doc. No.41, Serial No.1112 (mimeo).
1965. Some aspects of the biology of cod from the Newfoundland fishing grounds in 1964. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1965, Res. Doc.22 Serial No.1482 (mimeo).
- Hodder, V.M. and A.W.May. 1964. Trawl selectivity and girth-length relationships for cod in ICNAF Subarea 2. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc. No.30, Serial No.1325 (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.2, p.8-18.
- McCann, J.A. 1962. Relationship of length to girth of cod and haddock from Georges Bank (5Z) and the Gulf of Maine (5Y). Annu. Meet. Int. Comm. Northw. Atlant. Fish. 1962, Doc.No.55, Serial No.998 (mimeo).
- McCracken, F.D., Y. Jean and W.R.Martin. 1962. Girth, length and weight measurements of cod and haddock from Subarea 4. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1962. Doc.No.13, Serial No.951 (mimeo).
- Marcotte, A. 1966. Relation longueur-poids de la morue ronde ou habillée. Cah. Inform. Sta. Biol. mar. Grande-Rivière, No.36, 47 p.
- May, A.W. 1966. Length-weight relation in Labrador cod. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res.Doc.66/25, Serial No.1633 (mimeo).
1967. Biological data on cod from the summery fishery on the north shore Strait of Belle Isle. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res. Doc.67/78, Serial No.1874 (mimeo).

- Messtorff, J. 1958. Length-girth measurements of cod and their relationship to mesh selection. ICES Comparative Fishing Committee, Paper No.23, 1958.
- Meyer, A. 1958. Germany 1956 Cod - Length/Weight. Sampl. Yearb. int. Comm. Northw. Atlant. Fish. Vol.1 for the Years 1955 and 1956. Table 34.
- Monteiro, R. 1963. Girth, length and weight measurements from Subarea 1. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1963. Doc.No.10, Serial No.1077 (mimeo).
1964. Girth, length and weight measurements of cod from Subareas 1, 2, 3 and 4. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc.No.51, Serial No. 1347 (mimeo).
- Poulsen, E.M. 1957. Cod. Relation Length-Weight. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1957. Doc.No.18, Serial No.459 (mimeo).
- Ruivo, M. 1959. Portugal 1957 Length-Weight Data - Cod. Sampl. Yearb. int. Comm. Northw. Atlant. Fish. Vol.2 for the Year 1957. Table 28.
- Sherman, K. and J.P.Wise. 1961. Incidence of the cod parasite Lernaeocera branchialis L. in the New England area and its possible use as an indicator of cod populations. Limnology and Oceanography 6(1): 61-67.
- Templeman, W. 1963. Otter-trawl covered codend and alternate haul mesh selection experiments on redfish, haddock, cod, American plaice and witch flounder: girth measurements of haddock, cod and redfish and meshing of redfish in the Newfoundland area. Spec. Publ. int. Comm. Northw. Atlant. Fish., No.5, p.201
- Report of Meeting of Greenland Cod Working Group, Copenhagen, 21-25 February 1966. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res.Doc.66/18, App., Serial No.1625 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1966, Pt.III: 22 (Table 12).
- HADDOCK
- Bohl, H. 1965. Comparative selection experiments with polypropylene and polyamide codends. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1965. Res.Doc.No. 31, Serial No.1494 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1966, Pt.III: 85-92.
- Brown, B.E. 1964. Length-weight relationships of haddock collected from US commercial landings. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc.No.90, Serial No. 1386 (mimeo);
- Clark, John R. and Eli L. Dietsch. 1959. Length-weight tables for Northwest Atlantic haddock. Sampl. Yearb. int. Comm. Northw. Atlant. Fish. Vol.2 for the Year 1957; 25-37.
- Kohler, A.C. 1960. The growth, length-weight relationship and maturity of haddock (Melanogrammus aeglefinus L.) from the region of Lockeport, N.S. J. Fish. Res. Bd. Canada, 17(1): 41-60.
- McCann, J.A. 1962. Relationship of length to girth of cod and haddock from Georges Bank (5Z) and the Gulf of Maine (5Y). Annu. Meet. int. Comm. Northw. Atlant. Fish. 1962. Doc.No.55, Serial No.998 (mimeo).

Templeman, W. 1963. Otter-trawl covered codend and alternate haul mesh selection experiments on redfish, haddock, cod, American plaice and witch flounder: girth measurements of haddock, cod and redfish and meshing of redfish in the Newfoundland area. Spec. Publ. int. Comm. Northw. Atlant. Fish., No.5, p.201.

REDFISH

Brown, B.E. 1963. Length-weight relationship of redfish collected from US landings in 1951. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1963. Doc.No.68, Serial No. 1139 (mimeo).

Elwertowski, J. 1962. Polish Research Report, 1961. (L/W S. mentella) Div.3L. Annu. Meet. inc. Comm. Northw. Atlant. Fish. 1962. Doc.No.15, Serial No.953

Templeman, W. 1963. Otter-trawl covered codend and alternate haul mesh selection experiments on redfish, haddock, cod, American plaice and witch flounder: girth measurements of haddock, cod and redfish and meshing of redfish in the Newfoundland area. Spec. Publ. int. Comm. Northw. Atlant. Fish., No.5, p.201.

HALIBUT

McCracken, F.D. 1958. On the biology and fishery of the Canadian Atlantic halibut, Hippoglossus hippoglossus L. J. Fish. Res. Bd. Canada, 15(6): 1269-1311.

SILVER HAKE

Hennemuth, R.C. 1964. Estimated relationship of length to girth for red and silver hake collected from Subarea 5 in 1963. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc.No.47, Serial No.1343 (mimeo).

Jensen, A.C. and R.C.Hennemuth. 1964. Size selection and retainment of silver and red hake in nylon codends of trawl nets. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc.No.61, Serial No.1528 (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.3, p.86.

HERRING

Draganik, B. and Cz. Zukowski. 1967. Further studies on herring caught on Georges Bank in November and December 1966. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res.Doc.67/53, Serial No.1842 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1967, Pt. III; 39-45

RED HAKE

Hennemuth, R.C. 1964. Estimated relationship of length to girth for red and silver hake collected from Subarea 5 in 1963. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc.No.47, Serial No.1343 (mimeo):

Jensen, A.C. and R.C.Hennemuth. 1964. Size selection and retainment of silver and red hake in nylon codends of trawl nets. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1964. Doc.No.61, Serial No.1528 (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.3, p.86

SQUIRREL HAKE

- Craigie, E.H. 1927. Notes on the total weights of squirrel hake, the pollock, the winter flounder, and the smelt, and on the weights of the liver and gonads in the hake and in the pollock. Studies from the Stations of the Biological Board of Canada, No.54.

POLLOCK

- Craigie, E.H. 1927. Notes on the total weights of squirrel hake, the pollock, the winter flounder, and the smelt, and on the weights of the liver and gonads in the hake and in the pollock. Studies from the Stations of the Biological Board of Canada, No.54.

FLATFISHES

AMERICAN PLAICE

- Powles, P.M. 1966. Length-weight relationships for American plaice, witch and yellowtail in ICNAF Subarea 4. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res. Doc.66/63, Serial No.1679 (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.4, p.121.

WITCH

- Powles, P.M. 1966. Length-weight relationships for American plaice, witch and yellowtail in ICNAF Subarea 4. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res. Doc.66/63, Serial No.1679 (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.4, p.121.

YELLOWTAIL

- Powles, P.M. 1966. Length-weight relationships for American plaice, witch and yellowtail in ICNAF Subarea 4. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res. Doc.66/63, Serial No.1679 (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.4, p.121

- Royce, W.F., R.J. Buller and E.D. Premetz. Decline of the yellowtail flounder (Limanda ferruginea) off New England. Fish. Bull. U.S. No.146

WINTER FLOUNDER

- Craigie, E.H. 1927. Notes on the total weights of squirrel hake, the pollock, the winter flounder, and the smelt, and on the weights of the liver and gonads in the hake and in the pollock. Studies from the Stations of the Biological Board of Canada, No.54.

SALMON

- Allen, K. Radway. 1967. A revised estimate of the rate of growth between Greenland and home waters of salmon from the Miramichi River, New Brunswick, Canada. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res. Doc.67/93, Serial No.1890 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1967, Pt.III: 66-68.

- Balmain, K.H. 1967. Notes on salmon caught in Greenland 1966. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res.Doc.67/58, Serial No.1848 (mimeo).

- Dymond, John R. 1963. Family Salmonidae. Mem. Sears. Fdn. Mar. Res. 1(3): 457-502.

- Hansen, Paul M. 1965. Preliminary report on recaptures in Subarea 1 of salmon tagged in rivers in America and Europe. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1965. Res.Doc.69, Serial No.1538 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1965, Pt.III: 194-201.
- Hoar. W.S. 1940. The weight-length relationship of the Atlantic salmon of the Atlantic salmon. J. Fish. Res. Bd. Canada, 4(5): 441-460.
- Lindsay, Sheila Taylor and Harold Thompson. 1932. Biology of the salmon (Salmo salar L.) taken in Newfoundland waters in 1931. Rep. Newfoundland Fish. Res. Comm., 1(2): 1-80.
- Meister, A.L. and R.E. Cutting. A preliminary report of the composition of the spawning runs of Atlantic salmon (Salmo salar) in Maine rivers for period 1962-1966. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res. Doc.67/42, Serial No.1830 (mimeo); Int. Comm. Northw. Atlant. Fish. Redbook 1967, Pt.III: 53-57.
- Templeman, W. 1966. Atlantic salmon from the Labrador Sea and off West Greenland, taken during A.T.Cameron cruise, July-August 1965. ICES/ICNAF Salmon Doc.12, Serial No.1692, (mimeo); Res. Bull. int. Comm. Northw. Atlant. Fish., No.4, p.5.
1967. Distribution and characteristics of Atlantic salmon over oceanic depths and in the bank and shelf slope areas off Newfoundland, March-May 1966. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1967. Res. Doc.67/65, Serial No.1856 (mimeo).

MISCELLANEOUS

BUTTERFISH

- Draganik, B. and Cz. Zukowski. 1966. The rate of growth of butterfish (Poronotus triacanthus (Peck)) and ocean pout (Macrozoarces americanus (Schneider)) from the region of Georges Bank. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res.Doc.66/42, Serial No.1641 (mimeo).

OCEAN POUT

- Draganik, B. and Cz. Zukowski. 1966. The rate of growth of butterfish (Poronotus triacanthus (Peck)) and ocean pout (Macrozoarces americanus (Schneider)) from the region of Georges Bank. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1966. Res.Doc.66/42, Serial No.1641 (mimeo).

SCALLOPS

- Baird, Frederick T., Jr. 1954. Meat yield of Maine scallop (Pecten magellanicus). Maine Dept. Sea and Shore Fisheries Res. Bull. No.16, 3 p.
- Haynes, E.B. 1966. Length-weight relation of the sea scallop, Placopecten magellanicus (Gmelin), Res. Bull. int. Comm. Northw. Atlant. Fish., No.3, p.32.
- Posgay, J.A. and E.B.Haynes. 1965. The weight-length ratio of Georges Bank sea scallops. Annu. Meet. int. Comm. Northw. Atlant. Fish. 1965. Res.Doc.48, Serial No. 1512 (mimeo).

SMELT

- Craigie, E.H. 1927. Notes on the total weights of squirrel hake, the pollock, the winter flounder, and the smelt, and on the weights of the liver and gonads in the hake and in the pollock. Studies from the Stations of the Biological Board of Canada, No.54