



Serial No. 2190
(E)

ICNAF Res. Doc. 69/47

ANNUAL MEETING - JUNE 1969

Summary of Quantitative Data on the Length and Age Sampling
by Species, Subarea and Country in Relation to the Nominal Catch
in 1967

By: B. J. Kowalewski

1. At the 1968 ICNAF Annual Meeting, the Statistics and Sampling Subcommittee of the Standing Committee of Research and Statistics recommended "that the 1966 and 1967 summary review of sampling activities together with the relevant catches be published in Volume 12 of the Sampling Yearbook." (ICNAF Redbook 1968, Pt. 1, p.70)

In fulfilment of this recommendation a condensed summary of data for 1966 and 1967 was published in Vol.12 of the Sampling Yearbook, p.206-213.

2. This paper presents more and detailed data on sampling activities and catches in 1967.

The detailed data for the three years 1964, 1965 and 1966 were distributed as Res. Doc. 68/22 to the 1968 Annual Meeting.

All abbreviations and symbols used in the tables have been taken from ICNAF Statistical Bulletin, Vol. 17 for 1967.

Species	Subarea or Country	Catch in Thousands of Tons	Number of Sampling	
			Length	Age
Cod	1	430	42 510	11 255
	Den (G)	28	18 758	3 842
	Ger	139	10 864	4 627
	Nor	53	2 786	2 786
	Pol	1	3 326	-
	UK	20	6 776	-
	Por	63	-	-
	Fr (M)	43	-	-
	Den (G)	28	-	-
	2	298	228 324	2 860
	Can (N)	28	13 123	-
	Pol	38	7 271	-
	Por	53	1 375	925
	Spa	37	16 731	128
	USSR	21	188 999	1 807
	UK	8	825	-
	Ger	32	-	-
	Fr (M)	29	-	-
	Non-m	53	-	-
	3	721	146 738	2 775
	Can (M)	4	362	-
	Can (N)	124	61 965	-
	Fr (M)	70	4 491	-
	Pol	19	2 339	-
	Por	114	5 155	1 997
	Spa	173	19 669	179
	USSR	142	44 957	599
UK	43	7 800	-	
Den (F)	15	-	-	
4	194	35 186	-	
Can (M)	97	19 209	-	
Can (N)	25	12 415	-	
Fr (M)	12	2 490	-	
UK	5	1 072	-	
Por	44	-	-	
5	42	3 486	-	
Can (M)	9	1 063	-	
USA	18	2 423	-	
Spa	15	-	-	
Haddock	3	11	2 457	-
	Can (N)	2	811	-
	Fr (M)	0	1 646	-
	4	49	23 370	-
	Can (M)	40	22 457	-
	Fr (M)	0	913	-
	5	57	23 432	3 368
	Can (M)	14	2 805	-
	Pol	-	1 028	-
	USA	40	19 599	3 368

Species	Subarea or Country	Catch in Thousands of Tons	Number of Sampling	
			Length	Age
Redfish	1	13	2 483	-
	Den (G)	-	2 222	-
	Pol	ø	261	-
	Ger	11	-	-
	2	17	17 137	442
	Pol	3	6 479	-
	USSR	5	10 658	442
	3	89	38 064	1 069
	Can (N)	14	2 002	-
	Fr (M)	ø	7 039	-
	USSR	33	29 023	1 069
	Non-m	28	-	-
	4	88	11 707	-
	Can (M)	50	2 394	-
	Can (N)	14	1 404	-
Fr (M)	-	3 209	-	
USA	22	4 700	-	
5	11	2 600	-	
USA	10	2 600	-	
Silver hake	4	2	3 637	291
	USSR	2	3 637	291
	5	101	41 389	1 757
	USSR	70	41 389	1 757
	USA	31	-	-
American plaice	2	ø	1 112	-
	Pol	-	1 112	-
	3	60	14 848	-
	Can (N)	49	11 589	-
	Fr (M)	-	2 836	-
	Pol	-	423	-
	4	18	3 885	-
	Can (M)	16	683	-
	Can (N)	2	245	-
	Fr (M)	-	2 957	-
	5	4	504	-
	Pol	-	504	-
Winter flounder	4	2	335	-
	Can (M)	2	335	-
Witch	3	8	3 031	-
	Can (M)	2	600	-
	Can (N)	6	245	-
	Fr (M)	-	2 186	-
	4	10	1 888	-
	Can (M)	8	1 346	-
	Fr (M)	-	542	-
Greenland halibut	1	2	1 035	-
	Den (G)	-	1 035	-
	2	1	307	-
	Pol	1	307	-
	3	19	1 165	-
	Pol	2	1 165	-
	Can (N)	17	-	-

Species	Subarea or Country	Catch in Thousands of Tons	Number of Sampling	
			Length	Age
Yellowtail flounder	3	2	3 608	-
	Can (N)	2	3 608	-
	4	5	600	-
	Can (M)	5	600	-
	5	26	19 387	5 474
	Pol	-	448	-
	USA	25	18 939	5 474'
Pollock	4	15	883	-
	Can (M)	12	549	-
	Fr (M)	-	334	-
	5	8	116	-
	Can (M)	5	116	-
White hake	4	8	1 065	-
	Can (M)	7	1 065	-
Red hake	5	45	2 733	-
	USA	7	2 733	-
	USSR	38	-	-

Dartmouth
April 1969