

Northwest Atlantic



Fisheries Organization

Serial No. N6134

NAFO SCS Doc. 12/25

SCIENTIFIC COUNCIL MEETING – OCTOBER 2010

A Compilation of Research Vessel Surveys on a Stock-by-stock Basis

by

NAFO Secretariat

Discussions at the Scientific Council Meeting in June 1990 resulted in the compilation of information on research vessel surveys on a stock-by-stock basis (SCS Doc. 90/22, Serial No. N1820). This inventory was judged to be very helpful for the establishment of future inventories. It was agreed that the Designated Experts for the stocks be responsible for future compilations and that Designated Experts should update the information annually for review by STACFIS (*NAFO Sci. Coun. Rep.*, 1991, p. 114). The following tabulations were received at the Secretariat from the Designated Experts during the year 2012.

Stock name: Greenland halibut in Subarea 0, Division 1A offshore and Divisions 1B-F																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No
										abundance	bio-mass	ALK	LF			
Greenland Deep Sea	1CD	Sep-Nov	Since 1997	Stratified Random bottom Trawl, Alfredo trawl	Greenland halibut Roundnose grenadier	67	Y	?	400-1500 m	Y	Y	N	Y	Y	Greenland	SCR 12/03
Greenland Shrimp Trawl	1A-F	Jul-Sep	Since 1988	Stratified Random bottom Trawl, Cosmos trawl	Shrimp Groundfish	216	N	?	50-600m	Y	Y	N	Y	Y	Greenland	SCR 12/16
Canada Deep Sea	0B	Oct-Nov	2000, 2001 and 2011	Stratified Random bottom Trawl, Alfredo trawl	Greenland halibut	84	Y	?	400-1500 m	Y	Y	N	Y	Y	Canada	SCR 12/23

Stock name: Greenland halibut in Division 1A inshore																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
Inshore juvenile GRL	Disko Bay	July	2001-08, 2010-11	Gillnet mesh (mm) 46, 55, 60, 70	Greenland halibut	58	Y	-	200-700m	N	N	Y	Y	Y	Greenland	98/44, 00/29, 00/47, 01/68, 08/38 10/43 12/36
Inshore juvenile GHL	Disko Bay	July	2001	Gillnet & Longline calibration	Greenland halibut	0	Y	-	200-700m	N	N	Y	Y	Y	Greenland	
Inshore longline	Disko Bay	July	1993-01	Fixed station Longline	Greenland halibut	0	Y	-	200-700m	N	N	Y	Y	Y	Greenland	
Inshore longline	Uummannaq	19 jul-4 Aug	1993-07, 2011	Fixed station Longline Gillnet	Greenland halibut	19 5	Y	-	200-900m	N	N	Y	Y	Y	Greenland	
Inshore Longline	Upernavik	August	1998-01, 2010-11	Fixed station Longline Gillnet	Greenland halibut	13 8	Y	-	200-900m	Y	N	N	Y	Y	Greenland	
Greenland Shrimp Fish	Disko bay + (1A-1F)	Jul-Sep	1991-11	Stratified-random trawl	Shrimp & fish	26 of (216)	N	-	50-600m	Y	Y	Y	Y	Y	Greenland	11/24, 12/16

Stock name: Roundnose Grenadier in Subareas 0+1																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
Greenland Deep Sea	ICD	Sep-Nov	Since 1997	Stratified Random Bottom Trawl	Greenland halibut, Roundnose grenadier	67	Y	?	400-1500m	abundance	bio-mass	ALK	LF	N	Greenland	SCR 12/03

Stock name: Redfish in Subarea 1																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
										abundance	bio-mass	ALK	LF			
West Greenland Groundfish	1B - 1F	Oct-Nov	since 1982	Stratified random bottom trawl	Cod, redfish, other finfish	32	N	?	0-400m	Y	Y	N	Y	Y	EU-Germany	SCR 12/05
Greenland – Deepsea	1C - 1D	Aug-Nov	since 1997	Stratified random bottom trawl	Greenland halibut, Roundnose Grenadier	67	Y	?	400-1500m	Y	Y	N	Y	N	Greenland	SCR 12/03
Greenland shrimp	1A - 1F	Jul-Aug	since 1992	Stratified random bottom trawl	Shrimp, groundfish	216	N	?	50-600m	Y	Y	N	Y	N	Greenland	SCR 12/16

Stock name: Other Finfish in Subarea 1																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of Sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
West Greenland groundfish	1B - 1F	Oct-Nov	since 1982	Stratified random bottom trawl	Cod, redfish Other finfish	32	N	?	0-400m	Y	Y	N	Y	U	EU-Germany	SCS 12/05
Greenland shrimp	1A - 1F	Jul-Aug	since 1992	Stratified random bottom trawl	Shrimp, finfish	216	N	?	50-600m	Y	Y	N	Y	N	Greenland	SCR 12/16

Stock name: Cod in Division 3M																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
										abundance	biomass	ALK	LF			
EU- bottom trawl survey	3M	Jun-Jul	since 1988	Stratified random	all	141	N	100%	< 750 m (88-03) < 1400 m (04-11)	Y	Y	Y	Y	Y	EU	SCR 12/26
Russian trawl survey	3M	May-June	1983-1993 1995-1996 2001-2002	Stratified Random (and acoustic survey 1987-93)	all	94	Y	100%	< 1280 m	Y	Y	N	N	N	Russia	SCS 03/9
Canadian groundfish survey	3M	Sept/Oct	1996	Stratified random	all	68	Y	100%	< 730 m	Y	Y	N	N	N	Canada Newfoundland	SCR 97/42

Stock name: Redfish in Division 3M																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
										abundance	bio-mass	ALK	LF			
EU Flemish Cap Survey	3M	Summer July	1988	Stratified random bottom trawl	Groundfish and shirmp	128	N	100%	127-1400m	Y	Y	Y	Y	Y	EU/ESP EU/PRT	12/26

Stock name: American plaice in Division 3M																
Name of survey	Location (Div.)	Season months(s)	Years of survey since	Type of survey and gears	Target Species	No. of Sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
EU – bottom Trawl	3M	Summer Jul	1988	Stratified-random bottom trawl	Groundfish and shrimp	128	N	100	127-1460m	Y	Y	Y	Y	Y	EU-Spain EU-Portugal	12/26

Stock name: Cod in Divisions 3NO																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
Spring Bottom Trawl Survey	3NO	Apr-Jun	1972-2012 (except 1983, 2006)	Stratified-random Bottom trawl	Multi-species	54-158	Y	100	42-732 m	Y	Y	Y	Y	Y	Canada	n/a
Juvenile flatfish	3NO	Sep	1989-94	Stratified-random Bottom trawl	Groundfish		Y	100	30-150	Y	Y	Y	Y	Y	Canada	SCR 96/80
Autumn Bottom Trawl Survey	3NO	Oct-Dec	1990-2011	Stratified-random Bottom trawl	Multi-species	125-193	Y	100	42-1445 m	Y	Y	Y	Y	Y	Canada	n/a
EU-Spain	3NO - Regulatory Area	Jun	1995-2011	Stratified-random Bottom trawl	Multi-species	95-128	N	20	36-1666 m	Y	Y	N	Y	N	Spain	SCR 2010/06

Stock name: Redfish in Divisions 3LN																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
										abundance	bio-mass	ALK	LF			
USSR groundfish	3L, 3N	Apr-Jul (mostly)	1972-82	Fixed station Bottom trawl	Multi-species Groundfish	50-60 per Div.	Y	Unknown	1972-76: to 367m 1977-82: to 732 m	Y	Y	Y	Y	Some-times	USSR	86/66
USSR ground-fish	3L, 3N	Apr-Jun (mostly)	1983-91, 1993, 1994	Stratified-random Bottom trawl	Multi-species	approx. 48-3L	Y	Unknown	to 732 m	Y	Y	Y	Y	Some-times	USSR	86/66
						approx. 42-3N	Y	Unknown	to 732 m	Y	Y	Y	Y		USSR	
USSR acoustic	3LN	Apr-Jun	1987-91, 1993	Acoustic	Groundfish	unknown midwater sampl.	Y	Unknown	to 732 m	Y	Y			Some-times	USSR	88/24
	3L	various	1978-86	Stratified-random Bottom Trawl	Multi-species	min. of 40 in depths >183m	Y	Unknown	to 732 m	Y	Y	Y	Y	Some-times	Canada	NAFO Studies No. 2
Canadian groundfish (covering deep-water strata)	3L	Jan	1990	Stratified-random Bottom trawl	Multi-species Groundfish	55	Y	Unknown	183-732 m	Y	Y	Y	Y	N	Canada	NAFO Studies No. 2
Canada redfish	3LN	Apr-Jun	1990-93	Stratified-random Bottom trawl	Redfish	90 in redfish depths	Y	Unknown	to 732 m	Y	Y	Y	Y	Y	Canada	NAFO Studies No. 2
Canada ground- fish	3L, 3N (since 1990)	Aug	1990-91, 1993	Stratified-random Bottom trawl	Multi-species Groundfish	59-3L 47-3N	Y	Unknown	183-732 m	Y	Y	Y	Y	Y	Canada	NAFO Studies No. 2
Canada redfish	3LN	Autumn (Oct-Dec)	1991-11	Stratified-random Bottom trawl	Redfish	116 in 3L 70 in 3N	Y	Unknown	61-663 in 3L 43-673 in 3N	Y	Y	N	Y	Y	Canada	SCR 12/19
Canadian Groundfish (Autumn)	3LN	Spring (May-	1991-11	Stratified-	Multi-species Groundfish	144 in 3L 79 in 3N	Y	Unknown	57-723 in 3L 40-673 in 3N <1500	Y	Y	N	Y	Y	Canada	SCR 12/19

Canadian Groundfish (Spring)	3NO	Jun) May-June	1995-11	random Bottom trawl		122 in 2011	No	Unknown			Y	Y		Y	Y	EU-ESP	SCR 12/14
Spanish Surveys in Div. 3NO	3L	August	2003-11	Stratified Random Pedreira >=2001 Campelen	Multi-species Groundfish	89 in 2011	No	Unknown	<1500		Y	Y	N	Y	Y	EU-ESP	SCR 12/10
Spanish Surveys in Div. 3L				Stratified Random Campelen	Groundfish								N				

Stock name: American plaice in Divisions 3LNO 2010																
Name of survey	Location (Div.)	Season Months(s)	Years of Survey from, to or since	Type of survey and gears	Target Species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth Range	Research data related to stock estimates				Individual weights	Country	SCS/ SCR Doc. No.
Canadian spring	3LNO	Apr-Jun	1971-2011	Stratified random Campelen	Multispecies	301*	Y	95	40-715 m	Y	Y	Y	Y	Y	Canada	SCR 12/33 12/19
Canadian autumn	3LNO	Sep-Dec	1990-2011	Stratified random Campelen	Multispecies	261	Y	100	43-692 m	Y	Y	Y	Y	Y	Canada	SCR 12/33 12/19
EU-Spain	3NO Reg. Area	Apr-Jun	1995-2011	Stratified random Campelen	Groundfish	122	N	11	45-1374 m	Y	Y	N	Y	N	Spain	SCR 12/12
EU-Spain	3L Reg. Area	July-Aug	2003-2011 (no 2005)	Stratified random Campelen	Groundfish	89	N	unknown	115-1419 m	Y	Y	N	Y	N	Spain	SCR 12/6
Canadian DFO-Industry Co-operative	3NO expanded to 3L in 2000	July-Aug Quarterly in 1997-98	1996-2004	Grid survey with commercial Engel trawl (unlined)	Yellowtail (by-catches of cod, A. plaice)	61 (July) 80 (Aug)	Y	22	45-90 m	N	N	N	N	N	Canada	SCR 05/9

* of 3LNO only

Stock name: Yellowtail flounder in Divisions 3L, 3N and 3O																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target Species	No. of Sets (2010)	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
Canadian Groundfish (Spring)	Div. 3LNO	Spring (Apr-Jun)	1971-2011	Stratified random - bottom trawl	Groundfish & shellfish	301	Y	100	40 to 723m	Y	Y	N	Y	Y	Canada	12/019
Canadian Groundfish (Autumn)	Div. 3LNO	Autumn (Oct-Dec)	1990-2011	Stratified-random - bottom trawl	Groundfish & shellfish	261	Y	100	61 to 692m	Y	Y	N	Y	Y	Canada	12/019
Spanish Groundfish (Spring)	Div. 3NO Regulatory Area	Spring (Apr-May)	1995-2011	Stratified-random - bottom trawl	Groundfish & shellfish	122	N	unknown	44 to 1450m	Y	Y	N	Y	N	Spain	12/014

Stock name: Witch flounder in Divisions 3N and 3O																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target Species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth Range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
										abundance	bio-mass	ALK	LF			
Canadian Multispecies (Spring)	Div. 3NO	Spring (Apr-Jun)	1971-2011	Stratified Random - Bottom trawl	Multispecies	79-3N 78-3O	Y	80-90	40 to 716 m	Y	Y	Previous, until 1994	Y	Y	Canada	12/19
Canadian Multispecies (Autumn)	Div. 3NO	Autumn (Oct-Dec)	1990-2011	Stratified-Random - Bottom trawl	Multispecies	70-3N 75-3O	Y	80-90	43 to 692 m	Y	Y	"	Y	Y	Canada	12/19
Spanish Groundfish (Spring)	Div. 3NO Regulatory Area	Spring (Apr-May)	1995-2011	Stratified-Random - Bottom trawl	Groundfish	122	N	unknown	44 to 1450m	Y	Y	N	Y	N	EU-Spain	12/14

Stock name: Capelin in Divisions 3NO																
Name of survey	Location (Div.)	Season Months(s)	Years of Survey from, to or since	Type of survey and gears	Target Species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
										Abundance x10 ⁹	bio-mass x10 ³ t	ALK	LF			
Multi-species bottom trawl survey	3NO	6	1977-2006	Stratified-random, Campelen 1800	Demersal fishes	54	+	50	45-105m	0.8	9.6	N	Y	Y	CAN	SCR 07/12

Stock name: Redfish in Divisions 30																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
USSR ground-fish	30	May -June	1983-91, 1993, 1994	Stratified-random Bottom trawl	Multi-species Groundfish	75-100	Y	Unknown	to 732 m	Y	Y	Y	Y	Sometimes	Russia	86/66
Spring Bottom Trawl Survey	30	Apr-Jun	1971-2011 (except 2006)	Stratified-random Bottom trawl	Multi-species	30-39 in redfish depths	Y	Unknown	to 367m	Y	Y	Y	Y	N	Canada	n/a
Autumn Bottom Trawl Suvey	30	Oct-Dec series	1991-2011	Stratified-random Bottom trawl	Multi-species	30-36 in redfish depths	Y	Unknown	93--1410 m	Y	Y	Y	Y	Some Surveys	Canada	n/a

Stock name: Thorny skate in Divisions 3L, 3N, 3O, and 3Ps																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target Species	No. of Sets (2010)	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
Canadian Groundfish (Spring)	Div. 3LNOPs	Spring (Apr-Jul)	1971-2011	Stratified random - bottom trawl	Groundfish & shellfish	475	Y	100	37 to 723m	Y	Y	N	Y	Y	Canada	SCR 12/19
Canadian Groundfish (Autumn)	Div. 3LNO	Autumn (Oct-Dec)	1990-2011	Stratified-random - bottom trawl	Groundfish & shellfish	317	Y	100	43 to 692m	Y	Y	N	Y	Y	Canada	SCR 12/19
EU-Spain Groundfish	Div. 3NO Regulatory Area	Spring (June)	1997-2011	Stratified-random - bottom trawl	Groundfish & shellfish	122	N	unknown	44 to 1 450m	Y	Y	N	Y	N	Spain	SCR 12/15
EU-Spain Groundfish	Div. 3L Regulatory Area	Summer (August)	2003-2011	Stratified-random - bottom trawl	Groundfish & shellfish	89	N	unknown	115 to 1 419m	Y	Y	N	Y	N	Spain	SCR 12/10

Stock name: White hake in Divisions 3N, 3O, and 3Ps																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target Species	No. of Sets (2010)	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No.
Canadian Groundfish (Spring)	Div.3NOPs	Spring (Apr-Jun)	1971-2011	Stratified random - bottom trawl	Groundfish & shellfish	331	Y	100	40 to 716m	Y	Y	N	Y	Y	Canada	SCR 12/19
Canadian Groundfish (Autumn)	Div. 3NO	Autumn (Oct-Dec)	1990-2011	Stratified-random - bottom trawl	Groundfish & shellfish	145	Y	100	43 to 692m	Y	Y	N	Y	Y	Canada	SCR 12/19
EU-Spain Groundfish (Spring)	Div. 3NO Regulatory Area	Spring (May-June)	1997-2011	Stratified-random - bottom trawl	Groundfish & shellfish	122	N	unknown	44 to 1 450m	Y	Y	N	N	N	Spain	SCR 12/15

Stock name: Roughhead Grenadier in Subareas 2 and 3																
Name of survey	Location (Div.)	Season Months(s)	Years of Survey since	Type of survey and gears	Target Species	No. of Sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth Range	Research data related to stock size estimates				Individual weights	Country	SCR Doc. No.
Canadian Autumn Survey	2GHJ 3MLNO	Oct-Dec	1978	Stratified random <= 1994 Engel >=1995 Campelen	Groundfish Shellfish	564 in 2011	Yes		<1500	+	+		+	No	CAN	Dow Power Pers. Com m. SCR 12/19
Canadian Spring Survey	3LNO	Spring May-July	1978- 2010	Stratified random <=1995 Engel >= 1996 Campelen	Groundfish Shellfish	301 in 2011	Yes		<730 m					No	CAN	SCR 12/19
Canadian deepwater	3MLN	August February Spring	1991 1994 1995	Bottom trawl	Groundfish				<1500	+	+		+	No	CAN	SCR 95/51
Spanish Surveys in Div. 3NO	3NO	May-June	1995	Stratified Random <=2001 Pedreira >=2001 Campelen	Groundfish	122 in 2011	No	Low	<1500	+	+		+	+	EU-ESP	SCR 12/15
Spanish Surveys in Div. 3L	3L	August	2003	Stratified Random Campelen	Groundfish	89 in 2011	No	Low	<1500	+	+		+	+	EU-ESP	SCR 12/10
EU Flemish Cap Surveys	3M	June- August	1988	Stratified Random (Lofoten)	Groundfish Shrimp	128 in 2011	No	Flemish Cap	<1500	+	+	+	+	+	EU-ESP EU-PRT	SCR 12/26
Russian	3M	May/June	2001 and 2002	Stratified random bottom trawl	Groundfish	94	Yes	Flemish Cap	120- 1280 m	+	+		+		RUS	SCR 03/09 SCR 07/10
EU Deepwater	3LMN	April-May	1996	Longline	Groundfish	64	Yes		700- 3100m				+	+	EU-ESP EU-PRT	SCR 96/34, 97/19,20

Stock name: Witch flounder in Div. 2J+3KL																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCR Doc. No.
Canadian autumn groundfish	2J,3K, 3L	Autumn	78-11 2J3K 84-11 3L	Stratified-random Engel trawl 1978-94 2J3K Yankee trawl 1981-82 3L Engel trawl 1984-94 3L Campelen Trawl all areas 1995-11	Multispecies (Cod, flounders, G. halibut, Redfish & shellfish)	340 in 2011	Y	This column not appropriate for this species given differences in depth coverage and areas covered in the surveys.	2J3K in 2011 132-1429m 3L in 2011 61-663 m	Y	Y	Prior to 1994	Y	Y	Canada	NA

Stock name: Greenland halibut in Subareas 2+3KLMNO																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCR Doc. No.
Canadian groundfish spring	3LNO	Apr-June	1995-2011	Stratified-random Campelen trawl	Multi-species survey	301	Y		40-723 m	Y	Y	Y	Y	Y	Canada	12/30
Canadian autumn groundfish	2J,3K, 3L	Fall	1978-2011 2J3K 1981-2011 3L	Stratified-random Engel trawl 1978-94 2J3K Yankee trawl 1981-82 3L Engel trawl 1984-94 3L Campelen Trawl all areas 1995-2010	Multi-species survey	224 116	Y	This column not appropriate for this species given differences in depth coverage and areas covered in the surveys.	2J3K 132-1429 m 3L 201-529 m	Y	Y	Y	Y	Y	Canada	12/30
EU bottom trawl	3M	June-July	1988-2011	Stratified-random Lofoten trawl	Groundfish & shrimp	128	N		128-1460 m	Y	Y	Y	Y	Y	EU	12/26
EU-Spain bottom trawl	Reg. Area 3LNO	Apr-May	3NO 1995-2011 3L 2003-11; excluding 2005 & 2008	Stratified-random Bottom trawl	Groundfish	122	N		45-1374 m	Y	Y	N		Y	Spain	12/12
Canadian groundfish	2GH	Sep-Oct	occasion since 1978	Stratified-random Campelen in 1996-2011	Multi-species survey	79-2H	Y		91-1480 m 2H	Y	Y	Y	Y	Y	Canada	12/30
Canadian groundfish	3MNO	Sep-Dec	3NO 1990-2011 3M* 1996-2003, 2006-07	Stratified-random Campelen	Multi-species survey	0-3M 70-3N 75-3O	Y		3M * full coverage 1996; since 1997 only in deepwater Sackville Spur, Flem. Pass 43-673 m 3N 64-692 m 3O	Y	Y	Y	Y	Y	Canada	12/30
										Y	Y	Y	Y	N	Russia	98/13

Russian	3M	May	1987-96	Stratified-random Bottom trawl	Groundfish	90	Y	Flemish Cap	914 m in 1996	Y	Y	Y		N	Russia	01/10
	3LM Fl. Pass	Feb Apr-May	1995-96 2000	Stratified-random Bottom trawl	Groundfish	94	Y		732-1280 m	Y		Y		N	Russia	03/09
	3M	May-June	2001-02	Stratified-random Bottom trawl	Groundfish		Y		127-1280							

Stock name: Short-finned Squid in Subareas 3 and 4																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No
										abundance	bio-mass	ALK	LF			
July multispecies bottom trawl	SA 4	July	Since 1970	Stratified random bottom trawl	Multi-species	~ 190	Y	Unknown	20-366 m	Y	Y	N	Y	N	Canada	10/31
Autumn multispecies bottom trawl	4T	Sept.	Since 1971	Stratified random bottom trawl	Multi-species		Y, after 1986	Unknown, likely < 20%		Y	Y	N	Unknown	N	Canada	10/31
EU Flemish Cap multispecies bottom trawl	3M	July	Since 1988	Stratified random bottom trawl	Multi-species	101-121	N, 0600-2200	Unknown, likely < 10%	127-730 m, up to 1,400 m in 2005	Y	Y	N	Y	N	EU (Spain)	06/46, 06/16
Spring multispecies bottom trawl	3LNOP	April-June	Since 1996	Stratified random bottom trawl	Multi-species	470-597	Y	Unknown	20-870 m, but inconsistent inshore	Y	Y	N	Y	N	Canada	06/45, 06/46
Autumn multispecies bottom trawl	3KLNO	Mainly Sept-Dec, but extends through Jan in some years	Since 1995	Stratified random bottom trawl	Multi-species	608-840	Y	Unknown	30-1,500 m, but inconsistent inshore and > 730 m	Y	Y	N	Y	N	Canada	06/45, 06/46

Stock name: Northern Shrimp in Divisions 3LNO																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No
Multi-species Spring Survey	3LNO 3Ps	May to June	1999 to present	Stratified-random bottom trawl	Groundfish Shellfish (crab, shrimp)/ capelin	~350	Yes	100% of area covered	30-732 m	Y	Y	N	Y	N	Canada	SCR 12/047
Multi-species Autumn Survey	2J 3KLNO	October to December	1995 to present	Stratified-random bottom trawl	Groundfish Shellfish (crab, shrimp)/ capelin	(~370 sets done in Div. 3LNO)	Yes	100% of area covered	30-1500 m	Y	Y	N	Y	N	Canada	SCR 12/047
EU Bottom Trawl Survey	3NO	May June	1995 - present	Stratified-random bottom trawl	Groundfish Shellfish (crab, shrimp)/ capelin	95	No		60-1500	Y	Y				Spain	SCR 11/61
EU Bottom Trawl Survey	3L	August	2003 - present	Stratified-random bottom trawl	Groundfish Shellfish (crab, shrimp)/ capelin	97	No		60-1500	Y	Y		Y	Y	Spain	SCR 11/61

Stock name: Northern Shrimp in Division 3M																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No
EU-Bottom trawl Survey	3M	Jul	1988 to present	Stratified-random bottom trawl	All	179	No	100%	<750 m(88-02)	Y	Y	Y	Y	Y	EU	SCR 08/66
EU-Bottom trawl Survey	3M	Jul	1988 to present	Stratified-random bottom trawl	All	178	No	100%	<1400m (03-07) <1400m (03-09)	Y	Y	Y	Y	Y	EU	SCR 09/54
EU-Bottom trawl Survey	3M	Jul	1988 to present	Stratified-random bottom trawl	All	154	No	100%	<750m (88-02) <1400m (03-10)	Y	Y	Y	Y	Y	EU	SCR 10/66
EU-Bottom trawl Survey	3M	Jul	1988 to present	Stratified-random bottom trawl	All	126	No	100%	<750m (88-02) <1400m (03-10)	Y	Y	Y	Y	Y	EU	SCR 11/60
EU-Bottom trawl Survey	3M	Jul	1988 to present	Stratified-random bottom trawl	All	174	No	100%	<750m (88-02) <1400m (03-10)	Y	Y	Y	Y	Y	EU	SCR 12/53

Stock name: Shrimp in Subareas 0+1																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets ¹	24 hr fishing	Area of coverage in relation to stock distribu- tion (%)	Depth range	Research data related to stock size estimates				Indiv- idual weights	Country	SCS/ SCR Doc. No
										abun- dance	bio- mass	ALK	LF			
West Greenland Trawl Survey (West Greenland Shelf)	SA0+1 2003	July-Aug	Since 1988	Startified semi-systematic; trawl; Skjervøy 3000 w/bobbins	Northern shrimp; Groundfish	172/31	No	95	150-600m	Y	Y	N/A ²	Y	Y	GRL	SCR 03/71
	2004	June-Aug				187/21										SCR 04/72
	2005	June-July				194/24										SCR 05/74
	2006	June-July	Stratified semi-systematic; trawl; Cosmos 2000 w/rockhopper	221/28/11		SCR 06/58										
	2007	June-July		212/48/8		SCR 07/71										
	2008	June-July		204/54/9		SCR 08/71										
	2009			247/32/11		SCR 09/67										
	2010			270/29/1		SCR 10/57										
	2011			192/24/0		SCR 11/58										
	2012			193/27/6		SCR 12/44										

¹ First number is number of stations trawled at depths between 150 and 600 m targeting shrimp; second number is number of stations in water shallower than 150 m targeting principally Atlantic cod; Third number is number of stations in water deeper than 600 m targeting principally Greenland halibut.

² Lack of satisfactory method of ageing shrimp precludes generating age-length keys.

Stock name: Shrimp in Denmark Strait																
Name of survey	Location (Div.)	Season months(s)	Years of survey from, to or since	Type of survey and gears	Target species	No. of sets	24 hr fishing	Area of coverage in relation to stock distribution (%)	Depth range	Research data related to stock size estimates				Individual weights	Country	SCS/ SCR Doc. No
										abundance	bio-mass	ALK	LF			
East Greenland shrimp survey	ICES XIVb	Sep	1989-1996 (except 1991 and 1993)	Spline survey, trawl; Skjervøy 3000 w/bobbins	Northern shrimp	40	No	Not known	200-600m	Y	Y	N	Y	Y	Greenland	SCR 96/116
East Greenland Trawl Survey	ICES XIVb		Since 2008	Stratified semi-systematic; trawl; Cosmos 2000 w/rockhopper	Northern shrimp; Groundfish		No	Not known	0 – 600 m	Y	Y	N	Y	Y	Greenland	
	2008	Aug-Sep	53			SCR 10/57										
	2009	Aug-Sep	97			SCR 10/57										
	2010	August	82			SCR 10/57										
	2011	August	85			SCR 11/56										
	2012	August	98			SCR 12/62										