

Serial No. 472Document No. 27ANNUAL REPORT - MAY 1957GUIDE TO THE SAMPLESREPORTED TO THE COMMISSION

by R. S. Neir

The following notes may serve as a guide to the sampling data reported to the Commission in 1955 and published in I.C.N.A.F. circulars and meeting documents.

A considerable quantity of data is involved and as yet only a fraction of the data of some countries has been reported. Other countries have reported their samplings. Two countries, France and Italy, have reported no samplings.

Canada (Maritime and Quebec) - See document Serial No. 450.

Length frequency figures for the catch of 1955 were reported by individual samples for 1955 and 1956.

Cod - 113 cm. groups:

1955,	38 samples totaling 11,875 fish
-------	---------------------------------

1956,	43 samples totaling 16,534 fish
-------	---------------------------------

Haddock - 112 cm. groups:

1955,	52 samples totaling 11,795 fish
-------	---------------------------------

1956,	60 samples totaling 18,632 fish
-------	---------------------------------

The samples reported were all taken from commercial landings after discarding undersized fish.

Sampling was stratified according to the size categories in which the fish are landed. The figures were adjusted to give the length frequency of the whole catch. Data from the samples was not "raised" to the total commercial landing and length frequencies were not separated into sexes.

Discussions were reported in the Research Report - Document Serial No. 446, I.C.N.A.F.

Canada (Newfoundland) - See document Serial No. 460.

Cod and Haddock Length frequency reported (not separated by sex)
 Data provisional - but complete and with full discussion promised for later in the year. Each frequency was adjusted according to the number of fish in the landings for which the samples were taken. These adjusted figures were then grouped by statistical subdivision/gears/and quarters (i.e. three month periods - January - March, April - June, July-September, October - December). Data were reported by centimeters.

Canada (Newfoundland) continue.....

Data were reported for 1955 and 1956.

Cod

1955 (otter trawler only) 6,415 fish measured

1956 (all gears) 23,242 fish measured

Salmon

1955 (otter trawlers only) 46,490 fish measured

1956 (otter trawlers only) 39,266 fish measured

Denmark - See Document Serial No. 448.

Three samples of cod were reported on the forms circulated by the Secretariat.

These data give for each fish the length, weight, sex, age at first maturity, and age in year class.

The samples were taken from the catch of the research cutter "Aal If Jensen".

Cod - 1956 3 samples; 883 fish.

France No samples reported.

Germany - See document Serial No. 450

Ten samples of cod and three of redfish were reported in detail. These were market samples, from trawler landings, originally stratified according to market categories and adjusted to give the figures for the total landings.

Data were reported on size and length composition gutted right (for two of the samples), and on redfish length composition.

Cod

1956, 10 samples 4,817 fish measured, 1945 aged.

Redfish

1955, 3 samples 680 fish measured.

Iceland - See "Document Serial No. 452 WO No. 2. (Icelandic Research Report)

All samples were taken from commercial landings.

Cod Age frequency distribution given for the years 1952 - 1955.

Redfish Percentage length frequency distribution for years 1951 - 1955, based on 2 - 3 samples in the year. (c,271 fish).

Not reported by individual samples, nor sexes.

Norway - See Document Serial Nos. 471.

Four samples of cod were reported, seven from the "G. J. Saif", a research vessel and three from the "Lounava" a fishing vessel.

Samples taken by bottom long line, pelagic long line, harpoon line and purse seine, all classed as commercial gear.

Data reported give age and length frequencies (in cm.) by sexes for each sample separately.

Cod

1956, 1. samples 1,039 fish.

Portugal - See Documents Serial Nos. 454, 455, 468 and 469.

Data reported included a list of all samples taken from Subareas 1, 2, 3 and 4. These lists give month, statistical subdivision, latitude and longitude, gear, number of specimens for each sample and somewhat observations were made. These included length measurements, weight, sex, maturity and whether teeths were calcified, age and age at first maturity determination and whether examined for parasites.

Samples were taken at sea from the catches of otter trawlers andactory vessels after a trial commercial discarding.

Cod

Subarea 1 Document serial No. 455 (NB 14) 53 samples 7,302 fish

Subarea 2 Document serial No. 454 (NB 13) 21 samples 5,300 fish.

Subarea 3 Document Serial No. 468 (NB 26) 12 samples 2,724 fish.

Data on length, sexes and ages etc., were summarized in the above documents. The original samples were not reported.

In addition the full widths of ages were taken and listed in Document serial number 469, but a summary has been prepared.

Subdivision 3 53 samples 7,304 fish

Subdivision 4 16 samples 2,489 fish

Spain

The data in the Spanish commercial haulback sampling is given in Document serial No. 447 (NB 9).

All samples were taken on board commercial vessels fishing in Subarea 3.

The data were summarized in 3 cm (25 - 27 etc) length groups.

Cod

The age compositions (based on otoliths) of the Spanish samples 1953 - 1956.

Age and size of a total of 60 fish taken in 1956 were given in the following age/length key.

Spain continues.....

Haddock

The age composition (based on otoliths) of the Spanish samples 1954 - 1956 is given.

An age/length key based on 91 fish sampled in 1956 was given.

The data are not given separately by sexes.

United Kingdom - Document serial No. 456 (D 15)

Data in 986 cm length measurements from Subarea 1, reported in 5 cm. length groups (45 - 49 etc.).

The data are revised total landings. Not separated by sexes.

United States - Document serial No. 470

Haddock 1955

Length composition of each months otter trawler landings from statistical Subdivision 5Z. Raised figures based on 354 samples comprising 27,164 fish.

Reported in cm. not separated by sexes.

Cod 1955

Percentage length composition of cod landings from Subarea 5 reported by quarters (January - March etc.). Reported in 3 cm. groups.

Data not separated by sexes.

Sampling was based on market categories but only the raised figures are reported in the document.