

Serial No. 2054
(D.c.9)

ANNUAL MEETING - JUNE 1968Herring Landings by Types of Gear
in the Bay of Fundy Region 1963-66

by

S.W. Tibbo and C.D. Burnett
Fisheries Research Board of Canada
Biological Station, St. Andrews, N.B.

Since 1963 the St. Andrews Station of the Fisheries Research Board in cooperation with the Economics Branch of the Department of Fisheries and the Dominion Bureau of Statistics has been collecting records of herring landings by types of gear in an attempt to evaluate the changes that were occurring in the fishery of the Bay of Fundy region.

Prior to the beginning of the present decade, the Bay of Fundy herring fishery was prosecuted chiefly by weirs (including traps). Purse seines were used to some extent during the winter months, but the total annual catch was less than one third the weir catch. Beginning about 1960 purse seines became more popular and in 1964 the purse seine catch exceeded the weir catch for the first time. In 1966 the purse seine catch was more than three times the weir catch.

Table I gives the monthly landings by types of gear for the last four years for which statistics are available. Figure 1 gives the percentage monthly landings by the three main types of gear. The proportions in the figure are averages for the 1963 to 1966 period. There is a very obvious and dramatic change in the nature of the fishery in May when most of the catch is taken by weirs. Weirs become progressively less important as the season advances and by the end of October most of them have been deactivated. Gill-nets are relatively unimportant in the Bay of Fundy region, but are used to some extent to supply a restricted food market in the Nova Scotia area.

Table I. Herring landings in the Bay of Fundy (Division 4X) by months and by types of gear 1963-1966
1000 lbs

	1963			1964			1965			1966		
Months	Total	Landings	Seined	Total	Landings	Seined	Total	Landings	Seined	Total	Landings	Seined
Jan.	2,562	2,333	2,269	4,705	4,706	4,706	-	-	-	-	-	-
Feb.	740	737	720	5,537	5,537	5,537	-	-	-	-	-	-
Mar.	257	236	20	1,561	1,561	1,561	-	-	-	-	-	-
Apr.	2,865	2,152	20	2,121	2,121	2,121	-	-	-	-	-	-
May	2,152	1,214	3	343	2,456	2,456	-	-	-	-	-	-
June	1,251	1,251	182	2,308	2,306	2,306	2,372	2,372	2,372	2,412	2,412	2,412
July	3,259	3,259	165	2,411	2,411	2,411	2,515	2,515	2,515	2,515	2,515	2,515
Aug.	2,269	2,269	164	2,717	2,717	2,717	4,757	4,757	4,757	4,757	4,757	4,757
Sep.	2,544	2,544	164	2,624	2,624	2,624	2,473	2,473	2,473	2,473	2,473	2,473
Oct.	1,215	1,215	164	1,590	1,590	1,590	24,547	24,547	24,547	24,547	24,547	24,547
Nov.	1,215	1,215	164	1,425	1,425	1,425	19,452	19,452	19,452	19,452	19,452	19,452
Dec.	1,236	1,236	164	1,253	1,253	1,253	3,322	3,322	3,322	3,322	3,322	3,322
Total	12,612	12,612	514	42,714	42,714	42,714	164,703	164,703	164,703	164,703	164,703	164,703
	1965			1966			1965			1966		
Jan.	5,456	4,200	3,647	-	-	-	608	608	608	-	-	-
Feb.	9,221	7,057	6,456	-	-	-	210	210	210	-	-	-
Mar.	1,021	1,021	224	219	219	219	9,342	9,342	9,342	-	-	-
Apr.	1,060	1,060	326	751	751	751	14,134	14,134	14,134	-	-	-
May	1,247	1,247	364	5,564	5,564	5,564	18,536	18,536	18,536	-	-	-
June	2,657	2,657	6,691	198	198	198	6,707	6,707	6,707	-	-	-
July	65,070	65,070	15,318	445	445	445	4,447	4,447	4,447	-	-	-
Aug.	60,233	60,233	22,677	207	207	207	20,705	20,705	20,705	-	-	-
Sep.	50,910	50,910	34,667	547	547	547	115,353	115,353	115,353	-	-	-
Oct.	17,012	17,012	13,247	60	60	60	74,251	74,251	74,251	-	-	-
Nov.	14,743	14,743	4,726	-	-	-	23,071	23,071	23,071	-	-	-
Dec.	4,141	4,141	4,141	-	-	-	6,122	6,122	6,122	-	-	-
Total	255,425	232,272	133,535	2,397	2,397	2,397	11,284	11,284	11,284	-	-	-




Fig. 1. Average proportions of herring landings by months and types of gear in the Bay of Fundy region 1963-66.