

International Commission for



the Northwest Atlantic Fisheries

Serial No. 5381

ICNAF Res. Doc. 79/VI/78

ANNUAL MEETING - JUNE 1979

Bibliography of The Hake Family (*Pisces: Merlucciidae*)

by

Douglas Clay and Heather Clay  
Fisheries and Oceans Canada, Marine Fish Divisions  
Bedford Institute of Oceanography  
Dartmouth, N. S., Canada

The following bibliography of the hake family (*Merlucciidae*) is a listing of references taken from Biological Abstracts (1927-1977), Zoological Record (1864-1926), and from ICNAF, ICES and ICSEAF publications, including meeting documents. The authors would appreciate being informed of any errors, and also of any omissions from the list, particularly in the form of governmental and intergovernmental reports with limited circulation and graduate student theses from universities. Scientists who wish to comment on the bibliography and who indicate an interest in receiving a revised listing, should contact the senior author at

Fisheries and Oceans Canada  
Marine Fish Division  
P. O. Box 1006  
Dartmouth, N. S. B2Y 4A2  
Canada

Acknowledgements

Bob Crawford and Deidre Devlin assisted in the tedious task of searching out references and coding the initial bibliography. Several scientists responded to our first request for comments (May 1978). Among those who sent their own personal bibliographies to help enlarge this one are: Dr J. R. Burt, Officer in Charge, Humber Laboratory, MAFF, Hull, U. K.; Graham Patchell, Fisheries Research Division, Wellington, New Zealand; and Mark Ridley, Animal Behaviour Research Group, Dept. of Zoology, University of Oxford, Oxford, U. K.



BIBLIOGRAPHY OF THE HAKE FAMILY.....1979.

- [ 1] AGUAYO,M. (1971) [AGE DETERMINATION IN THE HAKE (MERLUCCIIUS MERLUCCIIUS GAYII) USING OTOLITHS.] INST.FOM.PESQ. BOL.CIENT.NO.16.PP.51.(IN SPANISH).
- [ 2] AGUAYO,H.M. (1974) [STUDY OF THE AGE AND GROWTH OF THE COLA HAKE (MACRURONUS MAGELLANICUS, LONNBERG, 1907).] INVEST. PESQ. INST. FOM. PESQ. CHILE, NO. 19. PP 17. (IN SPANISH).
- [ 3] AHLSTROM,E.H., COUNTS,R.C. (1955) EGGS AND LARVAE OF THE PACIFIC HAKE, MERLUCCIIUS PRODUCTUS. U.S. DEPT. INT. FISH WILD. SERV. BULL. 99:294-329.
- [ 4] AHLSTROM,E.H., KRAMER,D. (1957) SARDINE EGGS AND LARVAE AND OTHER FISH LARVAE PACIFIC COAST. U.S. FISH AND WILDLIFE SERV., SPEC. SCI. REPT. FISH. 224:1-90.
- [ 5] AHLSTROM,E.,H. (1959) VERTICAL DISTRIBUTION OF PELAGIC FISH EGGS AND LARVAE OFF CALIFORNIA AND BAJA CALIFORNIA. U.S. FISH. WILDL. SERV. FISH. BULL. 60(161):107-146.
- [ 6] AHLSTROM,E.H. (1965) KINDS AND ABUNDANCE OF FISHES IN THE CALIFORNIA CURRENT REGION BASED ON EGG AND LARVAL SURVEYS. CAL. COOP. OCEAN. FISH. INVEST. REP. 10:31-37.
- [ 7] AISA,E. (1960) [RESEARCH ON THE BEHAVIOUR OF RIGOR MORTIS IN SOME SPECIES OF TELEOST SEA FISHES BELONGING TO FAMILIES CLUPEIDAE, SPARIDAE, GADIDAE AND GARANGIDAE]. REV. IDROBIOL. 1(1):45-53. (IN ITALIAN).
- [ 8] AKYUZ,E. (1959) UNPUBLISHED DATA FILED AT FAO, ROME. (NOT SEEN IN ORIGINAL - CITED FROM BEVERTON & HOLT, 1959 (SEE THIS BIBLIOGRAPHY)).
- [ 9] ALARCON,E. (1975) COMMON HAKE (MERLUCCIIUS GAYI) DISTRIBUTION IN CENTRAL AND SOUTHERN WATERS, IN RELATION TO DEPTH, TEMPERATURE AND OXYGEN. PACIFIC SCIENCE ASSOCIATION THIRTEENTH PACIFIC SCIENCE CONGRESS; REC. PROC. VOL. 1:5.
- [ 10] ALBERTI,B.V., VINALS,N.J. (1963) [DISTRIBUTION OF THE GENUS MERLUCCIIUS OFF THE COAST OF CHILE.] ESC. BIOL., UNIV. CAT. VALPO. (UNPUBLISHED MANUSCRIPT). (IN SPANISH).
- [ 11] ALBERTI,B.V., ZUNIGA,L.M. (1966) [STUDIES OF AGE AND GROWTH OF THE HAKE (MERLUCCIIUS GAYI, GUICH.) FROM THE VALPARAISO ZONE (1960-1963).] J. CIENC. MAR. J. 1:83-107. (IN SPANISH).
- [ 12] ALBERTI,B.V. (1966) [CONTRIBUTION TO THE STUDY OF THE GEOGRAPHICAL DISTRIBUTION OF THE GENUS MERLUCCIIUS IN CHILE.] 3RD. ENCUESTRO NAC. DE GEOGR., (MIMEO) C14, 24PP. (IN SPANISH).
- [ 13] ALIBERTI,G.T. (1935) [EFFECT OF PARASITISM ON THE FUNCTIONAL EQUILIBRIUM OF CERTAIN ORGANS OF THE COD MERLUCCIIUS VULGARIS FLEM.] BULL. MUS. E. LAB. ZOOL. E. ANAT. COMP. R. UNIV. GENOVA. 15(81):3-23. (IN ITALIAN).
- [ 14] ALI,M.A., ANCTIL,M., MOHIDEEN,H.M. (1968) [RETINAL STRUCTURE AND INTROULAR VASCULARISATION OF SOME MARINE FISHES FROM THE GASPE REGION.] CAN. J. ZOOL. 46:737-745. (IN FRENCH).
- [ 15] ALLEN,L.E. (1963) FISH FLOUR PRODUCTION IN CHILE. FISH. NEWS INT. 2(1):106-110.
- [ 16] ALONSO-ALLENDE,J.M., FUERTES,J.R., PEREZ-GANDARAS,G., TOURON,J. (1975) NOTES ON SELECTIVITY OF HAKE, HORSEMACKEREL AND BIB WITH TRAWL GEARS OF POLYAMIDE IN THE FISHERY OF GALICIA. ICES, DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1975/G:3. (MIMEO).
- [ 17] ALONSO-ALLENDE,J.M., FUERTES,J.R., PEREZ-GANDARAS,G., TOURON,J. (1976) [SELECTIVITY OF HAKE, HORSE MACKEREL, BIB AND NORWAY LOBSTER WITH TRAWL GEARS OF POLYAMIDE IN THE FISHERY OF GALICIA.] INF. TECN. INST. INV. PESQ., BARCELONA. NO. 37, PP. 12. (IN SPANISH.)

- [ 18] ALTES, J.,  
TALEB, R. (1970)  
THE USE OF ANALYSIS OF PRINCIPAL COMPONENTS BY  
HOTELLINGS METHOD FOR THE STUDY OF ICHTHYOLOGICAL  
ASSOCIATION OR GROUPINGS IN THE REGION OF ALGIERS.  
BULL. SOC. HIST. NAT. AFR. NORD. 61(3-4):227-249.
- [ 19] ALTON, M.S.,  
NELSON, M.O. (1967)  
PRELIMINARY STUDY ON THE FEEDING BEHAVIOUR OF  
PACIFIC HAKE IN WASHINGTON AND NORTHERN OREGON  
COASTAL WATERS. SEATTLE, US. FISH. WILDLIFE SERVICE,  
BUREAU OF COMMERCIAL FISHERIES. PP25. (UNPUBL. MS.)
- [ 20] ALTON, M.S.,  
NELSON, M.O. (1970)  
FOOD OF THE PACIFIC HAKE, MERLUCCIIUS PRODUCTUS, IN  
WASHINGTON AND NORTHERN OREGON COASTAL WATERS. CIRC  
U.S. FISH. WILD. SERV., 332:35-42.
- [ 21] ALTON, M.S.,  
NELSON, M.O. (1973)  
PRELIMINARY STUDY ON THE FEEDING BEHAVIOUR OF  
PACIFIC HAKE IN WASHINGTON AND OREGON COASTAL  
WATERS. J. FISH. RES. BD. CANADA.
- [ 22] ALVAREZ, E.,  
SIMAL, J.,  
CHARRO, A.,  
CREUS, J.M. (1974)  
STUDIES BY DISC ELECTROPHORESIS OF THE INFLUENCE  
OF SIZE, FREEZING, LYOPHILIZATION AND SUN-DRYING ON  
THE PROTEINS OF FISHES. AN. BROMATOLOGIA, 26(1):1-42.
- [ 23] ALVERSON, D.L.,  
PRUTER, A.T.,  
RONHOLT, L.L. (1964)  
A STUDY OF DEMERSAL FISHES AND FISHERIES OF THE  
NORTHEASTERN PACIFIC OCEAN. H.R. MACMILLAN LECTURE  
IN FISHERIES, UNIV. B.C., VANCOUVER, CANADA. PP190.
- [ 24] ALVERSON, D.L. (1968)  
DISTRIBUTION AND BEHAVIOUR OF PACIFIC HAKE AS  
RELATED TO DESIGN OF FISHING STRATEGY AND HARVEST  
RATIONALE. EXPER. PAP., F.A.O. CONF. FISH. BEHAV. REL.  
FISH. TECHN. TACT., BERGEN, NORWAY. E/11:361-376.
- [ 25] ALVERSON, D.L.,  
LARKINS, H.A. (1969)  
STATUS OF KNOWLEDGE OF THE PACIFIC HAKE RESOURCE.  
CAL. COOP. OC. FISH. INVEST. REP. 13:24-31.
- [ 26] ALVERSON, D.L.A.,  
PEREYRA, W.T. (1969)  
DEMERSAL FISH EXPLORATIONS IN THE NORTHEASTERN  
PACIFIC OCEAN. AN EVALUATION OF EXPLORATORY FISHING  
METHODS AND ANALYTICAL APPROACHES TO STOCK SIZE  
AND YIELD FORECASTS. J. FISH. RES. BU. CAN. 26(8):1985-  
2001.
- [ 27] ALZIEU, C. (1974)  
PRESENCE OF DI-PHENYL POLY-CHLORIDES IN CERTAIN  
FISH OF THE ATLANTIC AND MEDITERRANEAN OCEANS.  
SCIENCE ET PECHE. 258:1-11.
- [ 28] ANCELLIN, J. (1956)  
RESEARCH ON THE SELECTIVITY OF NETS FOR FISHING  
SOLE, MERLAN, AND HAKE. JREV. TRAV. INST. PECHE MARIT,  
20(3):295-332. (IN FRENCH).
- [ 29] ANCELLIN, J.,  
DESBROSSES, P. (1963)  
THE SELECTIVE ACTION OF NETS MADE OF MANILA, HEMP  
AND NYLON. (ABSTRACT). ICNAF. SPEC. PUBL., NO. 5:8.
- [ 30] ANDERSON, E.D. (1974)  
COMMENTS ON THE DELINEATION OF RED AND SILVER HAKE  
STOCKS IN ICNAF SUBAREA 5 AND STATISTICAL AREA 6.  
ICNAF RES. DOC. 74/100. SER. NO. 3336. PP. 8.
- [ 31] ANDERSON, E.D.,  
NICHY, F.E. (1975)  
A COMPARISON BETWEEN U.S. AND U.S.S.R. SILVER HAKE  
AGEING. ICNAF RES. DOC. 75/13. SER. NO. 3457. PP. 5. (MIMEO)
- [ 32] ANDERSON, E.D. (1975)  
ASSESSMENT OF THE ICNAF DIVISION 5 SILVER HAKE  
STOCK. ICNAF RES. DOC. 75/62. SER. NO. 3544. PP. 13. (MIMEO)
- [ 33] ANDERSON, E.D. (1975)  
ASSESSMENT OF THE ICNAF SUBDIVISION 5Z AND  
SUBDIVISION 5ZW--STATISTICAL AREA 6 SILVER HAKE  
STOCKS. ICNAF RES. DOC. 75/94. SER. NO. 3574. PP. 17. (MIMEO)
- [ 34] ANDREWS, W. (1869)  
ON THE ICHTHOLOGY OF THE SOUTH WEST COAST OF  
IRELAND AND A COLLECTION OF ZOOLOGICAL SPECIMENS  
OBTAINED FOR THE SOCIETY DURING THE SUMMER AND  
AUTUMN OF 1868. J.R. DUBLIN SOC. PP. 379-389.
- [ 35] ANDREU, B.,  
RODRIGUEZ-RODA, J. (1951)  
[THE SEA FISHERIES IN CASTELLON CATCH PER UNIT  
EFFORT(1945-49) AND BIOMETRICAL DATA ON THE  
SPECIES OF COMMERCIAL INTEREST]. PUBL. INST. BIOL.  
APLICADA (BARCELONA) 8:223-277. (IN SPANISH).

- E 361 ANDREU, B. (1956) OBSERVATIONS ON THE OVARY OF THE HAKE (MERLUCCIIUS MERLUCCIIUS L.) AND THE CHARACTERISTICS OF THE MECHANISM OF DEPOSITION. J INV. PESQUERA, 4:49-62. (IN SPANISH).
- E 371 ANGELESCU, V.,  
GNERI, F. S.,  
NANI, A. (1958) [THE HAKE OF THE ARGENTINE SEA (BIOLOGY AND TAXONOMY).] REP. ARGENT., SEC. MAR., SERV. HIDROGR., NAVAL, PUBL. H1004. PP224. (IN SPANISH).
- E 381 ANGELESCU, V.,  
FUSTER DE PLAZA, M. L. (1963) [VERTICAL MIGRATIONS OF THE HAKE (MERLUCCIIUS HUBBSI) IN THE BONAERENSE SECTOR AND THE ECOLOGICAL SIGNIFICANCE.] INST. BIOL. MAR., CONTRIB. 33:194-214. (IN SPANISH).
- E 391 ANGELESCU, V.,  
FUSTER DEL PLAZA, M. L. (1964) [RHYTHMIC VERTICAL MIGRATIONS OF THE HAKE IN THE BUENOS AIRES AREA (MERLUCIIDAE, MERLUCCIIUS HUBBSI) AND ITS ECOLOGICAL SIGNIFICANCE.] (SYMPOSIUM ON OCEANOGRAPHY IN THE SOUTHWEST ATLANTIC, RIO DE JANEIRO, BRAZIL, 14-18 SEPTEMBER, 1964) AN ACAD. BRASIL CIENC. 37 (SUPPL.):194-214. (IN PORTUGUESE).
- E 401 ANGELESCU, V.,  
COUSSEAU, M. B. (1969) [WINTER FEEDING OF HAKE (MERLUCIIDAE, MERLUCCIIUS MERLUCCIIUS HUBBSI) ON THE REGION OF THE ARGENTINE CONTINENTAL SHELF.] BUENOS AIRES. INST. BIOL. MAR. BOL. 19. PP. 5-93. (IN SPANISH).
- E 411 ANON. (1111) FAO YEARBOOK FISH STATISTICS, VOL 1 - 30+, CATCHES AND LANDINGS. (CONTINUING SERIES).
- E 421 ANON. (1111) ICNAF SAMPLING YEARBOOK, VOL 1-17, LENGTH FREQUENCY AND AGE SAMPLES. (SERIES ENDED 1972).
- E 431 ANON. (1111) ICNAF STATISTICAL BULLETIN, VOL 1-30+, CATCHES AND EFFORT STATISTICS. (CONTINUING SERIES BEGAN 1951).
- E 441 ANON. (1911) LEGGS OF THE NORTH SEA AND ADJOINING WATERS. RAPP. P-V. REUN. CONS. PERM. INT. EXPLOR. MER. 13:19. (IN FRENCH).
- E 451 ANON. (1931) [RESEARCH ON THE BIOLOGY OF THE HAKE BY THE MARQUAGE.] PECHÉ MARIT. PECHÉ FLUV. ET PISC., XIV:989. (IN FRENCH).
- E 461 ANON. (1934) NOTES ON THE HAKE FISHERY. MIN. AGRIC. AND FISH., FISH NOTICE NO. 20.
- E 471 ANON. (1934) SIZE LIMITS AND MESH REGULATIONS FOR SEA FISH. APPENDIX A: SUMMARY OF EXISTING REGULATIONS (1933) REGARDING SIZE LIMITS AND MESH RESTRICTIONS FOR FISH TAKEN IN THE SEA OR IN BRACKISH WATER. RAPP. P-V. REUN. CONS. PERM. INT. EXPLOR. MER. 90:6-13.
- E 491 ANON. (1935) THE USE OF A LARGE CODEND MESH IN THE HAKE FISHERY MIN. AGRIC. AND FISH., FISH. NOTICE NO. 24.
- E 491 ANON. (1935) BRITISH HAKE RESEARCH. RAPP. P-V. REUN. CONS. PERM. INT. EXPLOR. MER., XCIII:31.
- E 501 ANON. (1955) 'DELAWARE' CATCHES MOSTLY HAKE DEEP-WATER TRAWLING ON GEORGES BANK (CRUISE II). COMM. FISH. REV., 17(3):34
- E 511 ANON. (1957) STOCKS OF HAKE. LAB. LEAFL. MIN. AGRIC. FISH. & FOOD, UK. NO. 14.
- E 521 ANON. (1963) NORTH PACIFIC EXPLORATORY FISHING PROGRAM: DISTRIBUTION AND ABUNDANCE OF ADULT HAKE OFF SOUTHERN CALIFORNIA AND NORTHERN MEXICO STUDIED. COM. FISH. REV. 25(6):38-40.
- E 531 ANON. (1964) PRELIMINARY REPORT ON SOUTH AFRICAN HAKE. MANUSCRIPT OF THE WHITEFISH AUTHORITY.
- E 541 ANON. (1964) [STATISTICS OF THE HAKE DURING THE YEAR 1962, INCLUDING AREAS OF CAPTURE.] SECRETARY OF STATE FOR AGRICULTURE AND FISHERIES, ARGENTINA. (IN SPANISH).
- E 551 ANON. (1964) NORTH PACIFIC EXPLORATORY FISHING PROGRAM: DISTRIBUTION AND ABUNDANCE OF ADULT HAKE OFF SOUTHERN CALIFORNIA AND NORTHERN MEXICO STUDIED. COM. FISH. REV. 26(6):21-22.
- E 561 ANON. (1966) THE PACIFIC HAKE INDUSTRY. BORN IN 1965, WILL IT BOOM OR BUST. PAC. FISH. 64(5):9-12.

- [ 57] ANON. (1966) BRIEF REVIEW OF SCIENTIFIC RESEARCH CARRIED OUT BY TINRO IN THE VANCOUVER-OREGON AREA. UNPUBLISHED MANUSCRIPT OF THE USSR.
- [ 58] ANON. (1967) [THE GREAT ABUNDANCE: HAKE AND ITS POSSIBILITIES.] PESCA, 15(6):20-22. (IN SPANISH).
- [ 59] ANON. (1967) COMPILATION OF SELECTIVITY DATA PRESENTED TO THE COMMISSION FROM 1962-1966. ICNAF, RES. DOC., 67/75. (MIMED).
- [ 60] ANON. (1967) THE HAKE CRISIS. COMM. FISH. NEWS., 90.
- [ 61] ANON. (1968) SEARCH FOR HAKE. COMM. FISH. REV. 30(6):26-31.
- [ 62] ANON. (1968) [HAKE ABUNDANCE OFF CHILE.] PESCA, XVI(5):44-46. (IN SPANISH).
- [ 63] ANON. (1968) [PRELIMINARY INFORMATION ON THE CRUISE OF THE 'MERLUZA I' WHICH TOOK PLACE BETWEEN APRIL AND JUNE 1968 BETWEEN 27 AND 40 DEGREES SOUTH.] CIRC. INST. FOM. PESQ., NO. 22. (IN SPANISH).
- [ 64] ANON. (1968) [PRELIMINARY INFORMATION ON THE CRUISE OF THE 'MERLUZA II' WHICH TOOK PLACE BETWEEN JULY AND AUGUST 1968, BETWEEN 30 AND 36 DEGREES 30 SECONDS SOUTH.] CIRC. INST. FOM. PESQ., NO. 29. (IN SPANISH).
- [ 65] ANON. (1968) THE BARON FINDS FEW HAKE. COMM. FISH. REV. 30(6):26-28.
- [ 66] ANON. (1968) COBB FINDS NO LARGE ADULT HAKE SCHOOLS. COMM. FISH. REV. 30(6):28-31.
- [ 67] ANON. (1968) REPORT OF THE ACMRR/ICES WORKING PARTY ON THE FISHERY RESOURCES OF THE EASTERN CENTRAL AND SOUTH EAST ATLANTIC. SUPPLEMENT 1 TO THE REPORT OF THE FIFTH SESSION OF THE ADVISORY COMMITTEE ON MARINE RESOURCES, ROME, 8-13 JULY 1968. FAO FISH. REP., 56 SUPPL. 1:59P.
- [ 68] ANON. (1969) FAO COMMITTEE ON FISHES IN THE EAST CENTRAL ATLANTIC (COFACE). REPORT OF THE FIRST MEETING. FAO/UN. FAO. FISH. REP. (69):43P.
- [ 69] ANON. (1969) RESEARCH REPORTS BY MEMBER COUNTRIES FOR 1968.
- [ 70] ANON. (1969) REPORT OF THE HAKE WORKING GROUP. ICES. DEMERSAL REDBOOK 1969 PART II. ICNAF CANADA:99-117. FISH (SOUTHERN) COMMITTEE. CM1969/G:2. (MIMED)
- [ 71] ANON. (1969) REPORT OF THE ACMRR/ICES WORKING PARTY ON THE FISHERY RESOURCES OF EASTERN CENTRAL AND SOUTHEAST ATLANTIC DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1969/G:3. (MIMED).
- [ 72] ANON. (1969) REPORT OF THE FIRST SESSION OF THE FAO FISHERY COMMITTEE FOR THE EASTERN CENTRAL ATLANTIC (CECAF) DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1969/G:4 (MIMED).
- [ 73] ANON. (1969) A STUDY TO DETERMINE THE ECONOMIC FEASIBILITY OF ESTABLISHING A COMMERCIAL HAKE FISHERY. TECH. ASSIST. PROJ., 1969. US. DEPT. COMM. WASHINGTON, D.C.
- [ 74] ANON. (1969) [THE NORMAL QUALITY OF FROZEN HAKE.] INDUST. PESQ. AND. 53(1021):610-612. (IN SPANISH).
- [ 75] ANON. (1969) A STUDY TO DETERMINE THE ECONOMIC FEASIBILITY OF ESTABLISHING A COMMERCIAL HAKE FISHERY. BUREAU OF COMMERCIAL FISHERIES, SEATTLE, WASHINGTON. PP. 54.
- [ 76] ANON. (1970) PACIFIC HAKE. US. FISH. AND WILDL. SERV., NOAA, TECH. REPT. 332. 152PP. (12 SEPARATELY AUTHORED REPORTS).
- [ 77] ANON. (1970) [A NOTE ON THE HAKE CRUISE FROM JANUARY TO AND FEBRUARY 1970 BETWEEN LONG 29 40 AND LAT 40 .] SANTIAGO DE CHILE. INST. FOMENTO PESQ. CIRC. NO. 60. PP. 26. (IN SPANISH).
- [ 78] ANON. (1970) REPORT TO THE CECAF WORKING PARTY ON REGULATORY MEASURES FOR DEMERSAL STOCKS. FAO, FISH. REP., 91, 24PP
- [ 79] ANON. (1970) THE SEA FISHERIES OF SOUTH AMERICA, HIGH HOPES AND HUGE PROBLEMS IN 11 DEVELOPING COUNTRIES. FISH. NEWS INT., 9(12):17-27.
- [ 80] ANON. (1970) [INFORMATION ON THE CRUISE 'MERLUZA V', TAKING PLACE BETWEEN JANUARY AND FEBRUARY 1970, BETWEEN 29 DEGREES 40 SECONDS AND 40 DEGREES SOUTH.] CIRC. INST. FOM. PESQ., NO. 60. (IN SPANISH).
- [ 81] ANON. (1970) [EXPEDITION OF THE DAUPHIN (EXPERIMENTAL TRAWLER) IN LIBYAN WATERS: APRIL 17-MAY 19 1965.] BULL. INST. NAT. SCI. TECH. OCEANOGR. PECH. 1(2):43-65. (IN FRENCH).

- [ 82] ANON. (1970)THE PUGET SOUND HAKE FISHERY:PAST,PRESENT,AND FUTURE.WASH.DEPT.FISH.TECH.REP.NO.5.PP.15.
- [ 83] ANON. (1971)HANDLING OF HAKE ONBOARD.J CIRC.INST.FOM.PESQ., NO.66. (IN SPANISH).
- [ 84] ANON. (1971)HANDLING OF HAKE.JINST.FOMENTO PESQ.CIRC.NO.66. PP.20.(IN SPANISH).
- [ 85] ANON. (1972)MILKINESS OF HAKE FROM THE CHILEAN CATCHES.A VACCINE AGAINST THE BREAKDOWN OF NUTRIENTS.J PESCA.24(5):16-19.(IN SPANISH).
- [ 86] ANON. (1972)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS.(STACRES).REDBOOK 1972. ICNAF CANADA. PART I.
- [ 87] ANON. (1972)WHAT IS THE MILKINESS OF MERLUZA? J DOCUMENTA (LIMA) 13-14:34. (IN SPANISH).
- [ 88] ANON. (1973)REPORT OF THE WORKING GROUP ON THE ASSESSMENT OF THE STOCKS OF HAKE.ICES.DEMERSAL FISH (SOUTHERN) COMMITTEE.CM1973/G:2.(MIMEO).
- [ 89] ANON. (1973)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS.(STACRES).REDBOOK 1973.ICNAF CANADA. PART 1:5-122
- [ 90] ANON. (1973)SILVER HAKE-MERLUCCIOUS BILINERIS.FISHERIES FACT SHEET.ENVIRONMENT CANADA.OTTAWA,CANADA.2PP.
- [ 91] ANON. (1973)PRESENT SITUATION OF THE FISHERIES IN THE ICSEAF AREA. ICSEAF.W.G.73/SP.NO.2:1-14. (MIMEO).
- [ 92] ANON. (1974)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS (STACRES).REDBOOK 1974.ICNAF,CANADA. PART C :65-103.
- [ 93] ANON. (1974)REPORT OF THE WORKING GROUP ON DEMERSAL SPECIES. IN:PROCEEDINGS OF 1974 MEETINGS.MADRID,2-5 DEC. 1974.MADRID,ICSEAF :47-75.
- [ 94] ANON. (1975)COMPILATION OF THE GADOID DATA COLLECTED DURING THE INTERNATIONAL YOUNG HERRING SURVEY 1975. ICES. DEMERSAL FISH (NORTHERN) COMMITTEE.CM1975/F:37. (MIMEO).
- [ 95] ANON. (1975)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS (STACRES).REDBOOK 1975.ICNAF,CANADA. PART B.:13-63.
- [ 96] ANON. (1975)THE PERUVIAN PACIFIC HAKE AND ITS INDUSTRIALIZATION.J DOCUMENTA,LIMA. 5(56):46-48. (IN SPANISH).
- [ 97] ANON. (1976)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS (STACRES).REDBOOK 1976.ICNAF CANADA. PROC.NO.1(SERIAL 3949)PARTC:55-117.
- [ 98] ANON. (1976)REPORT OF THE STANDING COMMITTEE ON INTERNATIONAL CONTROL (STACTIC).IN:REPORT OF THE SECOND SPECIAL MEETING,MALAGA,SPAIN,1-6 DEC.1976.MADRID,ICSEAF, :45-58.
- [ 99] ANON. (1976)CATCH AND FISHING EFFORT STATISTICS FOR 1975. MADRID,ICSEAF,SAC/76/INF.DOC./2 REV.1:170P.(MIMEO)
- [ 100] ANON. (1976)REPORT OF THE MEETING OF THE WORKING GROUP ON DEMERSAL SPECIES.IN:SECOND SPECIAL MEETING,REPORTS OF THE SCIENTIFIC ADVISORY COUNCIL AND WORKING GROUPS ON DEMERSAL AND PELAGIC SPECIES,MALAGA,DEC. 1976.MADRID,ICSEAF:21-54PP.
- [ 101] ANON. (1976)HAKE CATCH STATISTICS FOR THE PERIOD 1962-1975. MADRID,ICSEAF,SAC/76/INF.DOC./6:15PP.
- [ 102] ANON. (1977)REPORT OF THE WORKING GROUP ON HAKE,NANTES, 30 NOVEMBER,3 DECEMBER 1976.J ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM 1977/G:3.(MIMEO). (IN FRENCH).
- [ 103] ANON. (1977)REVIEW OF KNOWLEDGE ON THE HAKE (MERLUCCIOUS MERLUCCIOUS L.)J ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1977/APPENDIX G:3.(MIMEO).(IN FRENCH)
- [ 104] ANON. (1977)REPORT OF THE GADOID I-GROUP WORKING GROUP. ICES. DEMERSAL FISH (NORTHERN) COMMITTEE.CM/1977/F:19. (MIMEO).
- [ 105] ANON. (1977)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS (STACRES).REDBOOK 1977.ICNAF CANADA PROC.NO.1 PARTS A AND B:5-77.
- [ 106] ANON. (1978)REPORT OF STANDING COMMITTEE ON RESEARCH AND STATISTICS.(STACRES.)REDBOOK 1978.ICNAF CANADA. PROC.NO.1.PARTC:37-71.

C 107] ANON. (1978) REPORT OF SILVER HAKE AGEING WORKSHOP, DARTMOUTH, NOVA SCOTIA, CANADA, 28-31 MARCH 1978. ICNAF SERIAL NO. 5211. (B.M.6). SUM. DOC. 78/VI/10. (MIMED).

C 108] ANTEZANA, T.J., FOWLER, S.W. (1972) GAMMA EMITTERS IN EUPHAUSIDS FROM THE SOUTHEAST PACIFIC OCEAN. HEALTH PHYSICS, 22(2):201-205.

C 109] ARBAULT, S., BOUTIN, N. (1968) ICTHYOPLANKTON EGGS AND LARVAE OF TELEOST FISHES OF THE GULF OF GASCOGNE IN 1964. J. REV. TRAV. PECH. MARIT. 32(4):413-476. (IN FRENCH).

C 110] ARCHER, J.A.M. (1948) A PRELIMINARY REPORT ON THE VITAMIN A CONTENT OF THE LIVER OIL OF THE STOCK FISH (MERLUCCIIUS CAPENSIS) AND THE CAPE SPINY DOGFISH. S. AFR. FISH. AND MAR. SURV. DIV. INVEST. REPORT NO. 9.

C 111] ARCHER, M.C., STILLINGS, B.R., TANNENBAUM, S.R., WANG, D.T.C. (1973) REDUCTION IN MERCURY CONTENT OF FISH PROTEIN CONCENTRATE BY ENZYMATIC DIGESTION. J. AGRIC. FOOD CHEM. 21(8):1116-1117.

C 112] ARSCOTT, G.H., CRAWFORD, D.L. (1969) THE EFFECT OF HAKE MEAL IN BROILER RATIONS. POULTRY SCIENCE, 48(3):1123-1125.

C 113] ARTEAGA, POZO, E. (1975) SOME DATA ON THE BIOLOGY OF THE CAPE HAKE (MERLUCCIIUS CAPENSIS), WHICH INHABIT THE DIVISIONS, CUNENE AND CAPE CROSS OF THE ICSEAF AREA. J. ICSEAF/SAC/75/S.P./26. (IN SPANISH).

C 114] ARTEAGA, POZO, E. (1976) SOME DATA ON THE BIOLOGY OF THE CAPE HAKE (MERLUCCIIUS CAPENSIS) INHABITING THE CUNENE AND CAPE CROSS DIVISIONS OF THE ICSEAF AREA. J. ICSEAF COLL. SCI. PAP. (3):179-186. (IN SPANISH).

C 115] ASENJO, I. (1971) EVALUATION OF THE FRESHNESS OF HAKE, USING THE METHOD OF ORGANO-LIPID TABLES, TRIMETHYLAMINE AND BACTERIA COUNTS. J. ESC. PESQ. Y ALIM., UNIV. CAT. VALPO. (UNPUBLISHED). (IN SPANISH).

C 116] ASENJO, I., CASTRO, R., MANCILLA, N., GOMEZ, H. (1971) EVALUATION OF THE FRESHNESS OF HAKE, USING THE METHOD OF ORGANO-LIPID TABLES, THE TRIMETHYLAMINE AND BACTERIA COUNTS. J. SANTIAGO DE CHILE. INST. FOMENT. PESQ. CIRC. NO. 69:PP. 23. (IN SPANISH).

C 117] ATKINSON, A.M. (1964) STORAGE OF DRIED HAKE MINCE. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 18:88

C 118] ATKINSON, A.M. (1972) ANTIOXIDANT TREATMENT OF FROZEN HAKE BLOCKS. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 26:15.

C 119] ATKINSON, A.M. (1973) TEXTURIZING COMMINUTED FISH MATERIAL. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL REPORT, 27:18.

C 120] ATKINSON, A.M. (1974) STORAGE OF FROZEN BLOCKS OF SHREDDED HAKE (I). FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 28:6.

C 121] ATKINSON, A.M., LAMPRECHT, E., MISPLON, D. (1974) ACID AND ALKALI PRESERVATION OF FISH MEAL. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL REPORT, 28:44.

C 122] ATKINSON, A.M., WESSELS, J.P.H. (1974) STORAGE OF FROZEN BLOCKS OF COMMUNUTED HAKE. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 27:5.

C 123] ATKINSON, A.M., WESSELS, J.P.H. (1974) STORAGE OF FROZEN BLOCKS OF SHREDDED HAKE (II). FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 28:6.

C 124] ATKINSON, A.M., WESSELS, J.P.H. (1975) STORAGE OF FROZEN BLOCKS OF SHREDDED HAKE (III). FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 29:6.



- [ 125] AVALLONE,M., (1976) MERCURY CONTENT IN THE MOST IMPORTANT MARINE SPECIES. J MONOGR.TECNOL.LAB.TECHNOL.URAG.(PESCA) NO.2,MONTEVIDEO.PP7. (IN SPANISH).
- [ 126] AYRES,W.O. (1858) DESCRIPTION OF THE NEW SPECIES OF CALIFORNIA FISHES.PROC.CALIF.ACAD.NAT.SCI.,I:23-77.
- [ 127] BABITT,J.K., (1972) DECOMPOSITION OF TRIMETHYLAMINE OXIDE AND CHANGES IN PROTEIN EXTRACTABILITY DURING FROZEN STORAGE OF MINCED AND INTACT HAKE(MERLUCCIOUS PRODUCTUS) MUSCLE. J.AGRI.FOOD CHEM.20(5):1052-1054.
- [ 128] BAGENAL,T.B. (1954) THE GROWTH RATE OF THE HAKE, MERLUCCIOUS MERLUCCIOUS (L.), IN THE CLYDE AND OTHER SCOTTISH SEA AREAS. J. MARINE BIOL.ASSOC.UNITED KINGDOM.33(1):65-69.
- [ 129] BAHAMONDE,N.N. (1953) FEEDING OF THE MERLUZA IN THE CANALES (MERLUCCIOUS AUSTRALIS, HUTTON 1872). J INVEST.ZOOL.CHIL.,II:23-30. (IN SPANISH).
- [ 130] BAHAMONDE,N.N. (1958) [THE STOMACH CONTENTS OF HAKE (MERLUCCIOUS GAYI GAYI,G.) COLLECTED IN COLUMBIA.] BOLN.DEP.FOM. PESCA, VALPARAISO, LIV:221-227. (IN SPANISH).
- [ 131] BAHAMONDE,N.N., (1959) FEEDING OF THE MERLUZA OF TALCAHUANO (MERLUCCIOUS GAYI GAYI,G.) J INVEST.ZOOL.CHIL.,V:211-211. (IN SPANISH).
- [ 132] BAILEY,B.E. (1943) NOTES ON HAKE LIVER OIL. PROG.REPT. FRB.OF CANADA, PACIFIC COAST STATION, NO.54:4-5.
- [ 133] BAILEY,B.E. (1952) MARINE OILS, WITH PARTICULAR REFERENCE TO THOSE OF CANADA. BULL.FISH.RES.BD.CAN.89.413PP.
- [ 134] BAILEY,R.S. (1973) OBSERVATIONS ON DIURNAL BEHAVIOUR PATTERNS OF NORTH SEA GADOIDS BEFORE RECRUITMENT. ICES, DEMERSAL FISH (NORTHERN) COMMITTEE. CM1973/F:17. (MIMED).
- [ 135] BAKUNDY,NA.A (1974) CESIUM-137 LEVEL IN FOOD FISH OF THE ATLANTIC OCEAN AND THE BALTIC SEA AND CASPIAN SEA. RADIOBIOLOGIYA 14(3):447-449.
- [ 136] BALLESTER,D., (1977) SAFETY EVALUATION OF AN ENZYMIC FISH PROTEIN HYDROLYSATE TEN-MONTH FEEDING STUDY AND REPRODUCTIVE PERFORMANCE IN RATS. J.FOOD SCI.42(2): 407-409.
- [ 137] BARATTINI,L.P. (1939) [CHANGES OBSERVED IN CERTAIN URUGUAY SPECIES WITH COMMON CHARACTERISTICS.] REV.CHILENA HIST.NAT.PURA Y APLICADA.43:44-47. (IN SPANISH).
- [ 138] BARNARD,K.H. (1927) A MONOGRAPH OF THE MARINE FISHES OF THE SOUTH AFRICAN GENUS MERLUCCIOUS ANN.S.AFR.MUS.,VOL.XXI. 320-321.
- [ 139] BARNARD,K.H. (1947) A PICTORIAL GUIDE TO SOUTH AFRICAN FISHES, MARINE AND FRESHWATER. CAPE TOWN.
- [ 140] BARON,G., (1975) THE DISTRIBUTION OF PARV ALBUMINS IN MUSCLE AND IN OTHER TISSUES. FEBS. LETTERS.56(1):156-160.
- [ 141] BASIOLI,J. (1965) COSLIC MERLUCCIOUS MERLUCCIOUS L.(HAKE). J MORSK. RIBARST.,17:182-184. (IN RUSSIAN).
- [ 142] BASTEN,C., (1970) [A TEST OF THE RELATIONSHIP OF THE HAKE FISHERY AND ENVIRONMENTAL FACTORS OBSERVED IN VALPARAISO DURING 1968.] ESC.PESQ. Y ALIM.,UNIV.CAT.VALPO. (UNPUBLISHED MANUSCRIPT). (IN SPANISH).
- [ 143] BAS,C. (1964) [ASPECTS OF GROWTH OF FISHES OF THE WESTERN MEDITERRANEAN.] INVEST.PESQ.27:13-120. (IN SPANISH).
- [ 144] BAS,C., (1968) [FISHERIES FOR MERLUZA IN AUSTRAL AFRICA, 1967.] PUBLNES.TEC.JTA.ESTUD.PESCA.(MADRID),7:13-40. (IN SPANISH).

- [ 145] BAS,C. (1969)[FISHERIES OF AUSTRAL AFRICA,(1968).] PUBLNES.TEC. JTA.ESTUD.PESCA,8:13-56. (IN SPANISH).
- [ 146] BATTLE,H.I. (1934)HAKE FISHERY CONCENTRATED AT THE MOUTH OF THE BAY OF FUNDY. PROG.REPT.,ATL.BIOL.STAT.ST.ANDREWS, NO.11:12-14.
- [ 147] BATTLE,H.I. (1951)CONTRIBUTIONS TO THE STUDY OF THE LIFE STORY OF THE HAKE.SPAWNING WITH NOTES ON AGE DETERMINATIONS (UNPUBLISHED MANUSCRIPT).
- [ 148] BAXTER,J.L., PRUTER,A.T. (1965) BACKGROUND RESUME FOR PACIFIC HAKE WORKSHOP MEETING. (UNPUBLISHED MANUSCRIPT).
- [ 149] BAYLIS,H.A. (1929)PARASITIC NEMATODA AND ACANTHOCEPHALA COLLECTED IN 1925-27.DISCOVERY REPTS. GOVERNMENT DEPENDENCIES FALKLAND ISL.1:541-560.
- [ 150] BAYLIS,H.A., JONES,E.I. (1933) SOME RECORDS OF PARASITIC WORMS FROM MARINE FISHES AT PLYMOUTH.J.MARINE BIOL.ASSOC.UNITED KINGDOM, 18(2):627-634.
- [ 151] BEAULIEU,G., CORBEIL,E. (1964) EXTENSION OF THE RANGE OF HAKE,MERLUCCIOUS BILINEARIS (MITCHILL) IN NORTH AMERICA.J TRAV. PECH.QUEB.NO.5.:249-254.(IN FRENCH).
- [ 152] BEAULIEU,G., CORBEIL,E. (1966) EXTENSION OF THE AREA OF HAKE MERLUCCIOUS BILINEARIS (MITCHILL) IN NORTH AMERICA.J NATUR. CAN.91(10):249-254.(IN FRENCH).
- [ 153] BELLISIO,N.B., LOPEZ,R.B. (1900) [MONOGRAPH ON FISH RESOURCES NO.1. PROSPECTS OF FISHING IN THE ARGENTINE SEA. I. COLA HAKE (MACRURONUS MAGELLANICUS,LONNBERG).] REPORT OF MIN.AGRIC.Y GANADERIA,SEC.RES.NAT.,BUENOS AIRES, ARGENTINA. (IN SPANISH).
- [ 154] BELLOC,G. (1923)[NOTES ON GROWTH OF THE HAKE, RACIAL AND SEXUAL VARIATION.] REV.TRAV.OFF.PECH.MARIT.,NOTES ET MEMOIRES. NO.21:1-32. (IN FRENCH).
- [ 155] BELLOC,G. (1923)[NOTES ON THE GROWTH OF MERLUCCIOUS,SPECIES AND SEXUAL VARIATIONS.] RAPP. ET PROC.-VERB. EXPLOR. MER. COPENHAGUE.31:34-43.(IN FRENCH).
- [ 156] BELLOC,G. (1928)[HYDROLOGY AND OCEANOGRAPHY.THE CRUISE OF THE TANCHE IN JULY-AUGUST 1928.] REV.TRAV.OFFICE PECHES MARITIMES.2(1):13-29.(IN FRENCH).
- [ 157] BELLOC,G. (1929)[EARLY LIFE OF THE HAKE (MERLUCCIOUS MERLUCCIOUS) IN THE FIRST PERIOD OF GROWTH.] BOL.PESCAS INST.ESPANOL OCEANOGR. 14(15):9-13.(IN SPANISH).
- [ 158] BELLOC,G. (1929)[A REVIEW OF THE HAKE (MERLUCCIOUS MERLUCCIOUS) PART 1]. REV.TRAV.OFFICE PECHES MARITIMES. 2(2):153-199.(IN FRENCH).
- [ 159] BELLOC,G. (1929)[A REVIEW OF THE HAKE (MERLUCCIOUS MERLUCCIOUS), PART 2]. REV.TRAV.OFFICE PECHES MARITIMES. 2(3):231-288.(IN FRENCH).
- [ 160] BELLOC,G. (1930)[FLUCTUATIONS IN THE ABUNDANCE OF THE VARIOUS YEAR-CLASSES OF FOOD FISHES.VII.NOTE ON THE BEHAVIOUR OF HAKE(MERLUCCIOUS MERLUCCIOUS) DURING THE FIRST PERIOD OF GROWTH.] CONSEIL PERMANENT INTERNAT.EXPLOR.MER,RAPP. ET PROC.VERB. REUNIONS.65:45-49.(IN FRENCH).
- [ 161] BELLOC,G. (1932)[HAKE.PRELIMINARY REPORT OF THE VOYAGE ON BOARD THE H.M.S. 'GEORGE BLIGH'.] REV.TRAV.OFF.PECH. MARIT., 5(1):25-28. (IN FRENCH).
- [ 162] BELLOC,G. (1933)[PRELIMINARY REPORT OF THE VOYAGE ON BOARD THE H.M.S. 'GEORGE BLIGH'.] RAPP.P-V.REUN.CONS.PERM. INT.EXPLOR.MER.,84:26-28. (IN FRENCH).
- [ 163] BELLOC,G. (1933)[NOTES ON THE SOUTHERN AREA LIMITS TO THE DISTRIBUTION OF HAKE.] REV.TRAV.OFF.PECH.MARIT., 6(1):63-65. (IN FRENCH).
- [ 164] BELLOC,G. (1935)[MONOGRAPHIC STUDY OF THE HAKE, MERLUCCIOUS MERLUCCIOUS (PART III).] REV.TRAV.OFF.PECH.MARIT., 8(2):145-202. (IN FRENCH).

- [ 165] BELLOC,G. (1937) [NOTES ON THE PRESENCE OF THE HAKE IN THE WATERS OFF THE CAPE VERT PENINSULA.] REV. TRAV. OFF. PECH. MARIT., 10(3):341-346. (IN FRENCH).
- [ 166] BELL,F.H., (1958) CLIMATIC TEMPERATURE CHANGES AND COMMERCIAL YIELDS OF SOME MARINE FISHES. J. FISH. RES. BD. CAN. 15(4): 625-683.  
FRUTER,A.T.
- [ 167] BENZONANA,G., (1972) THE BINDING OF CALCIUM TO MUSCULAR PARV ALBUMINS.  
CAPONY,J.P. BIOCHIM. BIOPHYS. ACTA, 278(1):110-116.
- [ 168] BERGERON,J. (1960) [LIST OF FISHES CAPTURED IN THE REGION OF THE BAY DE CHALEUR AND THE GULF OF ST. LAWRENCE BY THE GRANDE RIVIERE MARINE STATION FROM 1952 TO 1960.] DEPT. PECH., STA. BIOL. MAR. GRANDE RIVIERE. (MS). (IN FRENCH).
- [ 169] BERGERON,J. (1960) [LIST OF MARINE FISH FROM THE ESTUARY AND GULF OF THE ST. LAWRENCE RIVER.] CONTRE. DEP. PECH. QUE. 80:1-27. (IN FRENCH).
- [ 170] BERGERON,J., (1963) CATCHES OF FISH LARVAE FROM THE SOUTHWESTERN GULF OF ST. LAWRENCE IN 1962. RAPP. ANN. (1963) STA. BIOL. MAR., GRANDE RIVIERE:69-76.  
LACROIX,G.
- [ 171] BERGERON,J., (1970) [CATALOGUE OF FISH SPECIES DEPOSITED IN THE MUSEUM OF THE MARINE BIOLOGY STATION AT GRAND-RIVIERE (SOUTH GASPE), 1932-1969.] QUEBEC, MIN. INDUST. COMM. SERVICE BIOL., CAHIERS D'INFORMATION 51:1-96, (IN FRENCH).  
LEGENBRE,V.
- [ 172] BERG,L.S. (1940) CLASSIFICATION OF FISHES, BOTH RECENT AND FOSSIL. TRAV. INST. ZOOL. ACAD. SCI. URSS, S(2):346-517.
- [ 173] BERG,L.R. (1970) PRELIMINARY STUDIES OF THE NUTRITIVE VALUE OF HAKE MEAL FOR POULTRY. U.S. FISH WILDLIFE SERVICE CIRC. 332:143-148.
- [ 174] BERRY,F.H. (1965) TAXONOMY OF THE EASTERN PACIFIC HAKE (MERLUCCIOUS). PRELIMINARY REPORT. (UNPUBLISHED MANUSCRIPT).
- [ 175] BEST,E.A. (1959) STATUS OF THE ANIMAL FOOD INDUSTRY IN NORTHERN CALIFORNIA, 1956 AND 1957. CAL. FISH. AND GAME, 45(1):5-18.
- [ 176] BEST,E.A. (1961) THE CALIFORNIA ANIMAL FOOD FISHERY 1958-1960. PAC. MAR. FISH. COMM. 5:6-16.
- [ 177] BEST,E.A. (1963) CONTRIBUTION TO THE BIOLOGY OF THE PACIFIC HAKE MERLUCCIOUS PRODUCTUS (AYRES). CAL. COOP. OCEAN. FISH. INVEST. REP. 9:51-56.
- [ 178] BEST,E.A., (1966) LENGTH FREQUENCIES OF PACIFIC HAKE (MERLUCCIOUS PRODUCTUS) LANDED IN CALIFORNIA THROUGH 1964.  
NITSOS,R.J. CALIF. FISH AND GAME, 52(1):49-53.
- [ 179] BEVERTON,R.J.H., (1959) A REVIEW OF THE LIFE-SPANS AND MORTALITY RATES OF FISH IN NATURE AND THEIR RELATION TO GROWTH AND OTHER PHYSIOLOGICAL CHARACTERISTICS. IN: C. I. B. A. FOUNDATION COLLOQUIA ON AGEING, VOL. 5 (THE LIFESPAN OF ANIMALS):142-180.  
HOLT,S.J. J. AND A. CHURCHILL, LTD.
- [ 180] BIDENKO,M.S., (1973) [ON SOME TECHNOLOGICAL OPERATIONS IN FROZEN FISH MINCE PRODUCTION AND ON THE CHOICE OF OBJECTIVE QUALITY CRITERIA.] TR. ALT. NAUCHNO-ISSLED. INST. RYBN. KHOZ. OKEANOGR. 52:30-43. (IN RUSSIAN).  
KUZMICHEVA,G.M.,  
MARTYNOVA,E.T.,  
RAMBEZA,E.F.
- [ 181] BIGELOW,H.B., (1939) NOTES ON THE FAUNA ABOVE MUD BOTTOMS IN DEEP WATER IN THE GULF OF MAINE. BIOL. BULL., WOODS HOLE, 76(3):305-324.  
SCHROEDER,W.C.
- [ 182] BIGELOW,H.B., (1953) FISHES OF THE GULF OF MAINE.  
SCHROEDER,W.C. U.S. FISH. WILDL. SERV. FISH. BULL. 53(74):1-577.

- [ 183] BIGELOW,H.B.,  
SCHROEDER,W.C. (1955) OCCURRENCE OFF THE MIDDLE AND NORTH ATLANTIC UNITED STATES OF THE OFFSHORE HAKE, MERLUCCIIUS ALBIDUS (MITCHILL) 1818, AND OF THE BLUE WHITTING GADUS (MICROMESISTIUS) POUTASSOU (RISSO) 1826. BULL. MUS. COMP. ZOOI. HARVARD UNIV. 113(2):203-226.
- [ 184] BIRTWISTLE,W.,  
LEWIS,H.M. (1925) HAKE INVESTIGATIONS. LANCASHIRE SEA-FISH. LAB. REP. 33:35-56.
- [ 185] BLANCO,M.M.,  
LARRU,F.N.,  
LOBILLO,E. (1956) SPECTROPHOTOMETRIC DETERMINATION OF IRON, MANGANESE COPPER, MOLYBDENUM, COBALT AND PHOSPHORUS IN COD SPAWN (M. MERLUCCIIUS L.). AN BROMAT., MADRID, 8:315-317.
- [ 186] BLEGUAD,H. (1946) ON THE WASTE-FISH FISHERY. REPT. DANISH BIOL. STA. 48(1943/45):3-26.
- [ 187] BOANANI,N. (1974) [EXPLORATORY TRAWLING (PART 2). EL IDRISSEI CRUISE 7401, 23-29 JAN. 1974. ] TRAV. DOC. DEV. PECHEs MAROC. NO. 4. PP. 27. (IN FRENCH).
- [ 188] BOHL,H. (1967) [CONSERVATION MEASURES FOR HAKE.] INFORM. FISCHW. AUSLDS, 14:124-130. (IN GERMAN).
- [ 189] BOHL,H.,  
BOTHAL,L.,  
VAN ECK,T.H. (1971) SELECTION OF CAPE HAKE (MERLUCCIIUS MERLUCCIIUS CAPENSIS CASTELNAU AND MERLUCCIIUS MERLUCCIIUS PARADOXUS FRANCA) BY BOTTOM-TRAWL COD-ENDS. J. DU CONS. INT. EXPLOR. MER. 33(3):438-470.
- [ 190] BOLOGNARI,A.,  
BUTA,G. (1971) [RESULTS OF FISH CATCHES DURING THE FOUR YEAR PERIOD 1967-1970 IN THE SEAS OF SOUTHERN CALABRIA AND EASTERN SICILY]. BOLL. PESCA, PISC, IDRO. 26(1-2): 21-42. (IN ITALIAN).
- [ 191] BORGSTROM,G. (1961) U.S. ATLANTIC FISHERIES AND CURRENT TRENDS IN SUPPLY AND USE. IN: ATLANTIC OCEAN FISHERIES. BY GEORG BORGSTROM AND ARTHUR J. HEIGHWAY. FISHING NEWS (BOOKS), LTD. LONDON, PP 225-255.
- [ 192] BORGSTROM,G.,  
HEIGHWAY,A.J. (1961) THE SEA FISHING INDUSTRY OF THE ARGENTINE. IN: ATLANTIC OCEAN FISHERIES. BY GEORG BORGSTROM AND ARTHUR J. HEIGHWAY. FISHING NEWS (BOOKS), LTD., LONDON, PP 196-204.
- [ 193] BORLEY,J.O. (1926) DISTRIBUTION OF THE FOOD FISHES IN THE NORTH SEA DURING 1923 AND 1924-WITH NOTES ON THE NATURAL HISTORY OF THE FOOD FISHES OF THE NORTH SEA, BY D.E. THURSBY-PELHAM. MIN. AGRIC AND FISH. FISHERY INVESTIG. 9(4):PP 14.
- [ 194] BORODULINA,O.D. (1968) ARGENTINA SILUS IN THE ATLANTIC OCEAN. ICES. RAPP. ET P-V. REUNION. 158(3):54-57.
- [ 195] BOSCHI,E.E. (1971) [INVESTIGATIONS OF THE ARGENTINE ANCHOVY AND HAKE FISHERIES.] FAO/FIR: TMFD/71/15, MAR DEL PLATA. (IN SPANISH).
- [ 196] BOTHA,L. (1970) SA TRAWLFISH LANDING FROM 1955 TO 1968 WITH SPECIAL REFERENCE TO THE HAKE. S.AFR. SHIPP. NEWS FISH. IND. REV., 25(1):
- [ 197] BOTHA,L. (1970) THE GROWTH OF THE CAPE HAKE, MERLUCCIIUS CAPENSIS. S. AFR. DIV. SEA FISH. INVEST. REP. 82. 1-9.
- [ 198] BOTHA,L., (1971) GROWTH AND OTOLITH MORPHOLOGY OF THE CAPE HAKES MERLUCCIIUS-CAPENSIS AND MERLUCCIIUS-PARADOXUS. S.AFR. DIV. SEA FISH. INVEST. REP. 97:1-32.
- [ 199] BOTHA,L.,  
MOMBECK,F. (1971) RESEARCH AND CONSERVATION ON THE CAPE HAKE. S.AFR. SHIPP. NEWS FISH. IND. REV., 26(12):59-63.
- [ 200] BOTHA,L. (1973) MIGRATIONS AND SPAWNING BEHAVIOUR OF THE CAPE HAKE S.AFR. SHIP. NEWS FISH. IND. REV. APRIL:61-67.
- [ 201] BOTHA,L. (1973) DEPTH DISTRIBUTION, MIGRATIONS, AND SPAWNING OF THE CAPE HAKES AS RELATED TO THE FISHERY. SYMPOSIUM (THE SOUTH AFRICAN OCEANOGRAPHIC) AUGUST 6-10, 1973. SEA FISH BRANCH, DEPT. IND., CAPE TOWN, RSA, PP 53.

- [ 202] BOTHA,L. (1973)THE BIOLOGY OF THE CAPE HAKES M.CAPENIS AND M.PARADOXUS IN THE CAPE OF GOOD HOPE AREA,INVEST. REF.SEA FISH.BRANCH.S.AFR.(IN PRESS)
- [ 203] BOUHLAL,M. (1973)[MERLUCCIIUS MERLUCCIIUS MEDITERRANEUS ON THE NORTH COAST OF TUNISIA. ECONOMIC AND BIOLOGICAL STUDY: REPRODUCTION,SEX RATIO AND VERTICAL DISTRIBUTION] BULL.INST.NATL.SCI.TECH.OCEANOGR.PECHE SALAMMO, 2(4):579-603. (IN SPANISH).
- [ 204] BOWMAN,A. (1928)DANISH SEINE NET FISHING IN THE MORAY FIRTH. RAPP. P-V.REUN.CONS.PERM.INT.EXPLOR.MER,52:179-216.
- [ 205] BOWMAN,E.W. (1972)SEASONAL DISTRIBUTION OF RED AND SILVER HAKE IN ICNAF DIVISIONS 5Z,6A AND 6B.ICNAF RES.DOC.72/114. SER.NO.2834,PP.30.(MIMEO).
- [ 206] BOWMAN,R.E. (1975)FOOD HABITS OF ATLANTIC COD,HADDOCK,AND SILVER HAKE IN THE NORTHWEST ATLANTIC 1969-1972.NORTHEAST FISHERIES CENTER LAB.REF.NO.75-1,PP.53.
- [ 207] BRANDHORST,W. (1959)RELATIONSHIP BETWEEN THE HAKE FISHERY AND THE SUBSURFACE RETURN FLOW BELOW THE PERU CURRENT OFF CHILE COAST. NATURE,183:1832-1833.
- [ 208] BRANDHORST,W. (1959)OCEANOGRAPHIC FACTORS AND THE HAKE FISHERY.JAGRIC Y GANADERIA, TOMO V,NO.18/19,SANTIAGO.(IN SPANISH)
- [ 209] BRANDT,A.VON. (1967)PELAGIC FISHERY FOR SEA HAKE.]INFORM.FISCHW. AUSLDS,14:120-124.(IN GERMAN).
- [ 210] BRAVO,L.M., HIDALGA,M.F. (1971) [THE HISTOLOGICAL STRUCTURE OF THE DIGESTIVE APPARATUS OF MERLUCCIIUS GAYI GAYI (GUICHENOT,1848) (GADIFORMES,MERLUCCIDAE).] BOL.MUS.NACL.HIST.NAT. CHILE,32:349-361. (IN SPANISH).
- [ 211] BRIAN,A. (1952)AN EXTREME CASE OF A FISH LACKING AN EYE (MERLUCCIIUS ESCULENTUS RISSO).NATURA,MILANO,43:17-23.(IN ITALIAN).
- [ 212] BROWN,B.E., BRENNAN,J.A., HEYERDAHL,E.G., HENNEMUTH,R.C. (1973) AN ILLUSTRATION OF THE BY-CATCH PROBLEM IN ICNAF SUBAREA 5 AND STATISTICAL AREA 6.ICNAF RES.DOC. 73/99,30PP.
- [ 213] BROWN,B.E., BRENNAN,J.A., HEYERDAHL,E.G., GROSSLEIN,M.D., HENNEMUTH,R.C. (1973) AN EVALUATION OF THE EFFECT OF FISHING ON THE TOTAL FINFISH BIOMASS IN ICNAF SUBAREA 5 AND STATISTICAL AREA 6. ICNAF RES.DOC.73/8. SERIAL NUMBER 2910,PP32,+APPENDIX.(MIMEO).
- [ 214] BRUNEL,P. (1965)[SCATTERED OBSERVATIONS IN 1964 ON SEVERAL SPECIES OF MACROSCOPIC PELAGIC ANIMALS.] RAPP.ANN.1964 STA.BIOL.MAR.GRANDE-RIVIERE:65-66.(IN FRENCH).
- [ 215] BRYANTSEV,U.A., SAUSKAN,V.I. (1975) [TEMPERATURE CONDITIONS AND DISTRIBUTION OF COMMERCIAL CONCENTRATIONS OF SILVER HAKE (MERLUCCIIUS BILINEARIS) IN THE NORTHWEST ATLANTIC] TR.ATLANTICIRO,58:63-68. (IN RUSSIAN).
- [ 216] BULLIS,H.R. (1955)PRELIMINARY RESULTS OF DEEP-WATER EXPLORATION FOR SHRIMP IN THE GULF OF MEXICO BY THE M/V OREGON (1950-1956).COMM.FISH.REV.18(12):1-12.
- [ 217] BURCZYNSKI,J., WERZESINSKI,O. (1974) ABUNDANCE ESTIMATION OF HAKE ON THE ARGENTINE SHELF. POLISH-UNSF HIGHSEAS FISHERIES RESEARCH PROJECT,FAO OF UN.
- [ 218] BURD,A.C., GULLAND,J.A. (1956) THE ENGLISH FISH SAMPLING PROGRAMME. RAPP.P-V. REUN.CONS.PERM.INT.EXPLOR.MER,140:102-106.
- [ 219] BURT,J.R., DREOSTI,G.M., JONES,N.R., KELMAN,J.H., MCDONALD,I., MURRAY,J., SIMMONDS,C.K., STROUD,G.D. (1968) THE HANDLING OF CAPE HAKE.FISH.NEWS INTERNAT.7(6): 39-42.

- [ 220] BURT, J.R. (1970) HYPOXANTHINE: A BIOCHEMICAL INDEX OF FISH QUALITY. PROCESS BIOCHEM., 12(1):32.
- [ 221] BURT, J.R., SIMMONDS, C.K. (1971) HYPOXANTHINE AS AN INDICATOR OF FRESHNESS IN ICED CAPE HAKE BEFORE FREEZING AND AFTER THAWING. UNIV. CAPE TOWN FISH. IND. RES. INST. CIT. NO. 73-1A-00140: 196-202.
- [ 222] BURT, J.R., DREOSTI, G.M., JONES, N.R., SIMMONDS, C.K., STROUD, G.D. (1974) TECHNOLOGICAL INVESTIGATIONS INTO CAPE HAKE. I. CHILLING AT SEA FOR FREEZING ASHORE. J. FOOD TECHNOL., 9(2):223-233.
- [ 223] BURT, J.R. (1974) THE COMMERCIAL UTILIZATION OF CAPE HAKE. IN: FISHERY PRODUCTS. (R. KREUZER (ED.)), FISHING NEWS (BOOKS) LTD, LONDON, 193P.
- [ 224] BURT, J.R., DREOSTI, G.M., JONES, N.R., KELMAN, J.H., MCDONALD, I., MURRAY, J., SIMMONDS, C.K. (1974) TECHNOLOGICAL INVESTIGATIONS INTO CAPE HAKE. II. FREEZING AT SEA. J. FD. TECHNOL., 9:235:245.
- [ 225] BURT, J.R. (1977) SOUTH ATLANTIC HAKES AS RAW MATERIAL FOR PROCESSING--A BIBLIOGRAPHY. MIMED REPORT PREPARED FOR FAO. (UNPUBLISHED) PF6.
- [ 226] CABO, F.L. (1965) [THE ATLANTIC HAKES.] PUBL. JUNTA ESTUD. PESCA. 4:11-31.
- [ 227] CADENAT, J. (1937) [RESEARCH ON THE SYSTEMATICS OF LITTORAL FISH OF THE WEST COAST OF AFRICA.] REV. TRAV. OSTPM., X(4). (IN FRENCH).
- [ 228] CADENAT, J. (1950) [NOTES ON THE HAKES OF THE WEST COAST OF AFRICA.] CONGR. PECHECH. UN. FRANC. OUTRE. INST. MARSEILLE. (IN FRENCH).
- [ 229] CADENAT, J. (1952) [A NOTE ON THE SUBJECT OF HAKES IN THE REGION OF DAKAR.] J. CONS. PERM. INT. EXPLOR. MER, XVIII (2):230-233. (IN FRENCH).
- [ 230] CADENAT, J. (1955) [NOTES ON THE HAKE MERLUCCIOUS SENEGALENSIS.] RAPP. P-V. REUN. CONS. PERM. INT. EXPLOR. MER, 137:47-48. (IN FRENCH).
- [ 231] CALABRESE, R.H. (1965) [ASSESSMENT OF THE FRESHNESS OF HAKE BY MEANS OF TRIMETHYLAMINE AND TYROSINE DETERMINATIONS.] 2ND. CONGRESS. BONAERENSE PROM. PESQ., 1-24. (IN SPANISH).
- [ 232] CALABRESE, R.H. (1966) [CORRELATION BETWEEN WATER AND LIPIDS IN HAKE, MACKEREL, AND ANCHOVY OF THE ARGENTINE SEA. (MERLUCCIOUS MERLUCCIOUS HUBBSI, SCOMBER JAPONICUS MARPLATENSIS, ENGRAULIS ANCHOITA).] CARPAS, D. TEC. 3/2. (IN SPANISH).
- [ 233] CALABRESE, R.H., MICCIO, L.A. (1971) [QUALITY OF HAKE : ACTUAL AND PRACTICAL CONDITIONS SUGGESTED FOR THE IMPROVEMENT OF OUTPUT] DOC. INFORM., DOC. TEC. PREL. (16). (IN SPANISH).
- [ 234] CALVO, J.G., DE CALVO, N., CALABRESE, R.H., TRUCCO, R.E. (1971) [CHANGE OF THE COMPOSITION OF SUPERFICIAL AEROBIC BACTERIAL FLORA OF THE HAKE (MERLUCCIOUS MERLUCCIOUS HUBBSI) DURING THE PERIOD OF CAPTURE.] CARPAS, RIO DE JANEIRO, D. TEC. 5/11. (IN SPANISH).
- [ 235] CALVO, N.A., DE CALVO, J.G., TRUCCO, R.E. (1971) [ANTAGONISM BETWEEN COMMONLY FOUND GROUPS IN THE BACTERIAL FLORA OF THE HAKE (MERLUCCIOUS MERLUCCIOUS HUBBSI)] J. V CONGRESO DE MICROBIOLOGIA LATINOAMERICANO. PUNTA DEL ESTE. (IN SPANISH).

- [ 236] CALVO, J.G., DE,  
CALVO, N. (1971)  
CHANGE IN THE COMPOSITION OF THE SUPERFICIAL  
AEROBIC BACTERIAL FLORA OF THE HAKE, MERLUCCIOUS  
MERLUCCIOUS WITH THE TIME OF CAPTURE. CONTRIBUCIONE  
INST. BIOL. MAR., MAR DEL PLATA, ARG. 164:1-9.  
(IN SPANISH).
- [ 237] CAPELLO, F. DE D. (1868) CATALOGUE OF THE FISH OF PORTUGAL KEPT IN THE  
LISBON MUSEUM. JOURN. SC. MATH. PHYS. E NAT. LISBON  
NO. V. (IN PORTUGUESE).
- [ 238] CAPEZZANI, D. A. A.,  
VITULLO, J. (1968)  
METHOD OF MEASURING DOUBLE STRATIFICATION BY  
DETERMINING STATISTICAL PARAMETERS OF A  
POPULATION. COM. ASESORA REG. PESQ. PARA ATL. SUDOC.  
DOC. TEC. NO. 4, PP. 10. (IN SPANISH).
- [ 239] CAPONY, J. P.,  
RYDEN, L.,  
DEMAILLE, J.,  
PECHERE, J. F. (1973)  
THE PRIMARY STRUCTURE OF THE MAJOR PARVALBUMIN  
FROM HAKE MUSCLE. OVERLAPPING PEPTIDES OBTAINED  
WITH CHEMICAL AND ENZYMATIC METHODS. THE COMPLETE  
AMINO ACID SEQUENCE. EUR. J. BIOCHEM., 32(1):97-108.
- [ 240] CAPONY, J. P.,  
PECHERE, J. F. (1973)  
THE PRIMARY STRUCTURE OF THE MAJOR PARVALBUMIN  
FROM HAKE MUSCLE. TRYPTIC PEPTIDES DERIVED FROM  
THE S-SULFA AND THE PERFORMIC-ACID-OXIDIZED  
PROTEINS. EUR. J. BIOCHEM., 32(1):88-96.
- [ 241] CARILLO, E.,  
MEDINA, V. (1973)  
PRELIMINARIES ON THE HAKE LIVING IN THE ICSEAF  
AREA (1972). ICSEAF W.G. 73/SP NO. 13. COLL. SCI. PAP.  
(1):171-181.
- [ 242] CARRARA, S. I. (1954) NOTES ON A PARASITIC CRUSTACEAN OF THE ABADAJO  
AND MERLUZA. UNPUBLISHED MS. (MIMEO), 6 PP. (IN  
SPANISH).
- [ 243] CARRARA, S. I. (1960) TRIFUR TORTUOSUS, WILSON: PARASITIC COPEPOD OF  
MERLUCCIOUS HUBBSI, MARINII. UNPUBLISHED MS. (MIMEO)  
5 PP. (IN SPANISH).
- [ 244] CASTELNAU, F., DE. (1861) MERLUCCIOUS CAPENSIS. IN: MEMOIRS ON THE FISH OF  
AUSTRAL-AFRICA. JJ.-B. BAIL-LIERE AND SON EDIT.,  
PARIS, 78 PP. (IN FRENCH).
- [ 245] CASTELL, C. H.,  
SMITH, B.,  
NEAL, W. (1971)  
PRODUCTION OF DIMETHYLAMINE IN MUSCLE OF SEVERAL  
SPECIES OF GADOID FISH DURING FROZEN STORAGE,  
ESPECIALLY IN RELATION TO PRESENCE OF DARK MUSCLE.  
J. FISH. RES. BD. CAN. 2(1):1-5.
- [ 246] CASTELL, C. H.,  
SMITH, B. (1973)  
EFFECTS OF FORMALDEHYDE ON SALT EXTRACTABLE  
PROTEINS OF GADOID MUSCLE. J. FISH. RES. BD. CAN. 30(8):  
1205-1213.
- [ 247] CASTELL, C. H.,  
NEAL, W. E.,  
SMITH, B. (1973)  
COMPARISON OF CHANGES IN TRI-METHYLAMINE,  
DI-METHYLAMINE AND EXTRACTABLE PROTEIN IN ICED AND  
FROZEN GADOID FILLETS. J. FISH RES. BD. CAN. 30(8):1246  
-1248.
- [ 248] CASTELLO, J. P. (1974) ABUNDANCE ESTIMATE OF HAKE IN THE ARGENTINE SEA  
DURING 1973 BETWEEN 40 30 S AND 48 30 S LATITUDE,  
REFERRING TO DATA OF THE POLISH R/V "PROFESSOR  
SLEDLECK" J. CONTRIB. INST. BIOL. MAR., MAR DEL  
PLATA. NO. 285, PP 11. (IN SPANISH).
- [ 249] CASTELLO, J. P.,  
COUSSEAU, M. B.,  
BUONO, J. J. (1975)  
RELATIVE ABUNDANCE OF THE HAKE, MERLUCCIOUS  
MERLUCCIOUS HUBBSI BETWEEN 1966 AND 1973. I. PHYSIS,  
SECTION A: LOS OCEANOS Y SUS ORGANISMOS. 34(89):  
335-353. (IN SPANISH).
- [ 250] CASTRO, J., DE. (1955) THE MERLUZA, BACALAO AND RELATED SPECIES. I. PUBLNES.  
INST. ESP. OCEAN., SER. INF. I (MADRID). (IN SPANISH).
- [ 251] CENDRERO, U. O. (1964) NOTES ON THE LENGTH DISTRIBUTION OF HAKE IN THE  
GULF OF VIZCAYA. I. PUBLNES. TEC. JTA. ESTUD. PESCA, 3:  
45-48. (IN SPANISH).

- [ 252] CHANG, A., (1970)  
ARRATIA, G. DESCRIPTION OF THE CRANIAL BONES IN SPECIES OF THE  
GENUS MERLUCCIIUS-GAYI. ARCHIVOS DE BIOL. MED. EXP.  
7(1-2-3):58.
- [ 253] CHANG, A.G., (1971)  
ARRATIA, G.F.,  
ALGERIA, V.H. [THE OSTEOLOGY IN MERLUCCIIUS GAYI(GUICHENOT).]  
BOLN. MUS. NAC. HIST. NAT. CHILE, 32:299-347. (IN  
SPANISH).
- [ 254] CHATWIN, B.M., (1953)  
FORRESTER, C.R. FEEDING HABITS OF DOGFISH (SQUALUS SUCKLEYI,  
GIRARD). PROG. REPT. FRB OF CAN., PACIF. STAT., 95:35-38
- [ 255] CHAUVET, J., (1961)  
ET ALS [A FEW OBSERVATIONS ON THE NEUROHYPOPHYSIAL  
HORMONES OF A TELEOST FISH, HAKE (MERLUCCIIUS  
MERLUCCIIUS L.)]. C. R. ACAD. SCI., PARIS, 252:2145-2147.  
(IN FRENCH).
- [ 256] CHEN, L. (1975)  
SOME FUNCTIONAL PROPERTIES OF SUCCINYLATED  
PROTEINS FROM FISH PROTEIN CONCENTRATE. J. MILK FOOD  
TECHNOL. 38(2):89-93.
- [ 257] CHILDS, E.A., (1974)  
GAFFKE, J.N. LEAD AND CADMIUM CONTENT OF SELECTED OREGON GROUND  
FISH. J. FOOD SCI. 39(4):853-854.
- [ 258] CHIODI, O.R. (1966)  
[VARIOUS STUDIES ON THE CHEMICAL COMPOSITION  
OF HAKE IN THE SOUTH EAST ATLANTIC OCEAN.  
INDUSTRIALIZATION. ICARPAS, RIO DE JANEIRO, DOC. TEC.  
3/4. (IN SPANISH).
- [ 259] CHLAPOWSKI, K. (1974)  
LENGTH COMPOSITION AND MATURITY OF 1974 HAKES  
MERLUCCIIUS CAPENSIS AND M. PARADOXUS CAUGHT IN  
ICSEAF AREA. ICSEAF COLL. SCI. PAP. (1):182-192.
- [ 260] CHLAPOWSKI, K. (1975)  
HAKE (MERLUCCIIUS CAPENSIS AND MERLUCCIIUS PARADOXUS)  
IN POLISH CATCHES IN SOUTHWEST AFRICAN AREA. ICSEAF  
COLL. SCI. PAP. (2):39-42.
- [ 261] CHLAPOWSKI, K. (1977)  
FOOD AND FEEDING OF HAKE IN SOUTHWEST AFRICAN SEAS  
ICSEAF COLL. SCI. PAP. (4):115-120.
- [ 262] CHRISTIANSEN, H.E., (1968)  
COUSSEAU, M.B. [THE REPRODUCTION OF THE HAKE, CONSIDERING THE  
SPECIES SEXUAL CYCLE FOLLOWING CAPTURE OFF MAR DEL  
PLATA. ICOM. ASESORA REG. PESC. PARA ATL. SUBOCC. DOC.  
TEC. NO. 14, PP. 28. (IN SPANISH).
- [ 263] CHRISTIANSEN, H.E., (1971)  
COUSSEAU, M.B. [REPRODUCTION OF THE HAKE OFF THE ARGENTINE COAST.  
2. REPRODUCTION OF THE HAKE AND ITS RELATION WITH  
OTHER BIOLOGICAL ASPECTS OF THE SPECIES. INST.  
BIOL. MAR. BOL. 20:43-75. (IN SPANISH).
- [ 264] CHRISTIANSEN, H.E. (1971)  
LESION AND INFLAMMATORY REACTION CAUSED BY MARKER  
OF THE SPHAGETTI TYPE IN THE BONITO SARDA SARDA.  
CONTRIBUCIONES, INST. BIOL. MAR., MAR DEL PLATA, ARG.  
149:1-12.
- [ 265] CHRISTIANSEN, H.E. (1971)  
[REPRODUCTION OF THE HAKE (MERLUCCIIUS MERLUCCIIUS  
HUBBSI) OFF THE ARGENTINE COAST. 1. HISTOLOGICAL  
DESCRIPTION OF THE OVARIAN CYCLE OF THE HAKE.]  
INST. BIOL. MAR. BOL. 20:4-41. (IN SPANISH).
- [ 266] CHRISTIANSEN, H.E., (1973)  
BRODSKY, S.R.,  
CABRERA, M.E. [MICROSCOPICAL METHODS, APPLIED AT POPULATION  
LEVEL, ON THE GONADS OF MARINE VERTEBRATES AND  
INVERTEBRATES.] PHYSIS SECT. A., B. AIRES. 32(85):467-  
480. (IN SPANISH).
- [ 267] CHRISTIANSEN, H.E., (1973)  
BRADSKY, S.R. [MICROSCOPICAL METHODS APPLIED AT POPULATION LEVEL  
ON THE GONADS OF MARINE VERTEBRATES AND  
EUROPEAN HAKE, MERLUCCIIUS MERLUCCIIUS, OFF THE  
THE COAST OF SPANISH GALICIA. BOLETIN DEL INSTITUTO  
ESPANOL DE OCEANOGRAPHIA. 190:1-37. (IN SPANISH).
- [ 268] CHU, C. (1971)  
TOTAL UTILIZATION OF HAKE (MERLUCCIIUS PRODUCTUS,  
AYRES) BY METHOD OF BRINE-ACID EXTRACTION. PH.D.  
THESIS. 1971 UNIVERSITY OF WASHINGTON, SEATTLE,  
WASH., USA, PP. 205.



- [ 269] CHU,C., (1973)  
FIGOTT,G.M. ACIDIFIED BRINE EXTRACTION OF FISH. TRANS.AM.SOC.  
AGRIC.ENG.,16(5):949-952.
- [ 270] CIECHOMSKI,J.D.,DE. (1966)PRELIMINARY DATA ON THE FECUNDITY OF THE HAKE  
MERLUCCIIUS MERLUCCIIUS HUBBSI OF THE BONAERENSE  
SECTOR.JCARPAS,D.TEC.3/3.(IN SPANISH).
- [ 271] CIECHOMSKI,J.D.,DE. (1967)ENATURE OF THE REPRODUCTION AND FECUNDITY OF THE  
ARGENTINE HAKE(MERLUCCIIUS MERLUCCIIUS HUBBSI)IN THE  
BONAERENSE SECTOR.J.INST.BIOL.MAR.(MAR DEL PLATA)  
BULL.NO.13 PP.30.(IN SPANISH).
- [ 272] CIECHOMSKI,J.D.,DE, (1968)  
CHRISTIANSEN,H.E. [A CASE OF HERMAPHRODITISM IN THE HAKE,MERLUCCIIUS  
MERLUCCIIUS HUBBSI,PISCES:MERLUCCIDAE.JPHYSIS,  
27(75):423-428.(IN SPANISH).
- [ 273] CIECHOMSKI,J.D.,DE, (1973)  
WEISS,G. [NOTE ON THE PRESENCE OF EGGS AND LARVAE OF THE  
HAKE,MERLUCCIIUS MERLUCCIIUS HUBBSI,IN THE SEA OFF  
ARGENTINA.JPHYSIS,B.AIRES,SECTION A:LOS OCEANOS  
Y SUS ORGANISMOS.32(84):155-160.(IN SPANISH).
- [ 274] CIECHOMSKI,J.D.,DE, (1974)  
WEISS,G. [CHARACTERISTICS OF THE EMBRYONIC AND LARVAL  
DEVELOPMENT OF THE HAKES MERLUCCIIUS-MERLUCCIIUS-  
HUBBSI AND MERLUCCIIUS-POLYLEPSIS,PISCES:  
MERLUCCIIDAEJ.PHYSIS,SEC.A:LOS OCEANOS Y SUS  
ORGANISMOS.33(87):527-536.(IN SPANISH).
- [ 275] CIECHOMSKI,J.D.,DE., (1974)  
WEISS,G. [STUDIES ON THE FOOD AND FEEDING HABITS OF LARVAE  
OF THE HAKE,MERLUCCIIUS MERLUCCIIUS HUBBSI,AND OF  
THE ANCHOVY ENGRAULIS ANCHOITA IN THE SEA. ]  
PHYSIS SECC.A OCEANOS ORG.33(86):199-208.(IN  
SPANISH).
- [ 276] CIECHOMSKI,J.D.,DE, (1974)  
WEISS,G. [DISTRIBUTION OF EGGS AND LARVAE OF THE HAKE,  
MERLUCCIIUS MERLUCCIIUS HUBBSI,IN THE SHELF WATERS  
OFF ARGENTINA AND URUGUAY IN RELATION TO THE  
ANCHOVY,ENGRAULIS ANCHOITA AND TO THE  
ENVIRONMENTAL FACTORS.JPHYSIS,33(86):185-198.(IN  
SPANISH).
- [ 277] CIRUGEDA DELGADO,M.E., (1976)  
MAMOLAR,J.M.G. [FITTING OF SCHAEFER AND FOX PRODUCTION MODELS TO  
THREE FISHERIES IN THE SPANISH MEDITERRANEAN SEA.J  
BOLETIN DEL INSTITUTO ESPANOL DE OCEANOGRAFIA.  
217:1-25.(IN SPANISH).
- [ 278] CLARK,R.S. (1920)THE PELAGIC YOUNG AND EARLY BOTTOM STAGES OF  
TELEOSTEANS.J.MAR.BIOL.ASS.U.K.,XII(2):159-240.
- [ 279] CLARK,J.R. (1954)PRELIMINARY REPORT ON THE ESCAPE OF SILVER HAKE  
THROUGH TRAWL MESHES.ICNAF SERIAL NO.270,APPENDIX  
3.PP10.(MIMEO).
- [ 280] CLARK,J.R. (1957)SIZE SELECTION OF FISH BY OTTER TRAWLS.PROC.GULF  
CARIBB.FISH.INST.,:113-118.
- [ 281] CLARK,J.R. (1957)ESCAPEMENT OF SILVER HAKE THROUGH CODENDS.SUMMARY  
OF U.S.EXPERIMENTS.JOINT MEETING (1957)  
OF ICNAF AND FAO,LISBON.(ABSTRACT-ICNAF,SPEC.  
PUBL.,NO.5.(1963).)
- [ 282] CLARK,J.R., (1958)  
MCCRACKEN,F.,  
TEMPLEMAN,W. SUMMARY OF GEAR SELECTION INFORMATION FOR THE  
COMMISSION AREA.ICNAF,ANNU.PROC.8:93-98.
- [ 283] CLARK,J.R., (1963)  
FRITZ,R.L. ESCAPEMENT OF HADDOCK AND SILVER HAKE THROUGH WIRE  
MESHES.ICNAF,SPEC.PUBL.,5:58-60.
- [ 284] CLARK,J.R., (1963)  
JENSEN,A. ESCAPEMENT OF SILVER HAKE THROUGH CODEND MESHES.  
ICNAF,SPEC.PUBL.,5:81-84.
- [ 285] CLARK,S.H., (1977)  
BROWN,B.E. CHANGES IN BIOMASS OF FINFISHES AND SQUIDS FROM  
THE GULF OF MAINE TO CAPE HATTERAS,NORTH CAROLINA,  
U.S.A.1963-1974 AS DETERMINED FROM RESEARCH  
VESSEL SURVEY DATA. FISHERY BULL.75(1):1-21.

- [ 286] CLAY, D. (1978) THE SELECTION OF SILVER HAKE (MERLUCCIIUS BILINEARIS) ON THE SCOTIAN SHELF (A FINAL REPORT ON TWO JOINT CRUISES IN 1977). ICNAF SERIAL NO. 5228 (D.C.9). RES. DOC. 78/VI/60. PP22. (MIMEO).
- [ 287] CLEMENS, W.A., (1961) WILBY, G.V. FISHES OF THE PACIFIC COAST OF CANADA. BULL. FISH. RES. BD. CAN., 68:433.
- [ 288] CLEMENS, W.A., (1961) WILBY, G.V. FISHES OF THE PACIFIC COAST OF CANADA. BULL. FISH. RES. BD. CANADA. (68):1-443.
- [ 289] COHEN, E.H. (1963) EFFECT OF STORAGE IN REFRIGERATED SEA WATER ON AMINO ACIDS AND OTHER COMPONENTS OF WHITING, MERLUCCIIUS BILINEARIS. U.S. FISH WILDLIFE SERV. FISH. IND. RES. DEC. 1963:5-11.
- [ 290] COHEN, E.H. (1963) STORAGE OF FISH IN REFRIGERATED SEA WATER. 2. QUALITY CHANGES IN WHITING AS DETERMINED BY ORGANOLEPTIC AND CHEMICAL CHANGES. U.S. FISH WILDLIFE SERV. FISH IND. RES. DEC. 1963:21-27.
- [ 291] COHEN, E.H., (1964) PETERS, J.A. EFFECT OF STORAGE IN REFRIGERATED SEA WATER ON AMINO ACIDS AND OTHER COMPONENTS OF WHITING (MERLUCCIIUS BILINEARIS). FISH. INDUST. RES. 2(2):5-11.
- [ 292] COLLIGNON, J., (1960) ALONCLE, H. [THE FEEDING REGIME OF A FEW BENTHIC FISH OFF THE MOROCCAN COAST. J. BULL. PECH. MARIT. MAROC, 5:17-19. (IN FRENCH)].
- [ 293] COLTON, J. B., JR. (1959) A FIELD OBSERVATION OF MORTALITY OF MARINE FISH LARVAE DUE TO WARMING. LIMNOL. AND OCEANOGR. 4(2):219-222.
- [ 294] CONOVER, J. T., (1961) FRITZ, R. L., VIEIRA, M. A MORPHOMETRIC STUDY OF SILVER HAKE. SPEC. SCI. REP. US. FISH. AND WILDL. SERV. (368):13PP.
- [ 295] CONROY, D. A., (1965) RODRIGUEZ, J. L. HAEMATOLOGICAL STUDY OF THE HAKE (MERLUCCIIUS MERLUCCIIUS) FROM THE SOUTHWEST ATLANTIC. J. FISH. RES. BD. CAN., 22(3):869-871.
- [ 296] CORREA, S. R. (1967) [CONSIDERATIONS OF THE DESIGN, OUTFITTING AND VARIOUS CALCULATIONS OF TRAWL GEAR FOR THE HAKE.] ESC. PESQ. Y ALIM., UNIV. CAT. VALPO. (UNPUBLISHED MS.). (IN SPANISH).
- [ 297] COSTLEY, G. E. (1970) INVOLVEMENT OF FORMALDEHYDE IN DEPRESSED IRON ABSORPTION IN MINK AND RATS FED PACIFIC HAKE (MERLUCCIIUS PRODUCTUS). PH.D. THESIS. 1970 OREGON STATE UNIVERSITY, OREGON, USA.
- [ 298] COUCH, J. (1864) THE HISTORY OF THE FISHES OF THE BRITISH ISLAND. LONDON. VOL III. PP 208.
- [ 299] COUSSEAU, M. B., (1968) CASTELLO, J. P., CAPEZZANI, D., GAGLIARDI, R., SILVOSA, J. M. [INFORMATION ON THE BIOSTATISTICAL SAMPLING PLAN FOR LANDED FISH (SUBSIDIO CAFPTA, PLAN NO. 801. PERIOD BETWEEN 1965-DECEMBER 1967). INST. BIOL. MAR. Y DIR. GEN. PESCA NAC. MAR DEL PLATA, ARGENTINA (MIMEO REPORT):51 PP. (IN SPANISH)].
- [ 300] COUSSEAU, M. B., (1973) CASTELLO, J. P., COTRINA, C. P., SILVOSA, J. M. [REPORT ON THE BIO STATISTICAL SAMPLING ON FISH UNLOADED AT THE PORT OF MAR-DEL-PLATA ARGENTINA FOR THE PERIOD JANUARY 1968 TO DECEMBER 1971.] CONTRIBUCIONES, INSTITUTO DE BIOLOGIA MARINA, MAR DEL PLATA, ARGENTINA. 244:1-77. (IN SPANISH).
- [ 301] COUSSEAU, M. B., (1975) COTRINA, C. P. [OBSERVATIONS ON THE TIME OF THE HYALINE RING FORMATION IN THE HAKE OTOLITHS (MERLUCCIIDAE) MERLUCCIIUS MERLUCCIIUS HUBBSI.] PHYSIS, SECTION A: LOS OCEANOS Y SUS ORGANISMOS. 34(8.):327-334. (IN SPANISH).

- [ 302] COUVE,R.A. (1966) [PRELIMINARY DESIGN OF PROCESSING PLANT FOR SALTING AND DRYING HAKE AND ANALYSIS OF THE FISHERY BETWEEN CONSTITUCION AND LEBU .J ESC.PESQ. Y ALIM.,UNIV.CAT.VALPO.(UNPUBLISHED MS.).(IN SPANISH).
- [ 303] COX,P. (1921) LIST OF FISHES COLLECTED IN 1917 OFF THE CAPE BRETON COAST AND THE MAGDALEN ISLANDS.CONTRIB. CANAD.BIOL.1918-1920 VOLUME,NO.11:109-114.
- [ 304] COX,R.I. (1954) FRESHNESS TESTS (C).PENETROMETER TESTS FOR SOFTNESS.FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN,ANN. REPT. 7:9.
- [ 305] COX,R.I.,  
AALDERINK,J.F.M. (1954) FRESH HAKE: FRESHNESS TESTS.FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN,ANN. REPT. 7:8.
- [ 306] CRAM,D.L.,  
SCHUELEIN,F.H. (1974) OBSERVATIONS ON SURFACE-SHOALING CAPE HAKE OFF SOUTHWEST AFRICA.J.DU CONS.INT.EXPL.MER.35(3):272-275.
- [ 307] CRAWFORD,D.L. (1970) UTILIZATION OF HAKE AS HUMAN FOOD. OREGON FISH COMM.COMPLETION REPT.JULY 69-JUNE 70.PP.16.
- [ 308] CRAWFORD,D.L. (1970) PREPARATION OF MARINE PROTEIN CONCENTRATE FROM HAKE. OREGON FISH COMM.COMPLETION REPT.JUL.67-JUN 70.PP.38.
- [ 309] CRAWFORD,D.L.,  
LAW,D.K.,  
BABBITT,J.K.,  
MCGILL,L.S. (1972) YIELD AND ACCEPTABILITY OF MACHINE SEPARATED MINCED FLESH FROM SOME MARINE FOOD FISH.J.FOOD SCI.37:551-553.
- [ 310] CRAWFORD,D.L.,  
LAW,D.K.,  
MCGILL,L.S. (1972) SHELF LIFE STABILITY AND ACCEPTANCE OF FROZEN PACIFIC HAKE (MERLUCCIIUS PRODUCTUS) FILLET PORTIONS.J.FOOD SCI.37(5):801-802.
- [ 311] CROFTON,H.D.,  
FRASER,P.G. (1954) THE MODE OF INFECTION OF THE HAKE, MERLUCCIIUS MERLUCCIIUS (L.) BY THE TREMATODE BUCEPHALOPSIS GRACILESCENS (RUD.). PROC.ZOOL.SOC.LONDON.124(1): 105-109.
- [ 312] CUNNINGHAM,R.O. (1871) NOTES ON THE REPTILES, AMPHIBIA, FISHES, ETC. OBTAINED DURING THE VOYAGE OF "H.M.S. NASSAU". TRANS. LINN.SOC. 18:465-473.
- [ 313] CUSHING,D.H. (1968) THE ABUNDANCE OF HAKE OFF SOUTH AFRICA. INVEST., LONDON, SERIE II, XXV (10):1-20.
- [ 314] CUTSHALL,N.H.,  
NAIDU,J.R.,  
PEARCY,W.G. (1977) ZINC-65 SPECIFIC ACTIVITIES IN THE MIGRATORY PACIFIC HAKE, MERLUCCIIUS PRODUCTUS. MAR.BIOL.40(1): 75-80.
- [ 315] CUTTING,C.L. (1961) THE FISHING INDUSTRY OF GREAT BRITAIN: HANDLING AND MARKETING. IN: ATLANTIC OCEAN FISHERIES, ED. BY GEORGE BORGSTROM AND ARTHUR J. HEIGHWAY, P122-137. FISHING NEWS (BOOKS), LONDON, UK.
- [ 316] DAAN,N.,  
HISLOP,J.R.G.,  
HOLDEN,M.J.,  
PARNELL,W.G.,  
LAHN-JOHANNESSEN,J. (1977) THE RESULTS OF THE INTERNATIONAL O-GROUP GADOID SURVEY IN THE NORTH SEA, 1977. ICES. DEMERSAL FISH (NORTHERN) COMMITTEE. CM1977/F:11. (MIMEO).
- [ 317] DAMAS,D. (1909) [REPORT ON THE WORK OF THE COMMISSION. A. DURING THE PERIOD 1902-1907. B. SPECIAL PART: 3. CONTRIBUTION TO THE BIOLOGY OF THE GADIDES. IRAPP. P-V. REUN. CONS. PERM. INT. EXPLOR. MER, 10:277. (IN FRENCH).
- [ 318] DANIL'CHENKO,P.G. (1947) [PHYLOGENETIC RELATIONS BETWEEN THE GENERA PALAEOGADUS AND MERLUCCIIUS. DOKL. AKAD. NAUK. SSSR, 58(4):659-662. (IN RUSSIAN).
- [ 319] DANIL'CHENKO,P.G. (1949) [MERLUCCIIUS IN MAIKOPSK BEDS IN THE CAUCASUS] AKAD. NAUK. SSSR, TRUDY PALEONT. INST. 20:130-140. (IN RUSSIAN).

- [ 320] DANIL'CHENKO,P.G. (1949)[THE GENUS MERLUCCIOUS IN MAIKOPIAN DEPOSITS OF THE CAUCASUS.]TRUD.PALEONT.INST.,20:130-140.(IN RUSSIAN).
- [ 321] DANOIS,E.LE. (1923)[CONSEQUENCES OF HYDROLOGICAL PHENOMENA ON THE BIOLOGY OF EDIBLE FISH.]RAPP. ET PROC.--VERB. EXPLOR.MER. COPENHAGUE,31:30-33.(IN FRENCH).
- [ 322] DANOIS,E.LE, (1933)[OCEANIC TRANSGRESSIONS.]BULL.INST.OCEANOGR.,613:1-16.(IN FRENCH).
- [ 323] DARDIGNAC,J. (1968)[ANALYSIS OF MARKING HAKE IN THE GULF OF GASCOGNE] ICES.DEMERSAL FISH (NORTHERN) COMMITTEE. CM1968/G:5.(MIMEO).(IN FRENCH).
- [ 324] DARDIGNAC,J., HEDE-HAUY,L., PORTIER,M. (1968) [SELECTIVITY OF POLYAMIDE NETS IN A HAKE FISHERY.] ICES CM1968/R:16. (MIMEO).(IN FRENCH).
- [ 325] DARDIGNAC,J., HEDE-HAUY,L., PORTIER,M. (1968) [SELECTIVITY OF POLYAMIDE NETS ON HAKE FISHING]. J.DU CONS.INT.EXPL.MER.C.M.1968/B:16.PP.12.(IN FRENCH).
- [ 326] DARDIGNAC,J., LOZANO CAPO,F., LIMA-DIAZ,M., MERIEL-BUSSY,P. (1968) [SELECTIVITY OF DIFFERENT MESHES IN HAKE FISHING. PRELIMINARY RESULYS OF A STUDY IN REGION III].INT. CONS.EXP.MER.LIAISON COMM.REP.SERIES B:39-46.(IN FRENCH).
- [ 327] DARDIGNAC,J., HEDE-HAUY,L., PORTIER,M. (1968) [SELECTIVITY OF POLYAMIDE NETS FOR HAKE FISHERY (NEW EXPERIENCES:JUNE + JULY 1968)].ICES,C.M.1968 BILB.(MIMEO).(IN FRENCH).
- [ 328] DARDIGNAC,J., CENDRERO,O., MONTEIRO,R., JONES,B.W., JONES,R. (1969) REPORT OF THE HAKE WORKING GROUP.ICES,CM 1969/G BPP.(MIMEO).
- [ 329] DARK,T.A., SHIPPEN,H.H., WALDRON,K.D. (1970) PACIFIC OCEAN PERCH AND HAKE STUDIED OFF WEST COAST.COMM.FISH.REV.32(3):25-30.
- [ 330] DARK,T.A. (1975)AGE AND GROWTH OF PACIFIC HAKE,MERLUCCIOUS PRODUCTUS.FISHERY BULL.73(2):336-355.
- [ 331] DASSOW,J.A., PATASHNIK,M., KOURY,B.J. (1970) CHARACTERISTICS OF PACIFIC HAKE,MERLUCCIOUS PRODUCTUS,THAT AFFECT ITS SUITABILITY FOR FOOD. CIRC.U.S.FISH.WILDL.SERV.,332:127-136.
- [ 332] DAVIES,R., BEYERS,E. (1947) A PROTOZOAL DISEASE OF SOUTH AFRICAN TRAWLED FISH AND ITS ROUTINE DETECTION BY FLUORESCENCE.NATURE 159:714.
- [ 333] DAVIES,D.H. (1949)PRELIMINARY INVESTIGATIONS ON THE FOODS OF SOUTH AFRICAN FISHES WITH NOTES ON THE GENERAL FAUNA OF THE AREA. COMMERCE AND INDUSTRY.(1949)1:2-36.
- [ 334] DAVIES,D. (1958)THE BIOLOGY OF THE SOUTH AFRICAN HAKE(MERLUCCIOUS CAPENSIS). HANDB.BIOL.DATA.
- [ 335] DAVIS,F.M. (1932)BRITISH HAKE RESEARCH.RAPP.CONS.EXP.MER.87:54.
- [ 336] DAVIS,F.M. (1934)SIZE LIMITS AND MESH REGULATIONS FOR SEA FISH. APPENDIX B:REPORT ON THE RESULTS OF EXPERIMENTS WITH SAVINGS GEAR.RAPP.P-V.REUN.CONS.PERM.INT. EXPLOR.MER,90:14-21.
- [ 337] DAVIS,F.M. (1934)MESH EXPERIMENTS WITH TRAWLS.FISH INVEST.,LOND., SER.II,14(1).
- [ 338] DAVIS,F.M. (1935)BRITISH HAKE RESEARCH.RAPP.P-V.REUN.CONS.PERM.INT EXPLOR.MER.93:31.
- [ 339] DAY,F. (1881)FISHES OF GREAT BRITAIN AND IRELAND. LONDON,8VOLS.
- [ 340] DAY,F. (1884)THE COMMERCIAL SEA FISHES OF GREAT BRITAIN. LONDON, 8 VO. 328PP.

- [ 341] DAY,L.R., CARSON,W.G., LEIM,A.H. (1957) DISTRIBUTION OF YOUNG FISH IN CANADIAN ATLANTIC WATERS IN 1955.FISH.RES.BD.CANADA,BIOL.STA.ST. ANDREWS,ANN.REP.1956:163-165.(MS.)
- [ 342] DAZAROLA,M.G., HOYL,A.R. (1967) FEEDING OF THE HAKE MERLUCCIIUS GAYI GAYI (GUICHENOT),IN THE VALPARAISO REGION.JESC.PESQ Y ALIM.,UNIV.CAT.VALPO.(UNPUBLISHED MS).(IN SPANISH)
- [ 343] DAZAROLA,M.G., HOYL,A.R. (1970) STUDY OF THE STOMACH CONTENTS OF MERLUCCIIUS GAYI GAYI(GUICHENOT)IN THE VALPARAISO REGION.JACTAS Y TRABAJOS,IV CONGR.LATINOAMERICANO ZOOI.,CARACAS.(IN SPANISH).
- [ 344] DA FRANCA,P. (1952)MERLUCCIIUS MERLUCCIIUS(L),AND MERLUCCIIUS SENEGALENSIS CADENAT:THEIR DISTINCTIVE CHARACTERS] NOTAS ESTUD.INST.BIOL.MAR.3:1-36.(IN PORTUGUESE).
- [ 345] DA FRANCA,P. (1952)A COMPARATIVE STUDY OF A FEW MORPHOLOGICAL AND BIOMETRICAL CHARACTERISTICS OF MERLUCCIIUS MERLUCCIIUS(L)AND MERLUCCIIUS SENEGALENSIS CADENAT.] ICES,2E.COLLOQUE MERLU (MIMEO REPORT).(IN FRENCH).
- [ 346] DA FRANCA,P. (1954)CONTRIBUTION TO THE KNOWLEDGE OF THE GENUS MERLUCCIIUS IN THE EASTERN ATLANTIC SOUTH OF THE EQUATOR.] TRABHS.MISS.BIOL.MARIT.8:46-98. (IN SPANISH).
- [ 347] DA FRANCA,P. (1956)BRIEF CONSIDERATIONS CONCERNING THE ANGOLAN SPECIES OF MERLUCCIIUS RAF.(PISCES).JIBOL.PESCA, LISBOA,50:49-68.(IN PORTUGUESE).
- [ 348] DA FRANCA,P. (1956)CONTRIBUTIONS TO THE KNOWLEDGE OF THE SPECIES MERLUCCIIUS IN THE EASTERN ATLANTIC SOUTH OF THE EQUATOR.JAN.JTA.INVEST.ULTRAM.,9(2):1-50(IN PORTUGUESE).
- [ 349] DA FRANCA,M.L.P., (1960)ON A VARIATION OF NUMBERS OF OLFATORY LAMELLAE IN AFRICAN HAKE (NOTA PREVIA).JMEM.JTA.INVEST. ULTRAM.,2A SER.,NO.18:103-111.(IN PORTUGUESE).
- [ 350] DA FRANCA,P. (1960)A NEW CONTRIBUTION TO THE KNOWLEDGE OF THE SPECIES MERLUCCIIUS IN THE EASTERN ATLANTIC SOUTH OF THE EQUATOR.JMEM.JTA.INVEST.ULTRAM.,2A SER., NO.18:57-101.(IN PORTUGUESE).
- [ 351] DA FRANCA,P. (1962)CONSIDERATIONS ON THE TAXONOMY OF MERLUCCIIUS OF THE EAST ATLANTIC.] MEMS.JTA.INVEST.ULTRAMAR.,2ND SER.36:7-48.(IN PORTUGUESE).
- [ 352] DA FRANCA,P. (1971)HYPOTHESIS CONCERNING THE PROVEN OCCURRENCE OF MERLUCCIIUS PARADOXUS FRANCA 1960 IN ANGOLAN WATERS.JNOTAS CENT.BIOL.AQUAT.TROP.,26: 1-18.(IN PORTUGUESE).
- [ 353] BEGENS,E.T., DEUSER,W.G., HAEDRICH,R.L. (1969) MOLECULAR STRUCTURE AND COMPOSITION OF FISH OTOLITHS.MAR.BIOL.II(2):105-113.
- [ 354] DELFIN,F. (1903)CONTRIBUTION TO THE ICHTHOLOGY OF CHILE.JREV. CHIL.HIST.NAT.,VII:268-273.(IN SPANISH).
- [ 355] DEL SOLAR,E., SANCHEZ,J., PIAZZA,A. (1965) EXPLORATION OF HAKE(MERLUCCIIUS GAYI PERUANUS) CONCENTRATION AREAS IN PERUVIAN SEAS ABOARD THE SHIP BETTINA.JINFORM.INST.MAR.PERU INFORME 8:1-28. (IN SPANISH).
- [ 356] DEL SOLAR,E. (1968)THE HAKE MERLUCCIIUS GAYI (GUICHENOT)AS AN INDICATOR OF THE RICH BIOTA OF THE CONTINENTAL SHELF OF NORTHERN PERU.JPUBL.AUSPICIAO POR LA SOC NAC.DE PESQUERIAS,LIMAS.(IN SPANISH).
- [ 357] DEMIR,A. (1959)MARMARA DA YASAYAN BERLAM BALIGININ (MERLUCCIIUS VULGARIS,FLEMIN)YUMURTA VE LARVALARININ MORFOLOJILERI ILE EKOLOJILERI HAKKINDA.JHIDROBIOL. MECMUASI,SERIA A CILT V,SAYI 1-2.(IN SPANISH).
- [ 358] DENAILLE,J., DUTRUGE,E. (1974) TROPONINS C FROM REPTILE AND FISH MUSCLES AND THEIR RELATION TO MUSCULAR PARV ALBUMINS. FEBS. LETTERS.42(2):173-178.

- [ 359] DENTON,E.J.,  
SHAW,T.I. (1963) THE VISUAL PIGMENTS OF SOME DEEPSEA ELASMOBRANCHES  
J.MAR.BIOL.ASS.U.K.43:65-70.
- [ 360] DENZ,F.A.,  
SHORLAND,F.B. (1934) THE COMPOSITION AND VITAMIN A VALUE OF SOME NEW  
ZEALAND FISH-LIVER OILS. N.Z.J.SCI.TECHNOL.15:  
327-331.
- [ 361] DERMAGE,G.,  
MOCORDA,F. (1946) ABUNDANCE OF OIL AND VITAMIN A IN THE LIVER OF  
FISH CAPTURED IN THE GULF OF BISCAY. J AN.SOC.  
ESP.FAR.Y QUIM.,42:685-698.(IN SPANISH).
- [ 362] DEXTER,R.W. (1962) STUDIES OF THE FOOD HABITS OF WHITING, REDFISH,  
AND POLLOCK IN THE GULF OF MAINE. BULL.ECOL.SOC.  
AMER. 43(4):127-128.
- [ 363] DE BUEN,F. (1954) [THE FISHERY (MERLUCCIOUS GAYI) IN THE VALPARAISO  
ZONE BETWEEN THE MONTHS OF AUGUST TO NOVEMBER 1953  
AND SOME CONSIDERATIONS OF THEIR BIOLOGY. JREV.  
CHIL.HIST.NAT.,7:73-93.(IN SPANISH).
- [ 364] DE BUEN,F. (1957) [DECLINE IN ANIMAL POPULATIONS IN LITTORAL WATERS,  
ESPECIALLY MOLLUSKS AND CRUSTACEANS. INVEST.ZOOL.  
CHILENAS.4:33-56.(IN SPANISH).
- [ 365] DE BUEN,F. (1958) [SYSTEMATIC AND BIOLOGICAL INVESTIGATIONS OF  
MERLUCCIOUS. BOL.SOC.BIOL.CONCEPCION(CHILE).33:  
107-124.(IN SPANISH).
- [ 366] DE BUEN,F. (1958) [WORK DONE FOR THE NATIONAL HAKE COMMISSION. JBOLN.  
INFORM.DEPTO.PESCA Y CAZA,53:8-11.(IN SPANISH).
- [ 367] DE BUEN,F. (1958) [WORK DONE FOR THE NATIONAL HAKE COMMISSION. JBOLN.  
INFORM.DEPTO.PESCA Y CAZA,56:9-12.(IN SPANISH).
- [ 368] DE BUEN,F. (1958) [WORK DONE FOR THE NATIONAL HAKE COMMISSION. JBOLN.  
INFORM.DEPTO.PESCA Y CAZA,63:9-11.(IN SPANISH).
- [ 369] DE BUEN,F. (1959) [WORK DONE FOR THE HAKE COMMISSION. JBOLN.INFORM.  
DEPTO.PESCA Y CAZA,67:7-15.(IN SPANISH).
- [ 370] DE BUEN,F. (1959) [THE NATIONAL HAKE COMMISSION. JNOT.MUS.NAC.HIST.  
NAT.,SANTIAGO,35.(IN SPANISH).
- [ 371] DE BUEN,F. (1960) [THE LIFE OF THE HAKE. JNOT.MUS.NAE.HIST.NAT.,  
SANTIAGO,48:3-8.(IN SPANISH).
- [ 372] DE BUEN,F. (1961) [BIOMETRIC INVESTIGATIONS OF THE HAKE (MERLUCCIOUS  
GAYI GAYI,G.) OF THE CENTRAL COAST OF CHILE. JBIOL.  
PESQ.,1:32PP.(IN SPANISH).
- [ 373] DE KONING,A.J. (1966) PHOSPHOLIPIDS OF MARINE ORIGIN.1.THE HAKE  
(MERLUCCIOUS CAPENSIS, CASTELNAU). J.SCI.FOOD AGR.  
17(3):112-117.
- [ 374] DE WITT,J.R.,JR. (1952) AN OCCURRENCE OF THE NATURAL DESTRUCTION OF HAKE  
IN HUMBOLDT COUNTY, CALIF. FISH.GAME.38:438.
- [ 375] DE-LAGUNA,J.B.,  
FERNANDEZ,M.A.R.,  
SANTANA,J.C. (1977) LENGTH DISTRIBUTIONS OF THE FISHES DISCARDED IN  
THE BOTTOM TRAWL FISHERY OFF NORTHWEST AFRICA. ICES  
DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1977/G:13.  
(MIMED).
- [ 376] DICKIE,L.M. (1952) EXPLORATORY DRAGGING IN THE SOUTHEASTERN GULF OF  
ST.LAWRENCE. FISH.RES.BD.CANADA,BIOL.STA.ST.ANDREWS  
,ANN.REP.1951:44-47.(MS.)
- [ 377] DICKIE,L.M. (1953) EXPLORATORY DRAGGING IN THE SOUTHEASTERN GULF OF  
ST.LAWRENCE. FISH.RES.BD.CANADA,BIOL.STA.ST.ANDREWS  
,ANN.REP.1952:49.(MS.)
- [ 378] DI DONATO,G. (1968) CATCH AND EFFORT STATISTICS FOR THE 1965-1966  
PUGET SOUND MIDWATER TRAWL HAKE FISHERY. WASH.DEPT.  
FISH.1966 ANNUAL REPT.:126-129.
- [ 379] DOBROVOLOV,I.S.,  
DOBROVOLOV,S.G. (1900) ELECTROPHORETIC COMPARISON OF MUSCLE MYOGENES OF  
ATLANTIC OCEAN HAKE. J COMPTES.AND ACAD.BULG.SCI.  
25(12):1701-1704. (IN RUSSIAN).
- [ 380] DOMANEVSKIY,L.N.,  
NOZDRIN,Y.P. (1963) [SILVER AND RED HAKE. JRYBN.KHOZ.,NO.6.(IN RUSSIAN)
- [ 381] DOMANEVSKY,L.N. (1968) SPAWNING PECULIARITIES OF FISH FROM THE NORTH-  
WESTERN COAST OF AFRICA. ICES.DEMERSAL FISH  
(NORTHERN) COMMITTEE. CM1968/G:3-(MIMED).
- [ 382] DOUBLEDAY,W.G.,  
HALLIDAY,R.G. (1976) AN ANALYSIS OF THE SILVER HAKE FISHERY ON THE  
SCOTIAN SHELF. ICNAF SELECTED PAPERS NO.1:41-58.

- [ 407] ELMINOWICZ,A. (1975)MAP SHOWING DISTRIBUTION OF HAKE BIOMASS OFF SOUTH AFRICAN COASTS.ICSEAF,COLL. SCI.PAP.(2):43.
- [ 408] ELWERTOWSKI,J., (1975) AN ATTEMPT TO ASSESS THE PARAMETERS OF HAKE STOCKS PIOTROWSKI,A. BY MEANS OF COMPUTER PROGRAMS.ICSEAF COLL.SCI.PAP. (2):44-53.
- [ 409] ENGHOLM,B. (1961)FISHERY CONSERVATION IN THE ATLANTIC OCEAN.IN: ATLANTIC OCEAN FISHERIES,ED.BY GEORGE BORGSTROM AND ARTHUR J.HEIGHWAY.P40-48. FISHING NEWS (BOOKS) LONDON,UK.
- [ 410] ESPINA,P.A. (1970)MESH SELECTION STUDY OF THE HAKE(MERLUCCIOUS GAYI GAYI,G.)IN TRAWL NETS IN THE REGION OF VALPARAISO.JVALPARAISO UNIVERS.INVEST.MAR. 1(1):1-40.(IN SPANISH).
- [ 411] ESPINA,P.A. (1970)MERISTIC CHARACTERISTICS OF MERLUCCIOUS GAYI (G.) DEPTO.BIOL.MAR Y OCEAN.,TRABAJO (MIMEO),30PP. (IN SPANISH).
- [ 412] ESPINA,P.A. (1970)BIBLIOGRAPHY OF THE HAKE,MERLUCCIOUS GAYI,G.J INVESTIGACIONES MAR.1(13):321-346.(IN SPANISH).
- [ 413] ESPINA,P.A. (1970)CONTRIBUTION TO THE TAXONOMY OF THE HAKE, MERLUCCIOUS GAYI,G.JINVESTIGACIONES MAR.1(9):167-220.(IN SPANISH).
- [ 414] ESPINA,P.A., (1970) CONTRIBUTION TO THE ALIMENTARY FOOD COMPOSITION WILLIAMS,S.F. OF THE HAKE (MERLUCCIOUS GAYI).JINVESTIGACIONES MAR.1(7):139-153.(IN SPANISH).
- [ 415] ESPINA,P.A. (1971)INFLUENCE OF SIZE OF MESH IN THE CAPTURE OF HAKE (MERLUCCIOUS GAYI).J COMM.ASESORA REG.PESCA PARA ATLANTICO SUDOCCIDENTAL.(RIO DE JANEIRO). D.TEC. 5/5. (IN SPANISH).
- [ 416] ESPINA,P.A. (1971) PRELIMINARY NOTE ON THE DEVELOPMENT OF OTOLITHS MELO,C.A. OF SOUTHAMERICAN HAKE.J ACTAS Y TRABAJOS, V CONGR. LATINOAMERICANO ZOOLOG.,MONTEVIDEO. (IN SPANISH)
- [ 417] ESPINA,P.A. (1972)BIBLIOGRAPHICAL REVIEW ON THE GENUS MERLUCCIOUS. INVES.MAR.UNIV.CATOL.VALPARAISO.3(4-6):51-172.
- [ 418] ESPINA,P.A., (1973) CONTRIBUTION TO THE STUDY OF THE SEXUAL CYCLE, YANY,G.G. CONDITION FACTOR, AND BIOMETRICS OF THE HAKE (MERLUCCIOUS GAYI).J INV.MAR., (IN SPANISH)
- [ 419] FABER,G.L. (1884)THE FISHERIES OF THE ADRIATIC AND THE FISH THEREOF. A REPORT OF THE AUSTRO-HUNGARIAN SEA SEA FISHERIES,WITH A DETAILED DESCRIPTION OF THE MARINE FAUNA OF THE ADRIATIC GULF. LONDON 4VO.292P
- [ 420] FABER,E.W., (1968) RECURRENT GROUP ANALYSIS OF SPECIES ASSEMBLAGES LONGHURST,A.R. OF DEMERSAL FISH IN THE GULF OF GUINEA.FISH.RES. RD.CAN.25(7):1405-1421.
- [ 421] FAGE,L., (1938) ON A FEW BIOLOGICAL PROBLEMS RELATED TO THE STUDY VEILLET,A. OF THE GROWTH OF FISHES.JRAPP.P-V REUN.CONS.PERM. INT.EXPLOR.MER,108(1):45-48.(IN FRENCH).
- [ 422] FAHAY,M.P. (1974)OCCURENCE OF SILVER HAKE,MERLUCCIOUS BILINEARIS, EGGS AND LARVAE ALONG THE MIDDLE ATLANTIC CONTINENTAL SHELF DURING 1966.FISHERY BULLETIN 72(3):813-834.
- [ 423] FALCONER,K.J., (1972) GASTROINTESTINAL BACTERIAL FLORA OF MERLUCCIOUS MULHAUSER,H.S. GAYI(GUICHENOT,1848).JNOT.MUS.NAC.HIST.NAT.,187: 3-8.(IN SPANISH).
- [ 424] FANTHAM,H.B. (1930)SOME PARASITE PROTOZOA FOUND IN SOUTH AFRICA.STH. AFR.JOUR.SCI.27:376-390.
- [ 425] FERNANDEZ,A., (1975) LENS,S., IGLESIAS,J., IGLESIAS,S., PEREIRO,J.A., ROBLES,R. PRELIMINARY DATA ON THE STUDY OF GROUND FISH OF GRANDE SOLE AND THE S AND W OF IRELAND (REGIONS VII B,C,J,K) BY THE FLEET FROM NW SPAIN.JICES. DEMERSAL FISH (SOUTHERN) COMMITTEE.CM1975/G:9. (MIMEO).(IN FRENCH).

- [ 383] DOUTRE,M.P. (1960)CHAKES OF SENEGAL,WITH EVIDENCE OF A NEW SPECIES.]  
REV.TRAV.INST.(SCIENT,TECH),PECHE,24(4):513-536.  
(IN FRENCH).
- [ 384] DRAGANIK,B. (1974)HAKE STOCKS EXPLOITED IN ICSEAF CONVENTION AREA.  
ICSEAF/W.G./74/INF.DOC./1.
- [ 385] DRAGANIK,B. (1976)AN ATTEMPT TO APPLY BEVERTON AND HOLT'S MODEL IN  
ASSESSING THE SOUTH AFRICAN HAKE YIELD AT  
DIFFERENT LEVELS OF FISHING INTENSITY.ICSEAF COLL.  
SCI.PAP.(3):85-90.
- [ 386] DRAGANIK,B. (1976)FISHING MORTALITY OF HAKE STOCKS EXPLOITED IN  
SUB-AREA 1 OF THE ICSEAF CONVENTION AREA. ICSEAF  
COLL.SCI.PAP.(3):59-84.
- [ 387] DRAGOCRNKOVIC,S.J. (1974)TRAWL FISHING GROUNDS ON THE EASTERN ADRIATIC  
COAST,ACTA ADRIATICA,16(1):137-156.
- [ 388] DREESTI,C.M. (1961)DEVELOPMENT OF THE SOUTH AFRICAN FISH INDUSTRY.  
IN:ATLANTIC OCEAN FISHERIES,ED.BY GEORGE  
BORGSTROM AND ARTHUR J. HEIGHWAY,P182-191.FISHING  
NEWS (BOOKS), LONDON, UK.
- [ 389] DREOSTI,G.M.,  
WIECHERS,S.G.,  
ATKINSON,A.M. (1960)  
LIGHTLY SALTED AND DRIED HAKE, FISHING INDUSTRY  
RESEARCH INSTITUTE,CAPE TOWN, ANN. REPT. 14:15.
- [ 390] DREOSTI,G.M. (1961)THE DEVELOPMENT OF THE SOUTH AFRICAN FISH INDUSTRY  
IN: ATLANTIC OCEAN FISHERIES,(G.BORGSTROM (ED.)),  
FISHING NEWS (BOOKS)LTD,LONDON,182P.
- [ 391] DREOSTI,G.M.,  
SIMMONDS,C.K. (1962)  
RAPID CHILLING OF HAKE, FISHING INDUSTRY RESEARCH  
INSTITUTE,CAPE TOWN,ANN. REPT. 16:14.
- [ 392] DUPONT,E. (1972)[THE VALUE OF AN ORTHOLITHOMETRIC METHOD OF AGE  
DETERMINATION OF HAKE (MERLUCCIOUS MERLUCCIOUS  
PISCES:GADIDAE) IN THE MEDITERANEAN.]BULL.INST.R.  
SCI.NAT,BELG,48(1):1-15.(IN FRENCH).
- [ 393] DU BATY,R.R. (1930)[THE STRESS OF FISH IN AN OTTER TRAWL.] LA NATURE  
ND.2840:210-217.(IN FRENCH).
- [ 394] DU BATY,R.R. (1932)[THE STRESS OF FISH FROM THE HIGH SEAS.]PECHE  
MARIT,PECHE FLUV.PISC.,XV:477-480.(IN FRENCH).
- [ 395] DYER,J.,  
NELSON,R.,  
BARNETT,H. (1966)  
PACIFIC HAKE (MERLUCCIOUS PRODUCTUS) AS RAW  
MATERIAL FOR A FISH REDUCTION INDUSTRY.COMMERCIAL  
FISH.REV,28(5):12-17.
- [ 396] DZHAFAROVA,Z.D. (1964)CLUPIDAE AND GADIDAE FROM THE MAIKOP BEDS OF THE  
SHEMAKHINSKI REGION. IZV.AKAD.NAUK.SSSR.(GEOL.)  
4:11-19.
- [ 397] D'ANCONA,U. (1931)  
EGGS,LARVAE,AND JUVENILE STAGES OF FISHES.]  
FAUNA E FLORA GOLFO DI NAPOLI MONOGR,38:1-176,1931  
(IN ITALIAN).
- [ 398] D'ANCONA,U. (1933)  
EGGS,LARVAE,AND JUVENILE STAGES OF FISHES.]  
FAUNA E FLORA GOLFO DI NAPOLI MONOGR,38:177-384.  
1933.(IN ITALIAN).
- [ 399] D'ANCONA,U. (1933)[THE GROWTH OF ANIMALS OF THE MEDITERRANEAN SEA.]  
RAPP.P-V.REUN.CONS.PERM.INT,EXPLOR.MER,X(NS):163  
(IN FRENCH).
- [ 400] D'ANCONA,U. (1933)[GADIDS EGG AND LARVAL STAGES IN TELEOSTS.]FAUNA  
FLORA GOLFO NAPOLI,38:178-255. (IN ITALIAN).
- [ 401] ECHEUERRIA,J.S. (1935)[OTOLITHS FROM GADIFORM FISHES OF SPAIN.]  
BOL.SOC,ESPAH.HIST,NAT,35(5):245-274. (IN SPANISH)
- [ 402] EDWARDS,J.G. (1935)THE EPITHELIUM OF THE RENAL TUBULE IN BONY FISH.  
ANAT.REC,65(3):263-279.
- [ 403] EDWARDS,R.L. (1958)GLOUCESTER'S TRAWL FISHERY FOR INDUSTRIAL FISH.  
COMMERCIAL FISH.REV,20(3):10-15.
- [ 404] EDWARDS,R.L.,  
LUX,F.E. (1958)  
NEW ENGLANDS INDUSTRIAL FISHERY.COMMERCIAL FISH.  
REV,20(5):1-6.
- [ 405] EDWARDS,R.L. (1966)RELATION OF TEMPERATURE TO FISH ABUNDANCE AND  
DISTRIBUTION IN THE SOUTHERN NEW ENGLAND AREA.  
SPEC.PUBL INT.COMM.NW.ATLANTIC FISH.,(6):95-110.
- [ 406] EHRICH,S. (1976)[BIOLOGICAL PRODUCTIVITY IN THE MEXICAN PACIFIC  
COASTAL WATERS.]BUNDES.FISCH. INST.SEEFISCH.,INT.  
REP.BMFT-FB-M-76-02.PP.20.(IN GERMAN).



- [ 426] FERNANDEZ,A., (1977)  
IGLESIAS,S.,  
PEREIRO,F.J.,  
GARCIA,J.M.  
ON THE HAKE POPULATION DYNAMICS FROM GALICIA ( NW  
SPAIN) WITH A PRELIMINARY ASSESSMENT. ICES,  
DEMERSAL FISH (SOUTHERN) COMMITTEE,CM/1977/G:9,  
{MIMEQ}.
- [ 427] FIGUERAS,A. (1955)ON THE AGE AND GROWTH OF THE HAKE IN EASTERN  
SPAIN (CASTELLON),BASED ON THE STUDY OF OTOLITHS.]  
INVEST.PESQ,1:73-86.(IN SPANISH.)
- [ 428] FIGUERAS,A. (1965)AGE AND GROWTH OF HAKE (MERLUCCIOUS MERLUCCIOUS)  
IN THE WESTERN MEDITERANIAN - COSTA BRAVA.]  
DEBATES ET DOCUMENTS TECHNIQUES DU CONS.GEN.PECHES  
POUR LA MEDITERRANEE,8(16). (IN FRENCH).
- [ 429] FIGUERAS,A. (1965)AGE AND GROWTH OF THE HAKE MERLUCCIOUS MERLUCCIOUS,  
(L.)OF THE WESTERN MEDITERRANEAN (COSTA BRAVA,N.E.  
OF SPAIN).JFAO,FISH.TECH.PAP.NO 25.(IN FRENCH).
- [ 430] FIGUERAS,A. (1966)AGE AND GROWTH OF THE HAKE (MERLUCCIOUS  
MERLUCCIOUS)IN THE NORTHWEST MEDITERRANEAN,SPANISH  
COASTS.JINVEST.PESQUERA 28:81-96.(IN SPANISH).
- [ 431] FIGUERAS,A. (1966)AGE AND GROWTH OF THE HAKE OF BLANES.JREUN.  
PRODUCTIV.PESQ.,V:106-109.(IN SPANISH).
- [ 432] FIK,M. (1972)ACTIVITY OF MUSCULAR CATHEPSINS OF SOME MARINE  
FISHES. ACTA ICHTHYOL. PISCATORIA,2(2):105-111.
- [ 433] FIRTH,F.E. (1933)AN OCCURRENCE OF A TUNICATE KILLING A FISH.BULL.  
BOSTON SOC.NAT.HIST,69:3-5.
- [ 434] FISCHER,K.W. (1959)EGGS,DEVELOPMENT AND EARLY LARVAL STAGES OF THE  
HAKE (MERLUCCIOUS GAYI)J. REV.BIOL.MAR. 9(1/3):  
229-249.(IN SPANISH).
- [ 435] FISHER,H.D., (1955)  
MACKENZIE,B.A.  
FOOD HABITS OF SEALS IN THE MARITIMES.FISH.RES.BD.  
CANADA,ATLANTIC PROG.REPT,61:5-9.
- [ 436] FISHER,K.W., (1970)  
BALBONTIN,F.  
ON THE INVESTIGATION OF OVARIAL CYCLE AND  
FECUNDITY OF FISH SPECIAL REFERENCE TO PARTIAL  
SPAWNER.BER.DTSCH.KOMM.MEEREFORSCH.,21(1-4):56-77.
- [ 437] FISHER,K.W., (1972)  
BALBONTIN,F.  
ESTUDY OF THE SEXUAL CYCLE OF HAKE.JREV.BIOL.MAR.,  
(IN SPANISH).
- [ 438] FITCH,J.E. (1969)FOSSIL RECORDS OF CERTAIN SCHOOLING FISHES OF THE  
CALIFORNIA CURRENT SYSTEM,CALIF.COOP.OCEAN.FISH.  
INVEST.,XIII:71-80.
- [ 439] FLECHTENMACHER,W. (1967)CEA HAKE-PROCESSED ON BOARD] INFORM.FUR DIE  
FISCHWIRTSCHAFT,14(3):131. (IN GERMAN).
- [ 440] FLETCHER,L.I., (1951)  
HODGKISS,W.,  
SHEWAN,J.M.  
THE MILKINESS OF MAURITANEAN HAKE AND ITS PROBABLE  
CAUSE.FISHING NEWS NO 2007:11-13.
- [ 441] FORRESTER,C.R. (1956)THE RELATION OF STOCK DENSITY TO MILKYNNESS OF  
LEMON SOLE IN UNION BAY,B.C.,PROGR.REPT.PACIF.CST  
STNS,NO.105:11.
- [ 442] FORRESTER,C.R. (1958)THE RECENT RISE IN LANDING OF WHOLE FISH FOR MINK  
FEED IN BRITISH COLUMBIA.PROG.REPT.FRB OF CAN.,  
PACIF.COAST STAT.,111:20-21.
- [ 443] FORTIER,A.J. (1967)THE WHITING(MERLUCCIOUS BILINEARIS).FISH.EDUC.SER.  
NO.8.
- [ 444] FOUCHER,B.P., (1900)  
BEAMISH,R.J.  
A REVIEW OF OOCYTE DEVELOPMENT IN FISHES WITH  
SPECIAL REFERENCE TO THE PACIFIC HAKE(M.PRODUCTUS)  
ENVIRONMENT CANADA.FISHERIES AND MARINE SERVICE.  
TECH.REPT,755PP.
- [ 445] FOWLER,H.W. (1936)THE MARINE FISHES OF WEST AFRICA.BULL.AMER.MUS.  
NAT.HIST.,70(2):1254.
- [ 446] FRASER,H.J. (1958)THE DRIFT OF THE PLANKTONIC STAGES OF FISH IN THE  
NORTHEAST ATLANTIC AND ITS POSSIBLE SIGNIFICANCE  
TO THE STOCKS OF THE COMMERCIAL FISHES.ICNAF,SPEC.  
PUBL.I:289-310.

- [ 447] FRIDRIKSSON,A.,  
TIMMERMANN,G. (1951) SOME REMARKS ON THE EGGS OF HERRING (CLUPEA HARENGUS L.)AND CAPELIN(MALLOTUS VILLOSUS (O.F. MULL.))IN ICELAND WATERS. J.CONS.PERM.INT.EXPLOR. MER,17(3):261-263.
- [ 448] FRIDRIKSSON,A (1952)MARKING OF FISH IN EUROPE DURING 1927-1951.RAPP. P-V.REUN.CONS.PERM.INT.EXPLOR.MER,132:55-64.
- [ 449] FRITZ,R.L. (1958)HAKE TAGGING IN EUROPE AND THE UNITED STATES,1931-1958. J.INT.CONS.EXPLOR.MER.23(3):480-485.
- [ 450] FRITZ,R.L. (1960)A REVIEW OF THE ATLANTIC COAST WHITING FISHERY. COM.FISH.REV.22(11):1-11.
- [ 451] FRITZ,R.L. (1961)AN ANALYSIS OF SILVER HAKE TAG RETURNS. ICNAF. CONTRIB.NO.33 SERIAL NO.843PP3.(MIMED).
- [ 452] FRITZ,R.L., (1962)SILVER HAKE.BUREAU COMM.FISH.LEAFLET 538.PP.7.
- [ 453] FRITZ,R.L. (1963)AN ANALYSIS OF SILVER HAKE TAG RETURNS.ICNAF,SPEC. PUBL.,NO.4:214-215.
- [ 454] FRITZ,R.L. (1966)OCCURRENCE OF SPHYRION LUMPI ON SILVER HAKE MERLUCCIOUS BILINEARIS. INT.COM.NORTHWEST ATL.FISH. RES.BULL.3.111.
- [ 455] FROST,G.A. (1926)A COMPARATIVE STUDY OF THE OTOLITHS OF THE NEOPTERYGIAN FISHES XIII. ORDER ANACANTHINI. ANN.MAG.NAT.HIST.LONDON SER.9 18:483-490.
- [ 456] FROST,G.A. (1934)OTOLITHS OF FISHES FROM THE LOWER TERTIARY FORMATIONS OF SOUTHERN ENGLAND. 4.SCLEROPAREI, PERCOMORPHI.5.ANACANTHINI,HETEROSOMATA, OSTARIOPHYSI.ANN.AND MAG.NAT.HIST.14(B2):442-446.
- [ 457] FUERTES,J.R.,  
TOURON,J.,  
LABARTA,E.,  
PEREZ-GANDARAS,G.,  
ALONSO-ALLENDE,J.M.,  
LOPEZ-VEIGA,E.C.,  
VAZQUEZ,A. (1977) [SELECTIVITY OF BLUE-WHITING,NORWAY LOBSTER,MEGRIM AND BIB WITH TRAWL GEARS OF POLYETHYLENE, POLYPROPYLENE AND POLYAMIDE IN THE FISHERY OF GALICIA.JINF.TECN.INST.INV.PESQ.,BARCELONA.NO.41 PP.16.(IN SPANISH.)
- [ 458] FUKUHARA,F.M. (1954)JAPANESE HIGH-SEAS MOTHERSHIP-TYPE DRIFT GILL-NET SALMON FISHERY.COMM.FISH.REV.17(3):1-12.
- [ 459] GARMAN,S. (1898)REPORTS ON AN EXPLORATION OFF THE WEST COAST OF MEXICO,CENTRAL AND SOUTH AMERICA AND OFF THE GALAPAGOS ISLANDS IN CHARGE OF ALEXANDER AGASSIZ BY THE US FISH COMMISSION STEAMER, "ALBATROSS" DURING 1891. XXVI THE FISHES.MEM. MUS.HARVARD, XXIV:431PP.
- [ 460] GARSTANG,W. (1900)AN ALBINO HAKE (MERLUCCIOUS MERLUCCIOUS).J.MAR.BIOL. ASSOC. 2(VI):275-276.
- [ 461] GAUTHIER,M. (1966)[RARE FISH...LOW ABUNDANCE...NONE COMMERCIAL. COMMENTS ON THE KNOWLEDGE AND BIOLOGY OF THESE FISHES IN THE GULF OF ST.LAWRENCE.JG.T.B.F. DOC. 33:1-9.(MS). (IN FRENCH).
- [ 462] GEIGER,W. (1954)[THE BRAIN OF MERLUCCIOUS MERLUCCIOUS L.AND MERLUCCIOUS SENEGALENSIS CADENAT.CONTRIBUTION TO THE COMPARATIVE STUDY OF TWO SPECIES.1BULL.FECH. MARIT.MAROC,2:67-77.(IN FRENCH).
- [ 463] GELORMINI,N. (1944)CA NEW PARASITE OF THE HAKE.JREV.FAC.AGR.VET.,B. AIRES,X:458-463.(IN SPANISH).
- [ 464] GEORGALA,D.L. (1957)ODOUR PANEL EVALUATION VS BACTERIOLOGICAL COUNTS OF FISH. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN.ANN. REPT. 11:13.
- [ 465] GEORGALA,D.L. (1958)THE BACTERIAL FLORA OF SOUTH AFRICAN HAKE.12TH ANN.REPT.FISH.IND.RES.INST.,CAPETOWN:10.
- [ 466] GHIRARDELLI,E. (1959)[CONTRIBUTIONS TO THE KNOWLEDGE OF HAKE , MERLUCCIOUS MERLUCCIOUS L. IN THE MIDDLE ADRIATIC.] PROC.FISH.COUN.MEDIT.5(69):489-494.(IN FRENCH).
- [ 467] GILBERT,Y. (1954)STORAGE OF CHILLED FISH .FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.ANN. REPT. 7:9.
- [ 468] GILCHRIST, J.D.F. (1922)DEEP-SEA FISHES PROCURED BY THE S.S."PICKLE"(PART 1). REP.FISH.MAR.BIOL.SURVEY,UNION S.AFRICA. SPECIAL REPORT NO.III:41-79.

- [ 469] GILL, T. (1874) GEOGRAPHICAL DISTRIBUTION OF FISHES. ANN. N. H. (4) XV. PP. 251-255.
- [ 470] GILL, T. (1884) MERLUCCIIDAE. PROC. ACAD. NAT. SCI. PHILAD., 772 PP.
- [ 471] GILL, T. N. (1893) A COMPARISON OF ANTIPODAL FAUNAS. MEMOIRS OF THE NAT. ACAD. SCI. 6: 91-124
- [ 472] GINSBERG, I. (1954) WHITINGS ON THE COASTS OF THE AMERICAN CONTINENTS. U.S. FISH AND WILDLIFE SERV. FISH. BULL. 56(96): 187-208.
- [ 473] GOLOVAN, G. A. (1970) COMMERCIAL AND BIOLOGICAL CHARACTERISTICS OF THE HAKE, MERLUCCIUS MERLUCCIUS, IN THE SOUTHEAST ATLANTIC BETWEEN OCTOBER 1969 AND JANUARY 1970. VOPROSY IKHTIOLOGII. 14(4): 615-622. (IN RUSSIAN).
- [ 474] GOLOVAN, G. A. (1975) THE COMMERCIAL AND BIOLOGICAL CHARACTERISTICS OF THE HAKE, MERLUCCIUS MERLUCCIUS OF THE SOUTHEAST ATLANTIC BETWEEN OCTOBER 1969 AND JANUARY 1970. J. ICTHY. (ENGLISH TRANSLATION). 14(4): 526-532.
- [ 475] GOODE, G. B. (1880) FISHES FROM THE DEEP WATER OF THE SOUTH COAST OF NEW ENGLAND OBTAINED BY THE U.S. FISH. COMMISSION IN THE SUMMER OF 1880. P. U. S. NAT. MUS. III: 347-348.
- [ 476] GOODE, G. B.,  
BEANE, T. H. (1884) THE FISHERIES AND FISHERY INDUSTRIES OF THE U.S. SECTION 1 NATURAL HISTORY OF USEFUL AQUATIC ANIMALS. WASHINGTON. 4 VQ. PP 163-682.
- [ 477] GOODE, G. B.,  
BEANE, T. H. (1885) ON THE AMERICAN FISHES IN THE LINNAEAN COLLECTION. P. U. S. NAT. MUS. VIII PP 193-208.
- [ 478] GOODE, G. B.,  
BEAN, T. H. (1895) OCEANIC ICHTHYOLOGY: A TREATISE ON THE DEEP-SEA AND PELAGIC FISHES OF THE WORLD, BASED CHIEFLY UPON THE COLLECTIONS MADE BY THE STEAMERS "BLAKE", "ALBATROSS", AND "FISH HAWK", IN THE NORTH-WESTERN ATLANTIC. SPECIAL BULLETIN, U.S. NATIONAL MUSEUM. 553 PP. PL. XCV, FIG. 330.
- [ 479] GOTSHALL, D. W. (1969) STOMACH CONTENTS OF PACIFIC HAKE AND ARROWTOOTH FLOUNDER FROM NORTHERN CALIFORNIA. CALIF. FISH & GAME 55(1): 75-82.
- [ 480] GRAHAM, D. H. (1956) A TREASURY OF NEW ZEALAND FISHES. 2ND EDITION, REED. PUB., WELLINGTON, N. Z. PP 424.
- [ 481] GRAHAM, M. (1956) SEA FISHERIES, THEIR INVESTIGATION IN THE UNITED KINGDOM. BUTLER AND TANNER, LTD., LONDON. PP 487.
- [ 482] CRAIGIE, E. H. (1927) SEX RATIO IN CANADIAN MARINE FISHES. CONTR. CANADIAN BIOL. 3(22): 491-499.
- [ 483] GRANGAUD, R.,  
MASSONET, R. M.,  
LARROQUE, H. (1949) [VITAMIN A CONTENT OF THE VISCERA OF M. VULGARIS] COMPTE REND. SOC. BIOL. 143(17/18): 1176-1179 (IN FRENCH).
- [ 484] GRAY, I. E.,  
HALL, F. G. (1930) BLOOD SUGAR AND ACTIVITY IN FISHES WITH NOTES ON THE ACTION OF INSULIN. BIOL. BULL. 58(3): 217-223.
- [ 485] GRINOLS, R. B.,  
TILLMAN, M. F. (1970) IMPORTANCE OF THE WORLDWIDE HAKE, MERLUCCIUS RESOURCE. CIRC. U.S. FISH. WILDL. SERV., 332: 1-21.
- [ 486] GROSSLEIN, M. D. (1972) A PRELIMINARY EVALUATION OF THE EFFECT OF FISHING ON THE TOTAL FISH BIOMASS, AND FIRST APPROXIMATIONS OF MAXIMUM SUSTAINABLE YIELD FOR FINFISHES, IN ICNAF DIVISION 52 AND SUBAREA 6. PART I. CHANGES IN RELATIVE BIOMASS OF GROUND FISH IN DIVISION 52 AS INDICATED BY RESEARCH VESSEL SURVEYS, AND PROBABLE MAXIMUM YIELD OF THE TOTAL GROUND FISH RESOURCE. ICNAF RES. DOC. 72/119. SERIAL NO. 2835. PP 31. (MIMEO).
- [ 487] GROSSLEIN, M. D. (1973) MIXTURE OF SPECIES IN SUBAREAS 5 AND 6. ICNAF RES. DOC. 73/9. SERIAL NO. 2911. PP 49. (MIMEO).
- [ 488] GRUVEL, A. (1913) [THE FISHING INDUSTRY ON THE WEST COAST OF AFRICA] PARIS. (IN FRENCH).
- [ 489] GUEGUEN, J. (1969) ESTIMATION OF MORTALITY OF HAKE IN THE GULF OF GASCOGNE. ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM 1969/G: 9. (MIMEO). (IN FRENCH).

- [ 490] GUERRA-CASTRO,L. (1967)CA TEST OF THE PRESERVATION OF HAKE BY THE USE OF BIOSTATISTICS.JPESCA,INVEST.CIENT.,NO.4. (IN SPANISH).
- [ 491] GUERRA-CASTRO,L. (1970)CONTRIBUTION TO THE STUDY OF THE HAKE,MERLUCCIOUS GAYI GAYI,DETERMINATION OF ETHEROUS EXTRACT IN THE FRESH HAKE.JBIOL.PESQ 4:65-80.(IN SPANISH).
- [ 492] GUICHENOT,A. (1854)ICHTHOLOGY 2.IN:FISCAL AND POLITICAL HISTORY OF CHILEAN ZOOLOGY.SANTIAGO DE CHILE.(IN SPANISH).
- [ 493] GUICHET,R., MERIEL-BUSSY,M. (1969) [THE ASSOCIATION OF HAKE AND BLUE WHITING IN THE GULF OF GASCOGNE]. DEMERSAL FISH (SOUTHERN) COMMITTEE.CM1969/G:6.(MIMEO).(IN FRENCH).
- [ 494] GUICHET,R. (1970)[RELATIONS BETWEEN FISHING ABILITY AND THE CHARACTERISTICS OF TRAWL BOATS IN THE HAKE FISHERY OF LA ROCHELLE.JICES,CM 1970 NO.19 4PP(MIMEO). (IN FRENCH).
- [ 495] GUICHET,R., MERIEL-BUSSY,M. (1970) [ASSOCIATION OF HAKE,MERLUCCIOUS MERLUCCIOUS (L)., AND THE MACKEREL,MICROMESISTIUS POUTASSOU(RISSO), IN THE GULF OF GASCONY.JREV.TRAV.INST.PECHES MAR34 (1):69-72.(IN FRENCH).
- [ 496] GUICHET,R., GUEGUEN,R.J., GUILLÔU,A. (1971) [THE HAKE AND DORADE AT LA ROCHELLE,ANALYSIS OF EFFORT AND PRODUCTION STATISTICS FOR THE YEARS 1966-1967 AND 1968.JREV.TRAV.OFF.INST.PECHE.MARIT. 35(3):239-286.(IN FRENCH).
- [ 497] GUICHET,R., GUEGUEN,J. (1971) [NEW INFORMATION ON YIELDS OF HAKE IN THE ATLANTIC].JICES,DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1971/G:5.(MIMEO).(IN FRENCH).
- [ 498] GUICHET,R., QUERO,J.C., LABASTIE,J. (1973) [ESTIMATION OF THE HAKE STOCKS OFF THE NORTH AND WEST COAST OF IRELAND.JICES,DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1973/G:5.(MIMEO). (IN FRENCH).
- [ 499] GUICHET,R. (1973)[ESTIMATE OF THE TOTAL MORTALITY OF HAKE.] ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE.CM1973/G:7. (MIMEO).(IN FRENCH).
- [ 500] GUICHET,R. (1975)[ATTEMPTS TO EVALUATE THE STOCK OF HAKE FROM THE GULF OF GASCOGNE AND THE CELTIC PLATEAU.] ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM/1975/G:10. (MIMEO).(IN FRENCH).
- [ 501] GUICHET,R. (1975)[RELATIONSHIP BETWEEN THE FISHING POWER AND CHARACTERISTICS OF TRAWLERS OFF LA ROCHELLE IN THE HAKE FISHERY.] RAPP.P.V.REUN.CONS.INT.EXPLOR. MER.,168:13-15. (IN FRENCH).
- [ 502] GUILLÔU,A. (1970)[THE ARTISAN FISHERY AT LA ROCHELLE ITS CONTRIBUTION TO THE SUPPLY OF HAKE.JICES CM 1970/G 5:6PP(MIMEO).(IN FRENCH).
- [ 503] GULLAND,J.A. (1955)ESTIMATION OF GROWTH AND MORTALITY IN COMMERCIAL FISH POPULATIONS.UK.MIN.AGRIC.FISH.FOOD.,FISH. INVEST.SER.2,18(9):1-46.
- [ 504] GULLAND,J.A. (1956)ON THE SELECTION OF HAKE AND WHITING BY THE MESH OF TRAWLS.J.CONS.EXPLOR.MER.21(3):296-309.
- [ 505] GULLAND,J.A. (1964)VARIATIONS IN SELECTION FACTORS, AND MESH DIFFERENTIALS.J.CONSEIL.EXPLOR.MER.29(2):158-165.
- [ 506] GULLAND,J.A., (1968)A PRELIMINARY ASSESSMENT OF SILVER HAKE IN SUB-AREA 5.ICNAF SERIAL NO.2065(D.C.3).RES.DOC.68/76. PPS.(MIMEO).
- [ 507] GULLAND,J.A. (1968)AREA REVIEW ON LIVING RESOURCES OF THE WORLDS OCEAN NORTHWEST ATLANTIC. ICNAF.RES.DOC.68/75. SERIAL NO.2064.PP22.(MIMEO).
- [ 508] GUNTHER,A. (1862)CATALOGUE OF FISHES IN THE BRITISH MUSEUM. LONDON.VOL.4.
- [ 509] GUNTHER,A. (1880)THE ZOOLOGY OF THE VOYAGE OF HMS "CHALLENGER". VOL I. PART 1-4. LONDON. 82PP.

- [ 510] GUNTHER,A. (1881)LIST OF THE FISHES COLLECTED DURING THE SURVEY OF HMS"ALERT" IN THE STRAITS OF MAGELLAN AND ON THE COAST OF PATAGONIA. P.Z.S.PP.19-22.
- [ 511] GUNTHER,A. (1887)ZOOLOGY;REPORT ON THE DEEP SEA FISHES. IN: REPORT ON THE SCIENTIFIC RESULTS OF THE VOYAGE OF H.M.S. 'CHALLENGER' 1873-1876. 22.PP335.
- [ 512] GUNTHER,A. (1887)GUIDE TO THE GALLERIES OF REPTILES AND FISHES IN THE DEPARTMENT OF ZOOLOGY OF THE BRITISH MUSEUM. (NATURAL HISTORY). LONDON 8 VO. PP47-119.
- [ 513] GUNTHER,A. (1889)THE ZOOLOGY OF HMS "CHALLENGER".VOL.XXXI.REPORT ON THE PELAGIC FISHES. LONDON. 4 VOL.
- [ 514] HAIGH,E.H. (1972)LARVAL DEVELOPMENT OF THREE SPECIES OF ECONOMICALLY IMPORTANT SOUTH AFRICAN FISHES.ANN. S.AFR.MUSEUM 59(3):47-70.
- [ 515] HALKETT,A. (1913)CHECK LIST OF FISHES OF THE DOMINION OF CANADA AND NEWFOUNDLAND.KINGS PRINTER,OTTAWA,138PP.
- [ 516] HALKETT,A. (1914)NATURAL HISTORY REPORT.DEPT.MAR.FISH.,ANN.REF.FOR 1913-14,APP.14:343-367.
- [ 517] HALLIDAY,R.G. (1973)THE SILVER HAKE FISHERY ON THE SCOTIAN SHELFF. ICNAF RES.DOC.73/103.SERIAL NO.3065.PP.21.(MIMEO).
- [ 518] HALLIDAY,R.G. (1973)SILVER HAKE IN SUBAREA 4.ICNAF RES.DOC.73/103. SER.NO.3065.ADDENDUM II. PP.4.(MIMEO).
- [ 519] HALLIDAY,R.G. (1975)EASTERN SCOTIAN SHELFF COD(ICNAF DIV.4VSW) A RECONSTRUCTION OF POSSIBLE EVENTS IN THE FISHERY IN 1958 TO 1974 AND A RE-ESTIMATION OF POTENTIAL YIELD.SEVENTH SPECIAL COMMISSION MEETING-SEPT.1975 ICNAF RES.DOC.75/IX/136.23PP.
- [ 520] HALLIDAY,R.G.,  
LETT,P.F.,  
CLAY,D. (1978) SILVER HAKE (MERLUCCIOUS BILINEARIS) IN ICNAF DIV. 4VWX:A STOCK ASSESSMENT AND ESTIMATE OF THE TOTAL ALLOWABLE CATCH (TAC) FOR 1979.ICNAF SERIAL NO. 5230 (D.C.3).RES.DOC.78/VI/62.PP13.(MIMEO).
- [ 521] HARFORD,W.H. (1958)THE ANATOMY OF APOROCOTYLE SPINOSICANALIS SP.NOV. (TREMATODA:DIGENEA) FROM MERLUCCIOUS MERLUCCIOUS. ANN.AND MAG.NAT.HIST.1(4):291-297.
- [ 522] HART,T.J. (1947)REPORT ON TRAWLING SURVEYS ON THE PATAGONIAN CONTINENTAL SHELFF COMPILED MAINLY FROM MANUSCRIPTS LEFT BY THE LATE E.R.GUNTHER. M.A. DISCOVERY REP. 23:223-408.
- [ 523] HART,T.J. (1948)THE DISTRIBUTION AND BIOLOGY OF THE HAKE.BIOL.REV. CAMBRIDGE PHIL.SOC.23(1):62-80.
- [ 524] HART,J.L. (1949)FOOD OF FISH OF THE COD FAMILY.PROG.REPT.FRB OF CAN.,PAC.COST.STAT.,79:35-36.
- [ 525] HART,T.J.,  
MARSHALL,N.B. (1951) BREEDING GROUNDS OF PILCHARDS OFF THE COAST OF SOUTH-WEST AFRICA.NATURE.168(4268):272-273.
- [ 526] HART,J.L. (1953)THE TRAWL FISHERY ON THE PACIFIC COAST OF CANADA. PROC.PACIF.SCI.CONGR.,7(4):425-427.
- [ 527] HA,J. (1900)PARASITIC COPEPODS OF THE FAMILY CHONDRACANTHIDAE FROM FISHES OF EASTERN NORTH AMERICA. SMITHSONIAN CONTRIB.ZOOL. NO.87:1-39.
- [ 528] HEIMANN,R.F.G. (1963)TRAWLING IN THE MONTEREY BAY AREA, WITH SPECIAL REFERENCE TO CATCH COMPOSITION.CAL.FISH.& GAME 49(3):152-173.
- [ 529] HELDT,H. (1952)CA PRELIMINARY STUDY OF THE HAKE OF THE TUNISIAN SEA.JJ.CONS.PERM.INT.EXPLOR.MER,18(2):234-235. (IN FRENCH).
- [ 530] HELLER,J.C.,  
VALENZUELA,A. (1968) DUTILIZATION OF ASEPTIC CONTAINERS FOR KEEPING OF REFRIGERATED HAKE (MERLUCCIOUS GAYI GAYI).J ESC.PESQ.Y ALIM.,UNIV.CAT.VALPO.UNPUBLISHED.(IN SPANISH).
- [ 531] HENKING,H. (1905)GENERAL REPORT ON THE WORK OF THE PERIOD JULY 1902 -JULY 1904.APPENDIX F; ON THE PERIODIC OCCURRENCE OF THE PRINCIPAL FOOD-FISHES IN THE NORTH SEA AND SKAGER RAK,BASED ON THE RETURNS OF GERMAN FISHING STEAMERS.RAPP.P-V.REUN.CONS.PERM.INT.EXPLOR.MER, 3:23PP.

- [ 532] HENNEMUTH,R. (1964)ESTIMATED RELATIONSHIP OF LENGTH TO GIRTH FOR RED AND SILVER HAKE COLLECTED FROM SUBAREA 5 IN 1963. ICNAF SER.NO.1343(D.C.2)RES.DOC.NO.47.PP2.(MIMEO).
- [ 533] HENNINGS,C. (1963)A NEW FAST ELECTRONIC PROCESS TO TEST FOR THE FRESHNESS OF SEA HAKE.J Z.LEBENSMITT. UNTERS., 119:461.(IN GERMAN).
- [ 534] HENRY,J.L. (1975)PESTICIDE RESIDUES IN SOME SOUTH AFRICAN FISH SPECIES.COULSTON,F. AND F. KORTE (EDS). IN: ENVIRONMENTAL QUALITY AND SAFETY SUPPLEMENT, VOL.III.PESTICIDES.INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY.THIRD INTERNATIONAL CONGRESS. 196-198.
- [ 535] HERRINGTON,W.C. (1938)COMPARATIVE STUDIES OF THE FLUCTUATIONS IN THE STOCKS OF FISH IN THE SEAS OF NORTH AND WEST EUROPE.2ND.PART.RELATIVE STRENGTH BY YEAR CLASSES OF CERTAIN FISHES OF THE WESTERN ATLANTIC.F. APPENDIX:THE USE OF LARGE MESHED OTTER TRAWLS IN THE NEW ENGLAND FISHERY.RAPP.P-V.REUN.CONS.PERM. INT.EXPLOR.MER,101(4):19PP.
- [ 536] HERROU,R.L. (1972)THE HAKE OF THE NORTH WEST ATLANTIC AND ITS FISHERY.JSCI ET PECHE,NO.220:13PP.(IN FRENCH).
- [ 537] HEWARD,F., PRUTER,A.T. (1958) CLIMATIC TEMPERATURE CHANGES AND COMMERCIAL YIELDS OF SOME MARINE FISHERIES.J.FISH.RES.BD.CAN.,15(4): 625-683.
- [ 538] HICKLING,C.F. (1923)THE FRENCH TRAWL, ITS SUPERIORITY OVER THE OLDER GEAR. FISH TRADES GAZ.,VOL.33
- [ 539] HICKLING,C.F. (1927)THE NATURAL HISTORY OF THE HAKE. PART I. PERIODIC CHANGES IN THE FISHERY. PART II. FOOD AND FEEDING HABITS OF THE HAKE. UK MIN.FISH.AGRIC. AND FOOD.,FISHERIES INVEST.SER. 2. 10(2):1-100.
- [ 540] HICKLING,C.F. (1928)THE EXPLORATORY VOYAGES OF THE 'FLORENCE BRIERLEY' NOTES ON THE FISH RECORDED.ANN.MAG.OF NAT.HIST., SER.10,VOL.2(8):196-208.
- [ 541] HICKLING,C.F. (1928)THE FLEETWOOD EXPLORATORY VOYAGES FOR HAKE.CONS. PERM.INTERNAT,EXPLOR.MER.JOUR.CONSEIL.3(1):70-89.
- [ 542] HICKLING,C.F. (1929)SUMMARY OF THE NATURAL HISTORY OF THE HAKE , PARTS 1 AND 2.JRAPP.P-V.REUN.CONS.PERM.INT.EXPLOR MER,55:153-154.(IN FRENCH).
- [ 543] HICKLING,C.F. (1930)THE NATURAL HISTORY OF THE HAKE.PART III.SEASONAL CHANGE IN THE CONDITION OF THE HAKE.MIN.AGRIC.AND FISH.,FISH.INVEST.13(2):1-78.
- [ 544] HICKLING,C.F. (1931)A COMPARISON OF THE VIGNERON-DAHL TRAWLING GEAR WITH THE STEAM OTTER TRAWL,IN THE HAKE FISHERY. J.CONS.PERM.INT.EXPLOR.MER, 6(3):421-431.
- [ 545] HICKLING,C.F. (1931)THE IMPOVERISHMENT OF THE FISHING GROUNDS.CONGR. INT.AGRIC.PECH.VII,PARIS.
- [ 546] HICKLING,C.F. (1931)THE STRUCTURE OF THE OTOLITH OF THE HAKE.QUART.J. MICR.SCI.74(4):547-561.
- [ 547] HICKLING,C.F. (1932)HAKE EXPERIMENTS. FISHING NEWS.VOL.19.
- [ 548] HICKLING,C.F. (1932)HAKE MARKING EXPERIMENTS.FISHING NEWS,NO17.
- [ 549] HICKLING,C.F. (1932) CA FEW OBSERVATIONS ON THE HAKE PRELIMINARY STUDY.J RAPP.P-V.REUN.CONS.PERM.INT.EXPLOR.MER, LXXVII:55-59.(IN FRENCH).
- [ 550] HICKLING,C.F. (1932)SOME NOTES ON THE HAKE MERLUCCIOUS MERLUCCIOUS. RAPP.P-V.REUN.CONS.PERM.INT.EXPLOR.MER,55-59.
- [ 551] HICKLING,C.F. (1933)A NOTE ON THE REJECTION OF HAKE AT SEA ON ENGLISH TRAWLERS.RAPP.CONS.EXP.MER.84:25-26.
- [ 552] HICKLING,C.F. (1933)THE MERLU AND ITS FISHERY.JPECHE MARIT,PECH.FLUV. PISC.,XVI:390-391.(IN FRENCH).
- [ 553] HICKLING,C.F. (1933)THE NATURAL HISTORY OF THE HAKE.IV. AGE DETERMINATION AND THE GROWTH RATE.MIN.AGRIC.AND FISH.,FISH.INVEST.13(2):3-120.
- [ 554] HICKLING,C.F. (1934)HAKE FISHERY.SUMMARY OF BUCKLAND LECTURES FOR 1934. FISHING NEWS NO.14. FISH.TRADES GAZETTE,: 24-25.
- [ 555] HICKLING,C.F. (1935)SEASONAL CHANGES IN THE OVARY OF THE IMMATURE HAKE,MERLUCCIOUS MERLUCCIOUS.JOUR.MAR.BIOL.ASSOC. UNITED KINGDOM 20(2):443-461.

- [ 556] HICKLING,C.F. (1935)[THE IMPORTANT PROBLEM OF THE HAKE FISHERY.]  
PECHE MARIT.,PECH.FLUV.PISC.,XVIII:235-238.(IN  
FRENCH).
- [ 557] HICKLING,C.F. (1935)THE HAKE AND THE HAKE FISHERY. BUCKLAND LECT.,  
LONDON.
- [ 558] HICKLING,C.F. (1936)HAKE FISHERIES OF GREAT BRITAIN. MILFORD HAVEN  
AND FLEETWOOD RESULTS EXAMINED. FISHING NEWS.VOL 6
- [ 559] HICKLING,C.F. (1936)FLUCTUATIONS IN YEAR CLASSES OF HAKE(MERLUCCIOUS  
MERLUCCIOUS,L.).RAPP.P-V.REUN.CONS.PERM.INT.EXPLOR.  
MER,101(3):1P.
- [ 560] HICKLING,C.F., (1936)  
RUTENBURG,E. THE OVARY AS AN INDICATOR OF SPAWNING PERIOD IN  
FISHES. J.MAR.BIOL.ASS.U.K.,21:311-317,
- [ 561] HICKLING,C. (1946)THE RECOVERY OF A DEEPSEA FISHERY. UK. MIN.AGRIC.  
FISH.FOOD FISH.INVEST.SER.2.17(1):1-59.
- [ 562] HIGH,W.L. (1970)MIDWATER TRAWLING GEAR AND FISHING TECHNIQUES FOR  
CAPTURING HAKE OFF THE COAST OF WASHINGTON AND  
OREGON.CIRC.U.S.FISH.WILDL.SERV.,332:77-101,
- [ 563] HILTZ,D.F., (1976)  
LALL,B.S., DETERIORATIVE CHANGES DURING FROZEN STORAGE IN  
LEMON,D.W., FILLETS AND MINCED FLESH OF SILVER HAKE,MERLUCCIOUS  
BYER,W.J. BILINEARIS PROCESSED FROM ROUND FISH HELD IN ICE  
AND REFRIGERATED SEA WATER.J.FISH.RES.BD.CAN.  
33(11):2560-2567.
- [ 564] HIPKINS,F.W. (1967)MIDWATER TRAWL,TELEMETRY GEAR PROVE VALUE ON PUGET  
SOUND HAKE.NAT.FISHERMAN,47(10):10B,11B,15B.
- [ 565] HISLOP,J.R.G. (1973)SCOTTISH SURVEYS OF PELAGIC 0-GROUP GADIDS IN THE  
NORTHERN NORTH SEA,1969-1972.ICES.DEMERSAL FISH  
(NORTHERN)COMMITTEE.CM1973/F:16.(MIMEO).
- [ 566] HISLOP,J.R.G. (1973)SCOTTISH INVESTIGATIONS ON THE ABUNDANCE AND  
DISTRIBUTION OF PELAGIC 0-GROUP GADIDS IN THE  
NORTHERN NORTH SEA IN 1973.ICES.DEMERSAL FISH  
(NORTHERN) COMMITTEE.CM1973/F:47.(MIMEO).
- [ 567] HITZ,C.R. (1970)OPERATION OF THE SOVIET TRAWL FLEET OFF WASHINGTON  
AND OREGON COAST DURING 1966-1967.CIRC.U.S.FISH.  
WILDL.SERV.,332:53-76.
- [ 568] HOEK,P.P.C. (1911)EQUANTITATIVE DISTRIBUTION OF THE EGGS AND LARVAE  
OF GADIDS IN THE NORTH SEA.JRAPP.P-V.REUN.  
CONS.PERM.INT.EXPLOR.MER,13:20PP.(IN GERMAN).
- [ 569] HOEK,P.P.C. (1911)ESPAWNING PERIOD AND CATCH PROPORTION OF GADIDS  
IN THE NORTH SEA.JPUBLS.CIRCONST.CONS.PERM.INT.  
EXPLOR.MER,57:72PP.(IN GERMAN).
- [ 570] HOLDEN,M.J.(ED) (1971)REPORT OF THE ICES/ICNAF WORKING GROUPS ON SELECT-  
IVITY ANALYSIS.ICES COOP.RES.REP.SER.A.NO.25.PP144
- [ 571] HOLDEN,M.J. (1977)THE INTERNATIONAL NORTH SEA 0-GROUP GADOID SURVEYS  
THE METHODOLOGY AND EVALUATION OF THE RESULTS.ICES  
DEMERSAL FISH(NORTHERN) COMMITTEE.CM1977/F:29.  
(MIMEO).
- [ 572] HOWARD,H.T., (1955)  
MARSHALL,N.B., A VOYAGE TO THE BLACK HAKE GROUNDS OFF THE WEST  
WIMPENNY,R.S. AFRICAN COAST. RAPP.P-V.REUN.CONS.PERM.INT.EXPLOR  
MER,137:53-56.
- [ 573] HOWES,G.B. (1883)ZOOLOGY AND FOOD FISHES. LONDON,8VO,70PP.  
(HANDBOOK INTERN.FISH.EX.).
- [ 574] HULOT,A., (1960)  
HERMOSILLA,I. POSITION OF MERLUCCIOUS GAYI GAYI (GUICHENOT)IN  
THE FOOD CHAIN OF THE PACIFIC FRONT IN THE ZONE  
OF CONCEPTION (CHILE).ACTAS Y TRABAJOS DEL PRIMER  
CONGRESO SUDAMERICANO DE ZOOLOGIA,LA PLATA,I:115-  
122. (IN SPANISH).
- [ 575] HULOT,A., (1960)  
SANCHEZ,N., CONTRIBUTION TO THE STUDY OF THE SEXUAL MATURITY  
WILHELM,O. CYCLE OF MERLUCCIOUS GAYI GAYI (GUICH.)IN THE  
PACIFIC OCEAN FRONT OF THE ZONE OF CONCEPTION.]  
ACTAS Y TRABAJOS DEL PRIMER CONGRESO SUDAMERICANO  
DE ZOOLOGIA,LA PLATA,IV:85-90. (IN SPANISH).

- [ 576] HUNTSMAN,A.G. (1934)HERRING AND WATER MOVEMENTS.JAMES JOHNSTONE MEMORIAL VOL.LANCASHIRE SEA-FISHERIES LABORATORIES UNIV.PRESS,LIVERPOOL.81-96.
- [ 577] HUSS,H.H. (1971)ARGENTINA-FISHERY DEVELOPMENT,QUALITY AND KEEPING TIME OF FRESH AND FROZEN ARGENTINEAN HAKE.FAO,ROME FI:SF/ARG 10/2.
- [ 578] HUSS,H.H.,  
ASENJO,I. (1977) SOME TECHNOLOGICAL CHARACTERISTICS OF HAKE FROM S.AMERICAN WATERS.IN:HANDLING,PROCESSING AND MARKETING TROPICAL FISH.(P.SUTCLIFFE AND J.DISNEY (EDS)),TROPICAL PRODUCTS INSTITUTE,LONDON,89P.
- [ 579] HUTTON,F.W. (1873)CONTRIBUTIONS TO THE ICTHYOLOGY OF NEW ZEALAND, TRANS.PROC.N.Z.INST.,5:259-278.
- [ 580] HUTTON,F.W. (1874)THE GEOGRAPHICAL RELATIONS OF THE NEW ZEALAND FAUNA. ANNALS AND MAGAZINE OF NATURAL HISTORY, SERIES 4,13:85-102.
- [ 581] IKEDA,I. (1974)AN EFFECT OF MESH SIZE REGULATION ON THE CATCH OF CAPE HAKE,COLL.SCI,PAP.ICSEAF,1:200-208.
- [ 582] IKEDA,I. (1975)ON THE STOCK OF CAPE HAKES IN DIVS. 1-3 AND 1-4, CUNENE AND CAPE CROSS.ICSEAF COLL.SCI,PAP,2:54-58.
- [ 583] IKEDA,I. (1975)ON THE STOCK OF CAPE HAKES IN DIVISION 1-5,ORANGE RIVER.ICSEAF COLL.SCI,PAP,2:59-63.
- [ 584] IKEDA,I. (1975)ON THE STOCK OF CAPE HAKES IN DIVISION 1-6, CAPE OF GOOD HOPE,ICSEAF COLL.SCI,PAP.(2):64-69.
- [ 585] IKEDA,I. (1976)STOCK ASSESSMENT AND REGULATION OF CAPE HAKE IN THE ORANGE RIVER AND CAPE OF GOOD HOPE DIVISIONS USING THE PRODUCTION MODEL METHOD.ICSEAF COLL.SCI, PAP.(3):91-94.
- [ 586] JASON,A.C.,  
LEES,A. (1971) ESTIMATION OF FISH FRESHNESS BY DIELECTRIC MEASUREMENT.TORRY RESEARCH STATION,ABERDEEN, DEPARTMENT OF TRADE AND INDUSTRY,SPECIAL REPORT.
- [ 587] JEAN,Y. (1954)EXPERIMENTAL FISHING.]CONTRIB.DEPT.PECHE.QUEBEC NO.50:114-125.(IN FRENCH).
- [ 588] JENSEN,A.J.C. (1937)SEASONAL GUEST IN TRANSITION AREA. RAPP.P-V.REUN. CONS.PERM.INT.EXPLOR.MER,102:18PP.
- [ 589] JENSEN,A.J.C. (1949)THE RELATION BETWEEN THE SIZE OF MESH AND THE LENGTH OF FISH RELEASED. RAPP.P-V.REUN.CONS.PERM. INT.EXPLOR.MER,125:65-69.
- [ 590] JENSEN,A.C.,  
FRITZ,R.L. (1960) OBSERVATIONS ON THE STOMACH CONTENTS OF THE SILVER HAKE.TRANS.AMER.FISH.SOC.,89(2):239-240.
- [ 591] JENSEN,A.C. (1962)THE STOCKFISH AND SPINY LOBSTER FISHERIES OF SOUTH AFRICA. COMM.FISH.REV.,24(11):12.
- [ 592] JENSEN,A.C.,  
HENNEMUTH,R.C. (1963) SIZE SELECTION AND RETAINMENT OF SILVER AND RED HAKE IN NYLON CODENDS OF TRAWL NETS (MERLUCCIOUS BILINEARIS,UROPHYCIS CHUSS) INT.COM.NORTHWEST ATL.FISH.RES.BULL,3:86-101.
- [ 593] JOHANSEN,F. (1926)FISHES COLLECTED IN THE GASPE PENINSULA DURING AUGUST OF 1922.CAN.FIELD-NAT.,40(8):175-178.
- [ 594] JOHANSSON,M.L. (1972)PEROXIDASE IN BLOOD CELLS OF FISHES AND CYCLOSTOMES,ACTA REGIAE SOC.SCI,LITT.GOTHOR,ZOOL. 8:53-56.
- [ 595] JOHNSON,L.J.,  
[ 596] JOHN,H.C. (1970)  
(1975)INVESTIGATIONS IN FISHERIES BIOLOGY DURING ARGENTINIAN HAKE FISHERIES.BER.DTSCH.WISS.KOMM. MEERESFORSCH,24(1):23-45.
- [ 597] JONES,R. (1954)THE FOOD OF THE WHITING AND A COMPARISON WITH THAT OF THE HADDOCK.MARINE RES.SER.SCOTTISH HOME DEPT. 1954(2):1-34.
- [ 598] JONES,W.G. (1960)FISH FOR PET FOODS IN THE PACIFIC NORTHWEST. US. FISH WILD. SERV. FISH.LEAFL, 501:8-9.
- [ 599] JONES,B.W. (1967)SOUTH AFRICAN HAKE PROSPECTS. WORLD FISH. 16(10): 60-62.
- [ 600] JONES,B.W. (1967)THE BIOLOGY AND POPULATION DYNAMICS OF THE CAPE HAKE,MERLUCCIOUS CAPENSIS. ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1967/G:6.(MIMED).
- [ 601] JONES,B.W.,  
VAN ECK,T.H. (1967) THE CAPE HAKE:ITS BIOLOGY AND THE FISHERY.S.AFR. SHIP.NEWS FISH.IND.REV.22(11):90-97



- [ 602] JONES,B.W.,  
MACKIE,I.M. (1970) AN APPLICATION OF ELECTROPHORETIC ANALYSIS OF MUSCLE MYOGENS TO TAXONOMIC STUDIES IN THE GENUS MERLUCCIOUS. COMP. BIOCHEM. PHYSIOL. 32(2):267-273.
- [ 603] JONES,B.W. (1974) WORLD RESOURCES OF HAKES OF THE GENUS MERLUCCIOUS. CONFERENCE. HARDEN-JONES, F.R. (ED). SEA FISHERIES RESEARCH. 139-146.
- [ 604] JOPPIEN, H. (1970) COMPARATIVE ANATOMICAL AND FUNCTION ANALYTICAL INVESTIGATIONS ON THE JAW AND GILL APPARATUS OF THE PREDATORY TELEOSTS APHANOPUS AND MERLUCCIOUS. ZOOL. BEITR., 16(2-3):264-385.
- [ 605] JORDAN, D.S.,  
GILBERT, C.H. (1883) SYNOPSIS OF THE FISHES OF NORTH AMERICA. BULL. US. NAT. MUS. XVI 1-1018.
- [ 606] JORDAN, D.S.,  
EVERMANN, B.W. (1898) THE FISHES OF NORTH AND MIDDLE AMERICA. BULL. U.S. NAT. MUS., NO. 47:253.
- [ 607] JUKIC, S. (1972) [NUTRITION OF THE HAKE (MERLUCCIOUS MERLUCCIOUS), BOGUE (BOOPS BOOPS), STRIPED MULLET (MULLUS BARBATUS) AND PANDORA (PAGELLUS ERYTHRINUS) IN THE BAY OF KASTELA, JACTA ADRIAT. 14(4):1-40. (IN YUGOSLAVIAN).
- [ 608] JUNE, F.C. (1956) CONDITION OF THE MIDDLE ATLANTIC POUND-NET FISHERY COMMERCIAL FISH. REV. 18(4):1-5.
- [ 609] KABATA, Z. (1970) DISCOVERY OF BRACHIELLA LAGENIFORMES (COPEPODA: LERNAEPODIDAE) IN THE CANADIAN PACIFIC AND ITS SIGNIFICANCE TO ZOOGEOGRAPHY OF THE GENUS MERLUCCIOUS (PISCES: TELEOSTEIL). J. FISH. RES. BD. CANADA 27(12):2159-2165.
- [ 610] KARLOVAC, O. (1958) [THE FOOD OF THE HAKE (MERLUCCIOUS MERLUCCIOUS L.) OF THE ADRIATIC SEA.] FAD, FISH. TECH. PAP., 45. (IN FRENCH).
- [ 611] KARLOVAC, J. (1965) [CONTRIBUTION TO THE ECOLOGICAL KNOWLEDGE OF HAKE MERLUCCIOUS MERLUCCIOUS L. IN THE PLANKTONIC PERIOD OF ITS LIFE IN THE ADRIATIC SEA.] RAP. COMM. INT. MER. MEDIT., 18:461-464. (IN FRENCH).
- [ 612] KARNELLA, C. (1973) THE SYSTEMATIC STATUS OF MERLUCCIOUS IN THE TROPICAL WESTERN ATLANTIC OCEAN INCLUDING THE GULF OF MEXICO. FISH. BULL. 71(1):83-91.
- [ 613] KELLY, G.F.,  
NICHY, F.E., (1965) PROGRESS REPORT ON THE COOPERATIVE STUDY OF AGEING SILVER HAKE. ICNAF SERIAL NO. 1533(B.C.2). RES. DOC. NO. 65, PP.9. (MIMED).
- [ 614] KENT, W.S. (1883) HANDBOOK OF THE MARINE AND FRESH WATER FISHES OF THE BRITISH ISLANDS (INCLUDING ENUMERATION OF EVERY SPECIES). LONDON. 8 VO. 129PP. (HANDBOOK INTERNAT. FISH. EX.).
- [ 615] KERLEY, M.A. (1973) INCISOR FLUOROSIS IN MICE FED FISH PROTEIN CONCENTRATE. J. DENTAL RES. 52(3):626.
- [ 616] KETCHEN, K.S. (1967) RECENT DEVELOPMENTS IN FISHERIES FOR GROUND FISH IN THE N.E. PACIFIC. FISH. CAN. 19(11):5-10.
- [ 617] KNER, A. (1865) [VOYAGE OF THE AUSTRIAN FRIGATE "NOVARA" ROUND THE GLOBE DURING THE YEARS 1857-1859 UNDER THE COMMAND OF COMMODORE B. VON W-U. ZOOLOGICAL PART : THE FISHES.] ZOOLOGISCHER THEIL. FISCHE. PART 3. ABTHEILUNG 1867. PP. 275-433. (IN GERMAN).
- [ 618] KOKEN, E. (1891) [NEW STUDIES OF TERTIARY FISH OTOLITHS. II.] JZ. GEOL. GES. XLIII, 77-170. (IN GERMAN).
- [ 619] KOLENDER, E. (1975) AGE AND GROWTH OF HAKES IN ICSEAF AREA. ICSEAF COLL. SCI. PAP. (2):70-76.
- [ 620] KOMAROV, Y.A. (1969) [THE DISTRIBUTION OF STOCK FISH ALONG THE SOUTHWESTERN COAST OF AFRICA IN SPRING.] TRAITL. NAUCHISSELD INST. RYB. KHOZ. OKEANOGR. 22:200-205. (IN RUSSIAN).
- [ 621] KOMAROV, YU. (1975) A SCIENTIFIC REPORT ON THE U.S.S.R. FISHERIES IN THE ICSEAF AREA, 1973. ICSEAF. COLL. SCI. PAP., (2):19-26.
- [ 622] KOMAROV, YU. (1976) THE U.S.S.R. FISHERIES AND STOCK INVESTIGATIONS IN THE ICSEAF AREA. ICSEAF COLL. SCI. PAP., (3):23-26.
- [ 623] KONSTANTINOV, K.G.,  
NOSKOV, A.S. (1969) USSR RESEARCH REPORT, 1968. ICNAF. REDBOOK (1969) PART II:99-117.

- [ 624] KONSTANTINOV,K.G., (1978)  
NOSKOV,A.S. REPORT OF USSR INVESTIGATIONS IN ICNAF AREA, 1977.  
ICNAF SERIAL NO.5196.(D.A.77).SUM.DOC.78/VI/9.PP28  
(MIMEO).
- [ 625] KORDYL,E. (1969)  
KARNICKI,Z. FACTORS INFLUENCING QUALITY OF FROZEN FISH AT SEA  
IN SUB TROPICAL AND TROPICAL AREAS,IN:FREEZING AND  
IRRADIATION OF FISH.(R.KREUZER (ED.)),FISHING NEWS  
(BOOKS)LTD,LONDON,189P.
- [ 626] KOURY,B., (1971)  
SPINELLI,J.,  
WIEG,D. PROTEIN AUTOLYSIS RATES AT VARIOUS PH AND  
TEMPERATURES IN HAKE,MERLUCCIIUS PRODUCTUS AND  
PACIFIC HERRING,CLUPEA HARENGUS FALLASI AND  
THEIR EFFECT ON YIELD IN THE PREPARATION OF FISH  
PROTEIN CONCENTRATE. US.FISH.WILDL.SERV.BULL.  
69(1):241-246.
- [ 627] KOVALEVA,A.A., (1975)  
GAEVSKAYA,A.V. CTRIFUR-TORTUOSUS COPEPODA LERNAEIDAE,A PARASITE  
OF THE HAKE FROM THE SOUTHWEST ATLANTICJ.VESTNIK  
ZOOLOGII,4:78-79.(IN RUSSIAN).
- [ 628] KRAMER,D., (1970)  
SMITH,P.E. SEASONAL AND GEOGRAPHIC CHARACTERISTICS OF FISHERY  
RESOURCES CALIFORNIA CURRENT REGION-III,PACIFIC  
HAKE.COMM.FISH.REV.32(7):41-44.
- [ 629] KRAVCHENKO,L.I. (1969)  
POSSIBILITY OF DETERMINING AGE OF PATAGON HAKE BY  
CORRELATION OF OTOLITH WEIGHT AND AGE OF FISH,J  
ALL-UNION CONF.YOUNG SCI.(MURMANSK):26-35. (IN  
RUSSIAN).
- [ 630] KUHLMANN,R. (1956)  
TEST OF THE PRESERVATION OF HAKE BY MEANS OF  
CLORTETRACYCLIN(ACRONINE).J ESC.MEDICINA  
VETERINARIA,SANTIAGO. (IN SPANISH).
- [ 631] KUJAWA,S. (1968)  
OBSERVATIONS ON THE FOOD OF FISHES OF THE WEST  
AFRICAN SHELF. ICES,DEMERSAL FISH (NORTHERN)  
COMMITTEE. CM1968/G:2.(MIMEO).
- [ 632] KUNTZ,A., (1915)  
RADCLIFFE,L. NOTES ON THE EMBRYOLOGY AND LARVAL DEVELOPMENT  
OF TWELVE TELEOSTEAN FISHES. WASHINGTON BULL.BUR.  
FISH, 35:87-134.
- [ 633] KUTAYCIL,N. (1965)  
PRELIMINARY AGE ANALYSIS OF MULLUS BARBATUS L. AND  
MERLUCCIIUS L.IN THE SEA OF MARMARA AND  
SOME PELAGIC FISHES OF TURKEY. FAO,FISH.TEC.PAP.,  
NO.53.
- [ 634] LABARTA,E., (1975)  
FUERTES,J.R. DATA ON THE HAKE FISHERY OF THE SPANISH TRAWLER  
FLEET IN THE ICSEAF CONVENTION AREA.J ICSEAF  
COLL.SCI.PAP.(2):143-151.(IN SPANISH).
- [ 635] LACUNAS,S.M. (1968)  
CALCIUM DETERMINATION OF THE AGE OF MERLUZA  
(MERLUCCIIUS GAYI,G.).JESC.QUIMICA,UNIV.CAT.  
VALPO. (IN SPANISH).
- [ 636] LAFAURIE,M., (1972)  
PAULI,R. HISTOLOGY OF THE HYPOPHYSIS OF SOME TELEOSTS.J  
MUS.OCEAN.BULL.70(1414):1-31.(IN FRENCH).
- [ 637] LAGUNOV,L.L., (1973)  
KRIVOSHEINA,L.T. A METHOD OF PRODUCING COOKED AND DEHYDRATED FISH  
MINCES.J RYBN.KHOZ.10:70-72. (IN RUSSIAN).
- [ 638] LALL,B.S., (1975)  
MANZER,A.R.,  
HILTZ,D.F. PRE-HEAT TREATMENT FOR IMPROVEMENT OF FROZEN  
STORAGE STABILITY AT MINUS 10 CELSIUS IN FILLETS  
AND MINCED FLESH OF SILVER HAKE,MERLUCCIIUS  
BILINEARIS.J.FISH.RES.BD.CAN.32(8):1450-1454.
- [ 639] LAMPRECHT,E. (1961)  
VARIATIONS IN THE SKIN FLORA OF S.A. HAKE DURING  
STORAGE ON ICE.FISHING INDUSTRY RESEARCH INSTITUTE  
CAPE TOWN,ANN.REPT.15:14.
- [ 640] LAMPRECHT,E., (1963)  
DE VILLIERS,M. PRESERVATIVES FOR FRESH HAKE. FISHING INDUSTRY  
RESEARCH INSTITUTE,CAPE TOWN. ANN.REPT.17:14.
- [ 641] LAMPRECHT,E., (1972)  
ELLIOTT,M. WASHING OF HAKE FILLETS.FISHING INDUSTRY RESEARCH  
INSTITUTE,CAPE TOWN,ANN.REPT.26:70.

- C 642] LAPSHINA, V. I. (1975) ON THE FEEDING OF AND FOOD RELATIONS BETWEEN JUVENILE PACIFIC HAKE (MERLUCCIIUS PRODUCTUS) AND ROCKFISHES (SEBASTES). ITZV. TINRO, 98:16-30. (IN RUSSIAN).
- C 643] LARKINS, H., SHIPPEN, H. H., WALDRON, K. H. D. (1967) FEATURES OF A NORTHERN PUGET SOUND HAKE POPULATION. U.S. H & WILDLIFE SERVICE, BUR. COMM. FISH., SEATTLE, PP. 19. (UNPUBL. MS.).
- C 644] LARRANETA, M. G., RODRIGUEZ-RODA, J. (1955) BIOLOGICAL AND ECONOMICAL FEATURES OF TRAWLING OFF CASTELLON. J. PUBL. INST. BIOL. APLICADA, 18:107-131. (IN SPANISH.)
- C 645] LARRALDE, J., BELLO, J., RODRIGUEZ, J. (1964) ON THE BIOLOGICAL VALUE AND OTHER NUTRITIONAL INDICES OF PROTEINS OF SARDINA PILCHARDUS, TRACHURUS TRACHURUS, BRAMA RAIL, AND MERLUCCIIUS MERLUCCIIUS. JAN. BROMATOL, 16(3):307-321. (IN SPANISH)
- C 646] LARRANETA, M. G. (1967) THE HAKE FISHERY OFF SOUTHERN AFRICA. PUBLNES. TEC. JTA. ESTUD. PESCA, 6:87-100 (IN SPANISH).
- C 647] LARRANETA, M. G. (1968) THE HAKE FISHERY IN SOUTHERN AFRICA. J. INDUST. PESQ., AND XLII (977):3-4. (IN SPANISH).
- C 648] LARRANETA, M. G. (1968) THE HAKE FISHERY IN SOUTHERN AFRICA. II. J. INDUST. PESQ., AND XLII (978):29-30. (IN SPANISH).
- C 649] LARRANETA, M. G. (1968) THE FISHERY OF HAKE OF OREGON-WASHINGTON. J. INDUST. PESQ., 1000-1001:23-24. (IN SPANISH).
- C 650] LARRANETA, M. G., SUAU, P., SAN FELIU, J. M. (1968) SELECTIVITY OF TRAWL NETS IN THE SPANISH FISHERY. J. PUBLNES. TEC. JTA. ESTUD. PESCA, 7:57-74. (IN SPANISH).
- C 651] LARRANETA, M. G. (1969) THE MINIMUM SIZE OF CAPTURE IN THE FISHERY OF THE MEDITERRANEAN SEA. J. PUBLNES. TEC. JTA. ESTUD. PESCA, 8:57-68. (IN SPANISH).
- C 652] LARRANETA, M. G., SUAU, P., SAN FELIU, J. M. (1969) SELECTIVITY EXPERIMENTS IN THE TRAWL FISHERY OF SPAIN. J. INVEST. PESQ., 33(1):15-53. (IN SPANISH).
- C 653] LARRANETA, M. G. (1970) ON THE FEEDING, SEXUAL MATURATION AND LENGTH AT FIRST CAPTURE OF THE MERLUCCIIUS MERLUCCIIUS POPULATION OFF THE COAST OF CASTELLON. J. INVEST. PESQ., 34(2):267-280. (IN SPANISH).
- C 654] LARRU, F. N., LOBILLO (1956) SEPARATION OF THE FREE AMINO-ACIDS IN COD SPAWN (M. MERLUCCIIUS L.) BY PAPER CHROMATOGRAPHY. JAN. BROMAT., MADRID, 8:319-321. (IN SPANISH).
- C 655] LATHAM, R. (1971) THE SEA RAVEN IN LONG ISLAND WATERS. ENGELHARDTIA, 4(4):33.
- C 656] LEBOUR, M. V. (1920) THE FOOD OF YOUNG FISH. J. MAR. BIOL. ASS. U.K., XII(2):261-324.
- C 657] LEDESMA, M. M. (1956) DETERMINATION OF MOISTURE, PROTEINS, FATS, ASHES AND CHLORIDES IN COD SPAWN (M. MERLUCCIIUS L.). JAN. BROMAT., MADRID, 8:313-314. (IN SPANISH).
- C 658] LEDNEV, N. M. (1914) THE FISHES OF THE ABSCHERON PENINSULA. J. PETROGRAD MEM. COM. GEOLOG. (NOUV. SER.) 80:1-64 (IN RUSSIAN, WITH GERMAN RESUME).
- C 659] LEE, J. S., HARRISON, J. M. (1968) MICROBIAL FLORA OF PACIFIC HAKE. APP. MICRO, 16(12):1937-1938.
- C 660] LEE, R. N. (1968) CRUISE REPORT 68A8/FISHERIES RESOURCE SEA REPORT. CALIF. FISH GAME, CRUISER REPORT NO. 68A8.
- C 661] LEE, R. F. (1975) LIPIDS OF PARASITIC COPEPODS ASSOCIATED WITH MARINE FISH. COMP. M. PHYS. (PART B): COMP. BIOCHEM. 52(3):363-364.
- C 662] LEIGH-SHARPE, W. H. (1930) A DESCRIPTION OF THE MALE OF BRACHIELLA MERLUCCII. PARASITOLOGY, 22(1):143-144.
- C 663] LEIGH-SHARPE, W. H. (1934) A THIRD LIST OF PARASITIC COPEPODA OF PLYMOUTH WITH NOTES. PARASITOLOGY, 26(1):112-113.

- [ 664] LEIM,A.H. (1956)RECORDS OF UNUSUAL SPECIES FROM THE ATLANTIC COAST ,1955.FISH.RES.BD.CANADA,BIOL.STA.ST.ANDREWS, INVEST.SUMM.1955-56:198-201.(MS).
- [ 665] LEIM,A.H., SCOTT,W.B. (1966) FISHES OF THE ATLANTIC COAST OF CANADA.BULL.FISH. RES.BD.CANADA,NO.155:485PP.
- [ 666] LENARZ,W.H. (1973)DEPENDENCE OF CATCH RATES ON SIZE OF FISH LARVAE. RAPP.ET PROC-VERB.REUNIONS,J.DU CONS.INT.EXPL.MER. 164:270-275.
- [ 667] LINGERICH,N.J. (1965)ESTATISTICAL ANALYSIS OF THE CHILEAN HAKE FISHERY.] INST.FOMENTO PESQ.PUBL.7:1-15.
- [ 668] LENS,L.S., IGLESIAS,E.J. (1976) RESULTS OF A CRUISE TO THE GRAND SOLE AND NORTHWEST OF IRELAND WITH SPECIAL ATTENTION TO THE HAKE MERLUCCIOUS MERLUCCIOUS.]BOLETIN DEL INSTITUTO ESPANOL DE OCEANOGRAFIA. 216:3-29.(IN SPANISH).
- [ 669] LETACONNOUX,R. (1947)EFFECTS OF THE WAR ON FISH STOCKS]J.CON.S.PERM. INTERNAT.EXPLOR.,MER.RAPP.ET PROCES-VERBAUX REUNIONS.122:55-62. (IN FRENCH).
- [ 670] LETACONNOUX,R. (1948)[THE MERLU.]ANN.BIOL.,COPENH.,3:28-29.(IN FRENCH).
- [ 671] LETACONNOUX,R. (1948)EFFECTS OF THE WAR ON THE CONSTITUENTS OF FISH STOCKS.]RAPP.P.V.REUN.CONS.PERM.INT.EXPLOR.MER, 122(8):56-57.(IN FRENCH).
- [ 672] LETACONNOUX,R. (1949)[THE MERLU.]ANN.BIOL.,COPENH.,4:48-49.(IN FRENCH).
- [ 673] LETACONNOUX,R. (1949)[THE MERLU.]ANN.BIOL.,COPENH.,5:37-40.(IN FRENCH).
- [ 674] LETACONNOUX,R. (1950)[THE MERLU STOCK IN THE GULF OF GASCOGNE IN 1949.] ANN.BIOL.,COPENH.,6:50-51.(IN FRENCH).
- [ 675] LETACONNOUX,R. (1951)[THE MERLU STOCK IN 1950.]ANN.BIOL.,COPENH.,7:49-50.(IN FRENCH).
- [ 676] LETACONNOUX,R. (1951)CONSIDERATIONS ON THE EXPLOITATIONS OF HAKE SINCE 1937].REV.TRAV.OFF.PECHES MAR.16:1-4.(IN FRENCH).
- [ 677] LETACONNOUX,R. (1952)PRELIMINARY NOTE ON THE MERLU OF THE MEDITERRANEAN.]ICES,MIMEO REPORT,2E.COLLOQUE MERLU (IN FRENCH).
- [ 678] LETACONNOUX,R. (1952)NOTE ON THE MERLU OF THE AFRICAN COAST (MAROE AND RIO DE ORO).]J.CON.S.PERM.INT.EXPLOR.MER,18(2):223. (IN FRENCH).
- [ 679] LETACONNOUX,R. (1953)REPORT ON THE MERLU.]RAPP.P.V.REUN.CONS.PERM. INT.EXPLOR.MER,137:40-43.(IN FRENCH).
- [ 680] LETACONNOUX,R. (1953)REPORT ON THE MERLU.]ICES,MIMEO REPORT.(IN FRENCH).
- [ 681] LETACONNOUX,R. (1955)EXPERIENCES OF FISHING WITH TRAWLS OF EIGHTEEN METRES WITH DIFFERENT MESHES.]REV.TRAV.INST.PECH. MARIT.19(1):51-85.(IN FRENCH).
- [ 682] LETACONNOUX,R. (1955)NOTE ON MERLUCCIOUS BILINEARIS(MITCHELL).]RAPP. P.V.REUN.CONS.PERM.INT.EXPLOR.MER,137:44.(IN FRENCH).
- [ 683] LEVI,G. (1939)STUDIES ON THE DEVELOPMENT OF TEETH IN TELEOSTS. II.DEVELOPMENT OF TEETH FROM TRABECULER DENTINE. III.DEVELOPMENT OF SUBSTITUTION TEETH OF MERLUCCIOUS,CHRYSOPHRYS,CEPOLA,LOPHIUS.]ARCH.ANAT. MICROSC.[PARIS]35(2):201-221,(3):415-455.(IN FRENCH).
- [ 684] LE DANOIS,E. (1920)[THE HAKE,A CRITICAL REVIEW OF OUR KNOWLEDGE OF THIS FISH.]NOTES OFF.PECHE.MARIT.,2:1-32 (IN FRENCH).
- [ 685] LE GALL,J. (1952)BIOMETRIC STUDY OF HAKE.]J.CON.S.PERM.INT.EXPLOR. MER,18(2):236-240.(IN FRENCH).
- [ 686] LE GALL,J. (1952)CONSIDERATIONS OF THE STUDY OF ATLANTIC HAKE.] J.CON.S.PERM.INT.EXPLOR.MER,18(2):219-220.(IN FRENCH).
- [ 687] LE GALL,J. (1952)[THE SPECIES AND VARIETIES OF THE GENUS MERLUCCIOUS RAFINESQUE.]J.CON.S.PERM.INT.EXPLOR.MER,18(2):221-222.(IN FRENCH).
- [ 688] LE GALL,J. (1963)[FORECAST OF FISH.]PECHE MARIT.,PECH.FLUV.PISC. XIX:327-328.(IN FRENCH).
- [ 689] LIMA DOS SANTOS,C.A.M. (1967)FISH INSPECTION AND QUALITY CONTROL IN BRAZIL. IN: (P.SUTCLIFFE AND J.DISNEY (EDS)). HANDLING, PROCESSING AND MARKETING OF TROPICAL FISH.TROPICAL PRODUCTS INSTITUTE, LONDON.PP89.

- [ 690] LINTON,E. (1940) TREMATODES FROM FISHES MAINLY FROM THE WOODS HOLE REGION, MASSACHUSETTS. PROC. U.S. NAT. MUS. 88 (3078): 1-172.
- [ 691] LOESCH, H., (1972) [SOME NOTES ON THE ANALYSIS OF TRAWL FISHERY DATA OF THE INSTITUTO NACIONAL DE PESCA ECUADOR.] BOLETIN CIENTIFICO Y TECNICO (GUAYAQUIL). 2(2): 1-12. (IN SPANISH)
- [ 692] LOPEZ, J. (1963) [THE JUVENILE HAKE FISHERY]. IN: THE MIGRATING FISHES. ((ED.) GARRIGA, S.A.), BARCELONA, : 173-186. (IN SPANISH).
- [ 693] LOPEZ, J., (1967) BAS, C.,  
MORALES, E.,  
VIVES, F. [THE FISH CAUGHT OFF TARRAGON IN 1966.] PUBLNES. TEC. JTA. ESTUD. PESCA, 6: 149-162. (IN SPANISH)
- [ 694] LOPEZ-BENITO, M., (1973) GALLARDO, J.M. [STUDIES ON THE MAKING OF PRESERVES AND PREPARED FOODS WITH FROZEN HAKE.] INF. TECN. INST. INV. PESQ., NO. 8. (IN SPANISH).
- [ 695] LOPEZ-VEIGA, E.C., (1974) VAZQUEZ, A.,  
LABARTA, E.,  
ALONSO-ALLENDE, J.M.,  
FUERTES, J.R.,  
LARRANETA, M.G. [DISTRIBUTION AND ABUNDANCE OF DEMERSAL SPECIES OFF THE GALICIA: 1. HAKE, GALLO AND GIGALA (OCTOBER 1972, MARCH 1973, NOVEMBER 1973, AND MARCH 1974).] INF. TECN. INST. INV. PESQ., NO. 17. (IN SPANISH)
- [ 696] LOPEZ-VEIGA, E.C., (1976) LABARTA, E.,  
ALONSO-ALLENDE, J.M.,  
PEREZ-GANDARAS, G.,  
TOURON, J. [DISTRIBUTION AND ABUNDANCE DEMERSAL SPECIES OFF GALICIA. RESULTS OF THE CRUISE OFF GALICIA IN SEPTEMBER 1974.] RESULT. EXPED. CIEN. DEL BUQUE OCEAN. CORNIDE DE SAAVEDRA, 5: 31-76. (IN SPANISH).
- [ 697] LORA, R.F. (1956) [DETERMINATION OF OESTROGENS IN COD SPAWN (M. MERLUCCIOUS L.)]. AN. BROMAT., MADRID, 8: 323-324. (IN SPANISH).
- [ 698] LORCA, B., (1962) ROJAS, D. [COMPARATIVE BROMATOLOGY ANALYSES IN WHOLE AND EVISCERATED HAKE (MERLUCCIOUS GAYI).] CARTILL. DIVUL. PESQ., NO. 4: 19PP. (IN SPANISH).
- [ 699] LOURIDO, S.L., (1976) ESTEVEZ, J.T. [RESULTS OF A STUDY ON THE GRAND-SOLE AND THE NW. COAST OF IRELAND, WITH SPECIAL ATTENTION TO THE HAKE, MERLUCCIOUS MERLUCCIOUS.] BOL. INST. ESP. OCEANOGR. (NO. 216): 1-29. (IN SPANISH).
- [ 700] LOZANO, C.F. (1965) [THE ATLANTIC MERLU.] PUBLNES. TEC. JTA. ESTUD. PESCA, 4: 11-32. (IN SPANISH).
- [ 701] LOZANO, C.F. (1966) [THE ATLANTIC MERLU.] PUNTA, XIII (152): 2-8 (IN SPANISH).
- [ 702] LOZANO, C.F., (1968) RAMOS, F.,  
CENDRERO, O.,  
ROBLES, R. [STUDIES OF PROBLEMS OF SELECTIVITY OF TRAWL NETS AND POPULATIONS ON THE HAKE AND PRINCIPAL ACCOMPANYING SPECIES, IN REGION III OF THE NORTHEAST ATLANTIC FISHERIES CONVENTION (NEACF).] PUBLNES. TEC. JTA. ESTUD. PESCA, 7: 41-56. (IN SPANISH).
- [ 703] LUNA, S.J. (1953) [INFORME A LA CORFO SOBRE LA ORGANIZACION, DESARROLLO Y RESULTADOS DE LA CAMPANA EXPERIMENTAL PRO AUMENTO DEL CONSUMO DE MERLUZA PARA LA PROVINCIA DE SANTIAGO (CONCLUSIONES QUE SE DESPRENDEN).] MIMED REPORT, SANTIAGO DE CHILE. (IN SPANISH).
- [ 704] LUNA, S.J. (1962) [INFORMATION ON THREE YEARS WORK WITH AN OUTLOOK ON CHILEAN FISHERIES.] SANTIAGO DE CHILE. (IN SPANISH).

- [ 705] L'HERROU,R. (1972)NOTES ON DISTINGUISHING BETWEEN THE TWO SPECIES HAKE OF THE NORTHWEST ATLANTIC,MERLUCCIIUS BILINEARIS AND MERLUCCIIUS ALBIDUS.ICNAF RES.DOC. 72/61.SER.NO.2777.PP.6.(MIMEO).
- [ 706] L'HERROU,R. (1972)HAKE OF THE NORTHWEST ATLANTIC AND THEIR FISHERY] INST.SCI.ET TECH.PECHES MAR.BULL.D INFORM.DOC. NO.220:1-13.(IN FRENCH).
- [ 707] MACGREGOR,J. (1966)FECUNDITY OF THE PACIFIC HAKE, MERLUCCIIUS PRODUCTUS(AYRES)CALIF.FISH AND GAME.52(2):111-116.
- [ 708] MACGREGOR,J.S. (1971)ADDITIONAL DATA ON THE SPAWNING OF THE HAKE.FISH: BULL.69(3):581-585.
- [ 709] MACHADO-CRUZ,J.A. (1959)[LERNÆOCERA CAPARTI SP. NOV. PARASITIC COPEPOD ON MERLUCCIIUS MERLUCCIIUS.]PUBL.INST.ZOOL-DR. AUGUSTO NOBRE FAC.CIENC.PORTO.64:7-12.(IN SPANISH)
- [ 710] MACHADO,M.T., SIRI,M. (1971) [FEEDING REGIME OF THE PRINCIPAL COMMERCIALY IMPORTANT SPECIES OF FISH IN URUGUAY:MICROPOGON OPERCULARIS(QUOY AND GAIMARD),CYONOSCION STRIATUS (CUVIER),MERLUCCIIUS MERLUCCIIUS HUBBSI MARINI.] ACTAS Y TRABAJOS,V CONGR.LATINOAMERICANO ZOOI. (IN SPANISH).
- [ 711] MACKIE,I.M., JONES,B.W. (1969) THE USE OF POLYACRYLAMIDE DISC ELECTROPHORESIS OF MUSCLE MYOGENS IN IDENTIFYING CLOSELY RELATED SPECIES IN THE GENUS MERLUCCIIUS. ICES,T.69/15/2, MIMED.
- [ 712] MACKIE,I.M., JONES,B.W. (1971) THE USE OF POLYACRYLAMIDE DISC ELECTROPHORESIS OF MUSCLE MYOGENS IN IDENTIFYING CLOSELY RELATED SPECIES IN THE GENUS MERLUCCIIUS.J.DU CONS.INT. EXPL.MER.161:86.
- [ 713] MACLAGAN, . (1884)LIST OF EDIBLE BRITISH FISHES,WITH THEIR LATIN FRENCH,ITALIAN AND GERMAN SYNONYMS. REF.SCOT. FISHERIES. II.APP.F,NO.V.PP74-77.
- [ 714] MACPHERSON,E. (1975)[SUMMARY OF BIOLOGICAL DATA ON THE MERLUCCIIUS CAPENSIS.] ICSEAF.COLL.SCI.PAP.(2):77-85. (IN SPANISH).
- [ 715] MACPHERSON,E. (1976)[BIOLOGICAL DATA ON MERLUCCIIUS CAPENSIS IN THE FIRST QUARTER OF 1975.] ICSEAF COLL.SCI.PAP. (3):109-113.(IN SPANISH).
- [ 716] MACPHERSON,E. (1976)[RELATIVE GROWTH OF MERLUCCIIUS CAPENSIS.] ICSEAF COLL.SCI.PAP.(3):115-118.(IN SPANISH).
- [ 717] MACPHERSON,E. (1976)[REPORT ON SPANISH DEMERSAL FISHING IN DIVISIONS 1.4,1.5,AND 1.6 IN 1974.] ICSEAF COLL.SCI.PAP. (3):119-123. (IN SPANISH).
- [ 718] MACPHERSON,E., LLORIS,D. (1977) [DISTRIBUTION OF SPANISH FISHING EFFORT AND CATCH PER UNIT OF FISHING EFFORT OF CAPE HAKE AND KINGKLIP IN THE SOUTHEAST ATLANTIC(MARCH 1972- AUGUST 1975).] ICSEAF COLL.SCI.PAP.(4):127-144. (IN SPANISH).
- [ 719] MACY,P.T., MITSUOKA,R.R. (1969) IN SEA AND RIVER.RESEARCH AT THE BUREAU OF COMMERCIAL FISHERIES BIOLOGICAL LABORATORY,SEATTLE WASHINGTON;1966-1968. CIRC.U.S.FISH.WILD.SER.,329 :47PP.
- [ 720] MADARIAGA,B., CENDRERO,O. (1973) [TWO CASES OF ANOMALIES IN FISHES FROM THE ORDER GADIFORMES].BOLL.R.SOC.ESP.HIS.NAT.,SECT.BIOL. 71(3/4):374-375.(IN SPANISH).
- [ 721] MADARIAGA,B., CENDRERO,O. (1973) SOME CASES OF CONGENITAL ANOMALIES IN FISHES. ANN.DE LA FAC.VETERIN.LEON,UNIVERS.VIEDO. 19(1):192-208.
- [ 722] MANCUSO,V.M. (1964)PROTEIN TYPING OF SOME AUTHENTIC FISH SPECIES BY DISC ELECTROPHORESIS.J.ASS.OFF.AGRIC.CHEM.WASH., 47(5):841-844.
- [ 723] MANGALY,G. (1975)ELECTROPHORETIC AND BIOCHEMICAL STUDIES ON EUROPEAN HAKE,MERLUCCIIUS MERLUCCIIUS.PH.D. THESIS, UNIV.EAST ANGLIA,UK.

- [ 724] MANTER, E. W. (1934) SOME DIGENETIC TREMATODES FROM DEEP-WATER FISH OF TORTUGAS, FLORIDA. CARNEGIE INST. WASHINGTON PUBL. 435:261-345.
- [ 725] MARAK, R. R. (1967) EGGS AND EARLY LARVAL STAGES OF THE OFFSHORE HAKE, MERLUCCIIUS ALBIUS. TRANS. AM. FISH. SOC. 96(2):227-228
- [ 726] MARCHAND, J. M. (1935) THE SOUTH AFRICAN MARINE FISHES OF COMMERCIAL AND ANGLING IMPORTANCE. S. AFR., FISH. DIV. FISH. BULL. 2:11-160.
- [ 727] MARCHAND, J. M., TAYLOR, W. (1936) SAVINGS-TRAWL INVESTIGATIONS IN SOUTH AFRICAN WATERS DURING 1935. DEPT. COMM. IND. INVEST. REP. FISH. MAR. BIOL. SURV. S. AFR. 8:1-43.
- [ 728] MARGETTS, A. R. (1950) TRAWLING FOR HAKE ON NEWLY DISCOVERED FISHING GROUNDS. ANN. BIOL. COPENH. 6:50.
- [ 729] MARGETTS, A. R. (1963) AN ILLUSTRATION OF DIFFERING SELECTIVITIES IN TWO TRAWLS. ICNAF, SPEC. PUBL., NO. 5:156-157.
- [ 730] MARGOLIS, L. (1958) A NEW SPECIES OF LECITHOPHYLLUM FROM NORTH PACIFIC FISHES WITH A CONSIDERATION OF THE TAXONOMY OF THE GENERAL ECITHOPHYLLUM, APOURUS, AND BRACHADENA (TREMATODA: HEMIURIDAE). CAN. J. ZOO. 36(6):893-904.
- [ 731] MARI, A., SABA, B. (1978) LENGTH-WEIGHT RELATIONSHIP FOR SILVER HAKE ON THE SCOTIAN SHELF. ICNAF SERIAL NO. 5221(D.C.2). RES. DOC. 78/VI/55. PFS. (MIMEO).
- [ 732] MARI, A. (1978) SELECTION OF SILVER HAKE BY KAPRON CODENDS OF TRAWL NETS. ICNAF SERIAL NO. 5231(D.C.9). RES. DOC. 78/VI/63. PP. 6. (MIMEO).
- [ 733] MARTINI, T. L. (1953) [THE ARGENTINE HAKE. ]PHYSIS, 11:321-326. (IN SPANISH).
- [ 734] MARTIN, W. R., MCCracken, F. D. (1954) RELATIVE EFFICACY OF BAITS FOR GROUND FISH. CANADA. PROG. REP. ATLANT. CST. STNS. (58):17.
- [ 735] MARTIN, W. R. (1963) SPECIES COMPOSITION OF SURVEY CATCHES. FISH. RES. BD. CANADA, BIOL. STA. ST. ANDREWS, ANN. REP. 1962-63:9-11.
- [ 736] MATHEWS, C. P. (1974) AN ACCOUNT OF SOME METHODS OF OVERCOMING ERRORS IN AGEING TROPICAL AND SUBTROPICAL FISH POPULATIONS WHEN THE HARD TISSUE GROWTH MARKINGS ARE UNRELIABLE AND THE DATA SPARSE. IN: AGEING OF FISH. PROC. OF SYMPOSIUM. (ED. BAGENAL, T. B.). UNWIN BROS. LTD PP158-166.
- [ 737] MATTA, F. (1954) [NOTES ON THE BIOLOGY OF THE HAKE (MERLUCCIIUS MERLUCCIIUS) IN ITALIAN WATERS. NOTE I.] BOLL. PESCA, PISCICOLT. E IDROBIOLOGIA, 8(1):82-103. (IN ITALIAN).
- [ 738] MATTA, F. (1955) [THE MEDITERRANEAN HAKE. NOTE II.] BOLL. PESCA, PISCICOLT. E IDROBIOLOGIA, 9(1):5-29. (IN ITALIAN).
- [ 739] MATTA, F. (1956) [GROWTH OF THE HAKE IN THE MEDITERRANEAN SEA.] BOLL. PESCA, PISCIC. IDROBIOL., 11(1):31-36. (IN ITALIAN)
- [ 740] MATTA, F. (1957) [GROWTH IN WEIGHT OF THE MEDITERRANEAN HAKE.] BULL. PESCA, PISCICOLT. E. IDROBIOL., 11(2):283-290. (IN ITALIAN).
- [ 741] MATTA, F. (1958) [THE GROWTH OF HAKE IN THE MEDITERRANEAN.] RAP. COMM. INT. MER. MEDIT., 14:355-358. (IN FRENCH).
- [ 742] MATTHEWS, J. P., JAGER, B. V. DE. (1950) THE DEVELOPMENT AND CARE OF THE CAPE STOCKFISH (MERLUCCIIUS CAPENSIS). REP. DEPT. DIV. FISH. S. AFR., 13:3-10.
- [ 743] MATTHEWS, J. P., DE JAGER, B. V. (1951) THE DEVELOPMENT OF THE CAPE STOCKFISH MERLUCCIIUS CAPENSIS. UN. S. AFR., FISH MAR. BIOL. SURVEY DIV., INVEST., REPT., NO. 23. 10P.
- [ 744] MATTHEWS, C. P., MOLINA, D. (1972) [CRUISE REPORT.] PROG. INVEST. FOMENTO PESQ. CRUISE REP. AH/71/09. PP. 15. (IN SPANISH).
- [ 745] MATTHEWS, C. P. (1975) SOME OBSERVATIONS ON THE ECOLOGY AND THE POPULATION DYNAMICS OF MERLUCCIIUS ANGUSTIMANUS IN THE SOUTH GULF OF CALIFORNIA MEXICO. J. FISH BIOL. 7(1):83-94.
- [ 746] MAUCORPS, A. (1970) [USE OF PELAGIC AND SEMI-PELAGIC TRAWLS FOR FISHING MERLU AND DORADE ON THE NORTH COASTS OF SPAIN]. SCI. ET PECHE, NO. 192. (IN FRENCH).

- [ 747] MAUL,G.E. (1951) [A MONOGRAPH OF THE FISHES OF THE MUNICIPAL MUSEUM OF FUNCHAL, THE MACROURIDAE & MERLUCCIIDAE.] BOL. MUS. MUNIC. FUNCHAL, 5(12):1-55. (IN PORTUGUESE).
- [ 748] MAURER,R. (1975) A PRELIMINARY DESCRIPTION OF SOME IMPORTANT FEEDING RELATIONSHIPS. ICNAF RES. DOC. 75/IX/130. SER. NO. 3681. PP. 15
- [ 749] MAURIN,C. (1950) [NOTE ON THE HAKE (MERLUCCIOUS MERLUCCIOUS L.) OF THE COAST OF MOROCCO.] ICES, MIMED REPORT 4PP. (IN FRENCH).
- [ 750] MAURIN,C. (1950) [THE HAKE OF THE MOROCCAN COAST.] ANN. BIOL. COPENH., 6:51. (IN FRENCH).
- [ 751] MAURIN,C. (1950) [A THIRD NOTE ON THE MOROCCAN HAKES.] ICES, MIMED REPORT. (IN FRENCH).
- [ 752] MAURIN,C. (1952) [THE HAKES OF THE ATLANTIC COAST OF MOROCCO.] J. CONS. PERM. INT. EXPLOR. MER, 18(2):224-229. (IN FRENCH)
- [ 753] MAURIN,C. (1953) [DEPTH DISTRIBUTION OF WHITE HAKE AND BLACK HAKE AND A COMPARISON OF GROWTH OF THE TWO SPECIES.] ICES, MIMED REPORT. (IN FRENCH).
- [ 754] MAURIN,C. (1954) [COMPARITIVE STUDY OF WHITE HAKE AND BLACK HAKE.] J. CONS. PERM. INT. EXPLOR. MER, 19(3):345-349. (IN FRENCH).
- [ 755] MAURIN,C. (1954) [FURTHER NOTE ON THE BLACK HAKE, (MERLUCCIOUS SENEGALENSIS CADENAT)] ANN. BIOL., COPENH., 11:88. (IN FRENCH).
- [ 756] MAURIN,C. (1954) [THE HAKES OF MOROCCO AND THEIR FISHERY.] BULL. PECH. MARIT. MAROC, 2:3-65. (IN FRENCH).
- [ 757] MAURIN,C. (1955) [NOTES ON THE HAKES OF THE MOROCCAN COAST.] RAP. ET P. V. REUN. CONS. PERM. INT. EXPLOR. MER., 137:45-46. (IN FRENCH)
- [ 758] MAURIN,C. (1955) [THE HAKES OF THE AFRICAN COAST.] C. R. SOC. SCI. NAT. MAROC, NO. 1:18-20. (IN FRENCH).
- [ 759] MAURIN,C. (1963) [THE HAKES OF THE RIVER ORO AND OFF MAURITANIA. GEOGRAPHIC DISTRIBUTION AND DEPTH.] ICES, ATLANTIC COMMITTEE. CM 1963. (MIMED). (IN FRENCH).
- [ 760] MAURIN,C. (1965) [THE HAKES OF EUROPEAN AND NORTH WEST AFRICAN SEAS. IMPORTANCE OF THE MIDDLE VERTEBRAE IN DETERMINING SUB SPECIES AND RACIAL GROUPS.] RAP. COMM. INT. MER. MEDIT. 18(2):215-220. (IN FRENCH).
- [ 761] MAURIN,C. (1968) [HAKES OF THE NORTH AND NORTHWEST COAST OF AFRICA (ATLANTIC AND MEDITERRANEAN).] THESIS, NANCY, 1-44. (IN FRENCH).
- [ 762] MAURIN,C. (1968) [ICHTHYOLOGICAL ECOLOGY OF THE FISHABLE DEPTHS OF THE ATLANTIC (OF THE IBERIAN-MOROCCAN BAY OF MAURITANIA) AND THE WESTERN MEDITERRANEAN.] REV. TRAV. INST. PECH. MARIT., XXXII(1). (IN FRENCH).
- [ 763] MAXIA,C. (1935) [INTRAHEPATIC PANCREAS OF FISHES.] SCRITTI. BIOL. 10:8-126. (IN ITALIAN).
- [ 764] MCKENZIE,R.A., SCOTT,W.B. (1956) SILVER HAKE, MERLUCCIOUS BILINEARIS, IN THE GULF OF ST. LAWRENCE. COPEIA, 1956(2):111.
- [ 765] MCKENZIE,R.A. (1959) MARINE AND FRESHWATER FISHES OF THE MIRIMICHI RIVER AND ESTUARY, NEW BRUNSWICK. J. FISH. RES. BD. CANADA, 16(6):807-833.
- [ 766] MEDINA,V., CARRILLO,E. (1972) [PRELIMINARY DATA ON THE HAKE INHABITING ICSEAF AREA.] ICSEAF COLL. SCI. PAP. (1): . (IN SPANISH).
- [ 767] MEDINA,H.F., MATTHEWS,C.P. (1972) [CRUISE REPORT.] PROG. INVEST. FOMENTO PESQ. CRUISE REP. AH/72/03. PP. 7. (IN SPANISH).
- [ 768] MENDENHALL,V.T. (1970) THE ISOLATION AND IDENTIFICATION OF A MICROBIAL INHIBITOR FROM PACIFIC HAKE (MERLUCCIOUS PRODUCTUS). PH.D. THESIS. 1970 OREGON STATE UNIVERSITY. OREGON, USA.
- [ 769] MENDELSONN,J.M. (1974) A STUDY: EXPANDED PROCESSING TECHNIQUES, PRODUCTION COSTS AND MARKET SURVEY OF UNDERUTILIZED FISH SPECIES. NAT. MAR. FISH. SERV., GLOUCESTER, MASS., TECH. ASS. REPT. PP. 60.
- [ 770] MERIEL-BUSSY,M. (1966) [GROWTH OF THE HAKE IN THE GULF OF GASCOGNE. A PRELIMINARY NOTE.] ICES. GADOID FISH COMMITTEE. CM 1966/G:6-17. (MIMED). (IN FRENCH).



- [ 771] MERIEL-BUSSY,M. (1966)[SEXUAL MATURITY OF HAKE IN THE GULF OF GASCOGNE.] ICES.GADOID FISH COMMITTEE. CM1966/G:16 (MIMEO). (IN FRENCH).
- [ 772] MERIEL-BUSSY,M. (1966)[THE HAKE OF THE GULF OF GASCOGNE.SEASONAL DISTRIBUTION BY DEPTH AND STOCK COMPOSITION.] ICES GADOID FISH COMMITTEE. CM1966/G:18. (MIMEO). (IN FRENCH).
- [ 773] MERIEL-BUSSY,P. (1967)[THE HAKE FROM LA ROCHELLE .ANALYSIS OF THE STATISTICS OF 1966.] ICES. DEMERSAL FISH(SOUTHERN) COMMITTEE. CM1967/G:10.(MIMEO).(IN FRENCH).
- [ 774] MERIEL-BUSSY,M. (1968)[THE GROWTH OF HAKE LARGELY OFF THE FRENCH ATLANTIC COAST.] ICES.DEMERSAL FISH (NORTHERN) COMMITTEE. CM1968/G.C.(MIMEO).(IN FRENCH).
- [ 775] MERIEL-BUSSY,M. (1968)[THE GROWTH OF HAKE FROM THE ATLANTIC COAST OF FRANCE - A SECOND NOTE.] DEMERSAL FISH (SOUTHERN) COMMITTEE. CM 1968/G:6. (IN FRENCH).
- [ 776] MERIEL-BUSSY,P. (1968)[HAKE FISHING AT LA ROCHELLE. JINT. CONS. EXP. MER. LIAISON COMM. REP. SERIES B:59-70. (IN FRENCH).
- [ 777] MERIEL-BUSSY,P. (1969)[THE HAKE FISHERY AT LA ROCHELLE. ANALYSIS OF 1966 STATISTICS.] CO-OP. RES. REP. INT. COUN. EXPLOR. SEA. (8) :59-70. (IN FRENCH).
- [ 778] METUZENKO,B.K., KASHIN,S.F. (1978) ON SELECTIVITY OF BOTTOM TRAWLS IN THE NORTHWEST ATLANTIC(DIVISION 4W). ICNAF SERIAL NO. 5195. RES. DOC. 78/VI/34. PP10. (MIMEO).
- [ 779] MEYER-ROCHOW,V.B. (1972) A NOTE ON SOME PARASITES OF MERLUCCIOUS CAPENSIS PISCES AND THEIR ZOO-GEOGRAPHICAL SIGNIFICANCE. AFR. J. TROP. HYDROBIOL. FISH. 1(2):82-84.
- [ 780] MILLER,A., SCANLAN,R.A., LIBBEV,L.M., PETROPAKIS,H., ANGLEMIER,A.F. (1973) QUANTITATIVE DETERMINATION OF DIMETHYL AND TRI-METHYLAMINE IN FISH PROTEIN CONCENTRATE. J. AGRIC. FOOD CHEMISTRY. 21(3):451-453.
- [ 781] MILLIKAN,A.E. (1967) CATCH AND EFFORT STATISTICS FOR THE 1966-1967 PUGET SOUND MID WATER TRAWL HAKE FISHERY. SUPPL. PROGRESS REP., MARINE FISH. RES. AND MANAGEMENT, GROUND FISH INVEST., WASHINGTON STATE DEPT. OF FISH., RESEARCH DIV.
- [ 782] MILLIKAN,A.E., PATTIE,B.H. (1969) HERMAPHRODITISM IN A PACIFIC HAKE, MERLUCCIOUS PRODUCTUS, FROM PUGET SOUND, WASHINGTON. J. FISH. RES. BD. CANADA. 27(2):409-410.
- [ 783] MILLIKAN,A.E. (1970) THE PUGET SOUND HAKE FISHERY: PAST, PRESENT, AND FUTURE. WASHINGTON STATE DEPT. FISH. TECH. REP. NO. 5. PP: 16.
- [ 784] MIRANDA,O. (1961) [INFORMATION ON COMPLETED WORK, ESPECIALLY ON THE FINANCIAL RETURN OF FISHING MERLUCCIOUS GAYI IN THE AREA OF 29-37 DEGREES S.] DEPTO. PESCA Y CAZA, SANTIAGO DE CHILE. (IN SPANISH).
- [ 785] MIRANDA,O. (1966) [ON THE SEXUAL DEVELOPMENT CYCLE OF THE HAKE IN THE REGION OF VALPARAISO (GADIDAE, MERLUCCIOUS GAYI GAYI).] ESTUD OCEANOL., 2:41-43. (IN SPANISH).
- [ 786] MISU,H., HAMASAKI,S. (1971) AGE AND GROWTH OF PERUVIAN HAKE MERLUCCIOUS GAYI (GUICHENOT). BULL. SEIKAI FISH. RES. LAB. NO. 41:93-105.
- [ 787] MITCHILL,S.A. (1914) THE FISHES OF NEW YORK. TRANS. LIT. PHIL. SOC., N. YORK, I.
- [ 788] MIUCCIO,C., FLORIDI,S. (1974) EFFECTS INDUCED BY COOKING ON THE CONTENTS OF CERTAIN VITAMINS IN VARIOUS SPECIES OF DEEP FROZEN FISHES. BOLL. SOC. ITAL. BIOL. SPERIMENTALE. 50(3):131-135.
- [ 789] MOMBECK,F. (1970) [FURTHER NOTES ON THE HAKE IN SOUTH AFRICA AREA]. ARCH. FISCHEREI WISS. 21(1):62-66. (IN GERMAN).
- [ 790] MOMBECK,F. (1970) [PRELIMINARY REPORT ON HAKE INVESTIGATIONS IN THE SOUTHEASTERN ATLANTIC.] ARCH. FISCH WISS., 21(1):45-61 (IN GERMAN).

- [ 791] MOMBECK,F. (1970)NOTES ON THE DISTINCTION OF NORTHWEST ATLANTIC HAKES,MERLUCCIIUS ALBIDUS AND MERLUCCIIUS BILINEARIS ICNAF SERIAL NO.2442(D.C.9) RES.DOC.70/91.PP3. (MIMED).
- [ 792] MOMBECK,F. (1971)THIRD NOTE ON HAKE IN THE SOUTH EAST ATLANTIC. ARCH.FISCHWISS.,22(1):41-50.
- [ 793] MOMBECK,F. (1971)NOTES ON THE DISTINCTION OF NORTHWEST ATLANTIC HAKES MERLUCCIIUS ALBIDUS AND MERLUCCIIUS BILINEARIS IDENTIFICATION.INT.COMM.NORTHWEST ATL. FISH.RES. BULL.8:87-89.
- [ 794] MOMBECK,F. (1971)[CONTRIBUTIONS TO THE SEAHAKE IN THE SOUTHATLANTIC AGE AND GROWTH] ARCH.FISCH.WISS.,22(1):34.(IN GERMAN).
- [ 795] MONTEIRO,R. (1964)[SELECTIVITY OF TRAWL NETS.STUDIES ON THE HAKE FISHERY (MERLUCCIIUS MERLUCCIIUS,L.) ON THE COAST PORTUGAL.]BOL.PESCA,LISBOA,NO.83.(IN SPANISH).
- [ 796] MONTEIRO,R. (1964)HAKE MESH SELECTION EXPERIMENTS ON THE PORTUGUESE COAST. CO-OP.RES.REP.INT.COUN.EXPLOR.SEA (B):53-57
- [ 797] MONTEIRO,R., LIMA DIAS,M. (1965) ON SOME ASPECTS OF THE OVARY DEVELOPMENT IN THE HAKE (MERLUCCIIUS MERLUCCIIUS L.) OF THE PORTUGUESE COAST.ICES.GADOID FISH COMMITTEE.CM1965.(MIMED).
- [ 798] MONTEIRO,R., LIMA DIAS,M. (1966) ON SOME ASPECTS OF THE FECUNDITY OF THE HAKE (MERLUCCIIUS MERLUCCIIUS L.) OF THE PORTUGUESE COAST.ICES.GADOID FISH COMMITTEE.CM1966/G:5(MIMED)
- [ 799] MOREAU,E. (1892)[MANUAL OF FRENCH ICHTHYOLOGY.]PARIS 650 PP. (IN FRENCH). CRITICISED BY BELLOTTI,C. ATTI. SOC.ITAL.XXXIV PP19-35.(IN ITALIAN).
- [ 800] MORGAN,A.R., GATES,D.E. (1961) A COMPARATIVE STUDY OF SHRIMP AND INCIDENTAL FISH CATCHES TAKEN IN SHRIMP FISHING GEAR IN CALIFORNIA AND OREGON,1958.BULL.PACIFIC.MAR.FISH.COMM.NO.5: 85-106.
- [ 801] MORI,M., SAITO,T. (1966) THE OCCURRENCE AND COMPOSITION OF WAX IN MULLET AND STOCKFISH ROES.BULL.JAP.SOC.SCI.FISH.32(9): 730-736.
- [ 802] MUIIB,K.A. (1967)THE CRANIAL OSTEOLOGY OF THE GADIDAE. J.FISH RES.BOARD CAN.24(6):1315-1375.
- [ 803] MUNOZ,F. (1960)[CHEMICAL ANALYSIS IN THE DIFFERENTIATION OF THE SPECIES MERLUCCIIUS MERLUCCIIUS AND MERLUCCIIUS SENEGALENSIS.]REUN.PRODUCTIV. PESQ.,IV:13-15.(IN SPANISH ).
- [ 804] MUNOZ,F. (1961)[A COMPARATIVE CHEMICAL STUDY OF TWO AFRICAN SPECIES OF HAKES, M.MERLUCCIIUS AND M.SENEGALENSIS] INVEST.PESQUERA.19:37-53.(IN SPANISH).
- [ 805] MUZINIC,R. KARLOVAC,D. (1975) ON FOOD PREFERENCES OF THE ADRIATIC HAKE ~~MERLUCCIIUS MERLUCCIIUS~~. ACTA ADRIATICA 17(7):1-48.
- [ 806] NACHENIUS,R.J., ATKINSON,A.M. (1973) CHLORINATED WATER FOR WASHING HAKE FILLETS.FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN. ANNUAL REPORT,27:8.
- [ 807] NADAL-GINARD,B., MARKERT,C.L. (1975) USE OF AFFINITY CHROMATOGRAPHY FOR PURIFICATION OF LACTATE DEHYDROGENASE EC-1.1.1.27 AND FOR ASSESSING THE HOMOLOGY AND FUNCTION OF THE A AND B SUBUNITS.MARKERT,CLEMENT L.(ED).ISOZYMES II. PHYSIOLOGICAL FUNCTION.THIRD INTERNATIONAL CONFERENCE. PP45-67.
- [ 808] NAGABHUSHAMAN,A.K. (1965)ON THE BIOLOGY OF THE COMMONER GADIDS IN MANX WATERS.J.MAR.BIOL.ASS.U.K.45(3):615-657.
- [ 809] NAIDU,J.R., CUTSHALL,N.H. (1974) RADIOACTIVE ZINC(EXP 65 ZN) ZINC,CADMIUM,AND MERCURY IN THE PACIFIC HAKE,MERLUCCIIUS PRODUCTUS (AYRES) OFF THE WEST COAST OF THE UNITED STATES:A DATA REPORT.OREGON STATE UNIV.AUG.1974.PP.52.

- [ 810] NAIDU, J.R. (1974) RADIOACTIVE ZINC (ZINC-65), ZINC, CADMIUM, AND MERCURY IN THE PACIFIC HAKE, MERLUCCIIUS PRODUCTUS (AYRES), OFF THE WEST COAST OF THE UNITED STATES. PH.D. THESIS. 1974 OREGON STATE UNIVERSITY, OREGON, USA. PP. 159.
- [ 811] NEILANDS, J.B. (1947) THIAMINASE IN AQUATIC ANIMALS OF NOVA SCOTIA. J. FISH. RES. BD. CAN., 7(2):94-99.
- [ 812] NELSON, M.D. (1968) AVAILABILITY OF PACIFIC HAKE (MERLUCCIIUS PRODUCTUS) RELATED TO THE HARVESTING PROCESS. EXPER. PAP., F.A.O. CONF. FISH BEHAV. REL. FISH. TECHN. TACT., BERGEN, NORWAY. E/34:619-644.
- [ 813] NELSON, R.W.,  
DYER, J.A. (1969) PRODUCTION OF HAKE MEAL AND OIL. U.S. FISH WILDLIFE SERV., CIRC.
- [ 814] NELSON, M.D. (1970) PACIFIC HAKE FISHERY IN WASHINGTON AND OREGON COASTAL WATERS. CIRC. U.S. FISH. WILDL. SERV., 332:43-52.
- [ 815] NELSON, M.D.,  
LARKINS, H.A. (1970) DISTRIBUTION AND BIOLOGY OF PACIFIC HAKE: A SYNOPSIS. CIRC. U.S. FISH. WILDL. SERV., 332:23-33.
- [ 816] NEVILLE, W.C.,  
DICKINSON, C.L.,  
WESTMAN, J.R. (1939) MISCELLANEOUS SPECIES. IN: A BIOLOGICAL SURVEY OF THE SALT WATERS OF LONG ISLAND, 1938. PART I. REP. N.Y. STATE CONSERV. DEPT., (14):107-152.
- [ 817] NEWMAN, G.G. (1974) CHANGES IN HAKE YIELD WITH INCREASED MESH SIZE. ICSEAF COLL. SCI. PAP., (1):212-219.
- [ 818] NEWMAN, G.G.,  
CRAWFORD, R.J.M.,  
CENTURIER-HARRIS, O.M. (1976) STOCK ASSESSMENT OF THE HAKE (MERLUCCIIUS CAPENSIS AND MERLUCCIIUS PARADOXUS) ON THE CUNENE AND CAPE CROSS FISHING GROUNDS (ICSEAF DIVISIONS 1.3 AND 1.4). ICSEAF COLL. SCI. PAP. (3):125-131.
- [ 819] NEWMAN, G.G.,  
CRAWFORD, R.J.M.,  
CENTURIER-HARRIS, O.M. (1976) STOCK ASSESSMENT OF THE HAKE (MERLUCCIIUS CAPENSIS AND MERLUCCIIUS PARADOXUS) ON THE ORANGE RIVER FISHING GROUNDS (ICSEAF DIVISION 1.5). ICSEAF COLL. SCI. PAP. (3):133-140.
- [ 820] NEWMAN, G.G.,  
CRAWFORD, R.J.M.,  
CENTURIER-HARRIS, O.M. (1976) STOCK ASSESSMENT OF THE HAKE (MERLUCCIIUS CAPENSIS AND MERLUCCIIUS PARADOXUS) ON THE CAPE OF GOOD HOPE FISHING GROUNDS (ICSEAF DIVISION 1.6). ICSEAF COLL. SCI. PAP. (3):141-150.
- [ 821] NEWMAN, G. (1977) THE LIVING MARINE RESOURCES OF THE SOUTHEAST ATLANTIC. FAO FISH. TECH. PAP., 178:59P.
- [ 822] NICHY, F. (1967) GROWTH PATTERNS ON OTOLITHS FROM YOUNG SILVER HAKE MERLUCCIIUS BILINEARIS. ICNAF SERIAL NO. 1909 (D.C.2) RES. DOC. 67/109. PP 15. (MIMED).
- [ 823] NICHY, F.E. (1970) GROWTH PATTERNS ON OTOLITHS FROM YOUNG SILVER HAKE MERLUCCIIUS BILINEARIS (MITCH). INT. COMM. NORTHWEST ATL. FISH RES. BULL. 6:107-117.
- [ 824] NINNI, P. (1881) [THE ANACANTHINI OF THE ADRIATIC SEA.] ATTI. SOC. ITAL. XXIII :75-96. (IN ITALIAN).
- [ 825] NINNI, E. (1903) [ON A FEW LARGE FISH SPECIES HARVESTED IN THE DEEPS OF THE VENETIAN ESTUARY.] BOLL. SOC. ZOOL. ITAL., 4:117-121. (IN ITALIAN).
- [ 826] NITSOS, R.J.,  
REED, P.H. (1965) THE ANIMAL-FOOD FISHERY IN CALIFORNIA, 1961-1962. CAL. FISH. & GAME, 51(1):16-27.
- [ 827] NORMAN, J.R. (1935) IDENTIFICATION OF TRACHINOIDES MAROCANNUS AND TRACHINOTUS MADEIRENSIS. BORODIN, 1934. COPEIA 1935(1):41.
- [ 828] NORMAN, J.R. (1935) COAST FISHES. PART I. THE SOUTH ATLANTIC. DISCOVERY REP., 12:1-58.
- [ 829] NORMAN, J.R. (1937) A REVISION OF THE SPECIES OF MERLUCCIIUS. IN: COAST FISHES. PART II. THE PATAGONIAN REGION. COAST DISCOVERY REP., 16:1-150.

- [ 830] NOSKOV,A.S., (1963)  
ZAKHAROV,G.P.,  
SIDORENKO,I.N. SOVIET FISHERIES INVESTIGATIONS IN THE ICAF AREA  
IN 1962.ICNAF SERIAL NO.1125.RES.DOC.NO.54.PP13.  
(MIMEO).
- [ 831] NOSKOV,A.S. (1978) ESTIMATE OF STOCK SIZE AND ALLOWABLE CATCH OF  
SILVER HAKE OFF NOVA SCOTIA (DIVISIONS 4VWX) FOR  
1979.ICNAF SERIAL NO.5192 (D.C.3).RES.DOC.78/VI/31  
PP.4.(MIMEO).
- [ 832] NOSKOV,A.S., (1978)  
KARAULOUSKY,V.P.,  
ROMANCHENKO,A.N.,  
SHERSTIUKOV,A.I. DISTRIBUTION AND ABUNDANCE OF SILVER HAKE EGGS AND  
LARVAE AND ENVIRONMENTAL CONDITIONS OFF NOVA  
SCOTIA IN SEPTEMBER-OCTOBER 1977. ICAF SERIAL  
NO.5193 (D.C.1). RES. DOC. 78/VI/32.PP 11.(MIMEO).
- [ 833] NYE,W. (1886) MERLUCCIOUS BILINEARIS, MITCH. HABITS OF WHITING OR  
FROST FISH. BULL U.S. FISH COMM.1886,VOL.VI:1-208.
- [ 834] ODEMAR,M.W. (1971) AN EVALUATION OF THE DEMERSAL FISHERIES RESOURCES  
OF ARGENTINE WITH EMPHASIS ON HAKE (MERLUCCIOUS  
MERLUCCIOUS HUBBSII). PROYECTO DESARROLLO PESQUERO.  
ARGENTINA.(IN SPANISH).
- [ 835] ODEMAR,M.W., (1971)  
SILVOSA,J.M. ABUNDANCE DISTRIBUTION AND BIOLOGY OF THE HAKE  
FROM BONAERENSE SECTOR IN PRIMAVERA (CAMPAÑA  
"MERLUZA" 70-III,30 SEPTEMBER -14 OCTOBER 1970).  
INFMES.TEC.PROY.DES.PESQ.,NO.31:1-27.(IN SPANISH).
- [ 836] ODEMAR,M.W., (1971)  
SILVOSA,J.M. DISTRIBUTION, ABUNDANCE AND BIOLOGY OF THE HAKE  
AND OTHER DEMERSAL SPECIES IN THE BONAERENSE  
SECTOR AND PATAGONIA. INFMES.TEC.PROY.DES.PESQ.,  
NO.35:1-52.(IN SPANISH).
- [ 837] ODIENSE,P.H., (1975)  
LEUNG,T.C. ISO-ELECTRIC FOCUSING ON POLYACRYLAMIDE GEL AND  
STARCH GEL ELECTROPHORESIS OF SOME GADIFORM FISH  
LACTATE DEHYDROGENASE EC-1.1.1.27 ISOZYMES.  
MARKERT,CLEMENT L.(ED).ISOZYMES III.DEVELOPMENTAL  
BIOLOGY.THIRD INTERNATIONAL CONFERENCE.485-501.
- [ 838] OETTLER,K.A. (1974) PROBLEMS IN INDUSTRIAL UTILIZATION OF HAKE IN  
SOUTH AFRICA.IN:FISHERY PRODUCTS.(R.KREUZER,(ED.))  
FISHING NEWS (BOOKS),U.K.PP462. (PROC. OF FAO/UN  
TECH.CONF. ON FISHERY PRODUCTS,TOKYO,DEC.1973).
- [ 839] OETTLER,K.A. (1974) PROBLEMS IN THE INDUSTRIAL UTILIZATION OF HAKE IN  
SOUTH AFRICA.IN:FISHERY PRODUCTS.(R.KREUZER(ED.)).  
FISHING NEWS (BOOKS)LTD,LONDON,197P.
- [ 840] OFLFIN,F.T. (1903) [THE CONGRUUS OF CHILE.] REVIST.CHILENA.VII PP154.  
-192.(IN SPANISH).
- [ 841] OKADA,M., (1971)  
SUZKI,A. EVALUATION OF ARGENTINE COASTAL FISH FOR  
PROCESSING INTO KAMABOKO. BULL.TOKAI.REG.FISH.RES.  
LAB.,65:67-73.
- [ 842] OLDFIELD,J.E. (1968) PROCESSED HAKE IN FEED FOR MINK. OREGON FISH COMM.  
COMPLETION REPT. NOV.65-68.PP.8.
- [ 843] OLIVER,S.G. (1943) CATALOGUE OF THE MARINE FISH OF THE COAST OF  
CONCEPCION AND ARAUCO. BOLN.SOC.BIOL.CONCEPCION,  
XVII:75-126.(IN SPANISH).
- [ 844] OLIVER,P., (1974)  
FERNANDEZ,A. PROSPECTING FOR FISH IN THE SPANISH SOUTH ATLANTIC  
REGION BIOGENOSIS OF THE CONTINENTAL SHELF AND ITS  
SIDE SLOPE CHARACTERISTICS OF THE HUELVA FISHING  
SECTOR. BOL. INST. ESP. OCEANOGRAFIA, 180:1-32.
- [ 845] OLORTEGUI,V.J. (1971) MICROBIOLOGY OF FISH PRODUCTS PROCESSED AT LOW  
TEMPERATURES. ANN.CIENT.,LIMA.9(1-2):62-65. (IN  
SPANISH).
- [ 846] OLSEN,O.T. (1883) THE PISCATORIAL ATLAS OF THE NORTH SEA, ENGLISH  
AND ST GEORGES CHANNEL. LONDON. FOLIO.
- [ 847] ONDUE,Y., (1974)  
BROWN,G.W.,JR. SULFITE OXIDASE EC-1.8.3.1 FROM PACIFIC HAKE,  
MERLUCCIOUS PRODUCTUS. EXPERENTIA.30(12):1377-1378.

- [ 848] OSORIO,B. (1894) ICHTHYOLOGICAL STUDIES OF THE FAUNA OF THE PORTUGUESE DOMINIONS IN AFRICA. J.J.SCI.LISBON (2) III P1893 PP128-140, AND 1894 PP173-184. (IN PORTUGUESE).
- [ 849] OUTRAM,D.N.,  
HAEGELE,C. (1972) FOOD OF PACIFIC HAKE, MERLUCCIIUS PRODUCTUS, ON AN OFFSHORE BANK SOUTHWEST OF VANCOUVER ISLAND, BRITISH COLUMBIA. J.FISH RES. BD. CANADA 29(12):1792-1795.
- [ 850] O'TOOLE,M.J. (1976) DISTRIBUTION AND ABUNDANCE OF LARVAE OF THE HAKE, MERLUCCIIUS SPP., OFF SOUTH WEST AFRICA 1972-1974. ICSEAF COLL.SCI.PAP.(3):151-158.
- [ 851] O'TOOLE,M.J. (1976) INCIDENTAL COLLECTIONS OF SMALL AND JUVENILE FISH FROM EGG AND LARVAL SURVEYS OFF SOUTH WEST AFRICA (1972-1974). FISH.BULL.S.AFR.8:23-33.
- [ 852] O'TOOLE,M. (1977) INVESTIGATIONS INTO SOME IMPORTANT FISH LARVAE IN THE SOUTH EAST ATLANTIC IN RELATION TO THE HYDROLOGICAL ENVIRONMENT. PH.D. THESIS, UNIVERSITY OF CAPE TOWN, RSA. PP306.
- [ 853] O'TOOLE,M.J. (1978) ASPECTS OF THE EARLY LIFE HISTORY OF THE HAKE, MERLUCCIIUS CAPENSIS, CASTELNAU OFF SOUTH WEST AFRICA. FISH.BULL.S.AFR.10:20-36.
- [ 854] PACKARD,A.S. (1891) THE LABRADOR COAST. NEW YORK: NDC HODGES, PP1-513.
- [ 855] PANNELLA,G. (1971) FISH OTOLITHS DAILY GROWTH LAYERS AND PERIODICAL PATTERNS. SCIENCE. 173(4002):1124-1127.
- [ 856] PANTOJA,V.,  
ORELLANA,F.,  
ALARCON,E. (1973) PRELIMINARY EVALUATION OF THE POTENTIAL EXPLOITABLE RESOURCES SITUATED BETWEEN CORRAL BAY AND GUAMBLIN ISLAND, CHILE. J.PUBL. INST. FOM. PESQ. 53: 1-78. (IN SPANISH).
- [ 857] PARELLO,J.,  
PECHERE,J.F., (1971) CONFORMATIONAL STUDIES ON MUSCULAR PARV ALBUMINS, PART 1 OPTICAL ROTATORY DISPERSION AND CIRCULAR DICHOISM ANALYSIS. BIOCHIMIE. 53(10):1079-1083.
- [ 858] PARELLO,J.,  
CAVE,A. (1974) CONFORMATIONAL STUDIES ON MUSCULAR PARV ALBUMINS, PART 2 NMR ANALYSIS. BIOCHIMIE. 56(1):61-76.
- [ 859] PARRISH,B.B. (1956) THE COD HADDOCK AND HAKE. IN: SEA FISHERIES. (ED. M. GRAHAM), ARNOLD PUBLISH. LTD. LONDON, :251-331.
- [ 860] PATASHNIK,M.,  
GRONINGER, JR., H.S. (1964) OBSERVATIONS ON THE MILKY CONDITION IN SOME PACIFIC COAST FISHES. CAN. J. FISH. RES. BD. 21(2):335-346.
- [ 861] PATASHNIK,M.,  
BARNETT,J.,  
NELSON,R.W. (1970) PROXIMATE CHEMICAL COMPOSITION OF PACIFIC HAKE. CIRC. U.S. FISH. WILDL. SERV., 322:121-126.
- [ 862] PAUL,C. (1961) PACIFIC HAKE (MERLUCCIIUS PRODUCTUS). CAL. DEP. FISH. & GAME., CAL. OCEAN FISH. RESOURCE. (1960):1-30.
- [ 863] PAZ,M.A.,  
SALAZAR,M.E.,  
GAITE,E.E. (1967) THE CHARACTERIZATION OF COLLAGEN FROM THE SWIM BLADDER OF THE HAKE, MERLUCCIIUS HUBSII ARCH. BIOCHEM. BIOPHYS. 119:485-490.
- [ 864] PECHERE,J.F.,  
DENAILLE,J.,  
CAPONY,J.P. (1971) MUSCULAR PARVALBUMINS: PREPARATIVE AND ANALYTICAL METHODS OF GENERAL APPLICABILITY. BIOCHIM BIOPHYS ACTA. 236(2):391-408
- [ 865] PECHERE,J.F.,  
CAPONY,J.P.,  
RYDEN,L. (1971) THE PRIMARY STRUCTURE OF THE MAJOR PARV ALBUMIN FROM HAKE MUSCLE ISOLATION AND GENERAL PROPERTIES OF THE PROTEIN. EUR. J. BIOCHEM. 23(3):421-428.
- [ 866] PECHERE,J.F.,  
CAPONY,J.P.,  
RYDEN,L.,  
DENAILLE,J. (1971) THE AMINO ACID SEQUENCE OF THE MAJOR PARV. ALBUMIN FROM HAKE MUSCLE. BIOCHEM. BIOPHYS. RES. COMM. 43(5): 1106-1111.

- [ 867] PEREYRA,W.T.,  
TILLMAN,M.F. (1966) COMPUTATION OF MAXIMUM EQUILIBRIUM YIELD FOR PACIFIC HAKE AND PACIFIC OCEAN PERCH OFF WASHINGTON AND OREGON COAST. U.S.BUREAU COMM.FISH, EXPLORATORY FISH.RES.BASE,SEATTLE.
- [ 868] PEREYRA,W.T.,  
RICHARDS,J.T. (1970) ECONOMIC ASPECTS OF THE 1967 OFFSHORE PACIFIC HAKE FISHERY,CIRC.U.S.FISH.WILDL.SERV.,322:103-119.
- [ 869] PEREYRA,W.D. (1972) INFORMATION ON THE STATE OF THE HAKE RESOURCES IN CHILE.JESC.PESQ.Y ALIM.,UNIV.CAT.VALPO. (UNPUBLISHED). (IN SPANISH).
- [ 870] PHILLIPS,W.J. (1927) BIBLIOGRAPHY OF NEW ZEALAND FISHES.N.Z. MARINE DEPT.,FISH.BULL.1,PP68.
- [ 871] PICHOT,P. (1971) ELECTROPHORETIC STUDY OF THE SERUM PROTEINS AND THE CRYSTALLIN OF HAKE FISH OF THE NORTHWEST AFRICAN COAST.RAPP,ET PROC-VERB.REUNIONS,J.DU CONS.INT,EXPL.MER.161:80-85.
- [ 872] PICHOT,P. (1973) [THE LIBYAN HAKE.]RAPP.P.V.REUN.,COMM.INT,EXPLOR.SCI.MER MEDITERR.,MONACO;21(10):757-759. (IN FRENCH).
- [ 873] PICHOT,P. (1974) [SEROLOGICAL AND BIOCHEMICAL STUDY OF THREE SPECIES OF HAKE:MERLUCCIIUS MERLUCCIIUS(LINNAEUS), M.SENEGALENSIS CADENAT,M.CADENATI DOUTRE.]RAPP. P.V.REUN.,COMM.INT,EXPLOR.SCI.MER MEDITERR., MONACO;22(7):63. (IN FRENCH).
- [ 874] PIENAAR,A.G. (1962) EFFECT OF DELAY IN FREEZING HAKE. FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN. ANN. REPT. 16:19.
- [ 875] PIENAAR,A.G. (1963) DRIP FROM FROZEN HAKE FILLETS ON THAWING. FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.ANNUAL REPORT,17:15.
- [ 876] PIENAAR,A.G. (1964) DRIP FROM FROZEN HAKE FILLETS ON THAWING. FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.ANNUAL REPORT,18:18.
- [ 877] PINKAS,L.,  
OLIPHANT,M.,  
IVERSON,I. (1971) FOOD HABITS OF ALBACORE,BLUEFIN TUNA AND BONITO IN CALIFORNIA WATERS.CALIF.FISH GAME,152:3-105.
- [ 878] PLANAS,A.,  
VIVES,F.,  
SUAU,P. (1955) A STUDY OF YOUNG FISHES FOUND IN THE CATCHES OF TRAWLS.JINVEST.PESQ.2:55-83. (IN SPANISH.)
- [ 879] PLANELLA,I. (1963) [THE USE OF CHLOROTETRACYCLIN,SODIUM BENZOATE AND POTASSIUM SORBITOL IN THE PRESERVATION OF FRESH FILLETS OF HAKE (MERLUCCIIUS GAYI GAYI).NUTR. BROMAT.,2(4):1-6. (IN SPANISH).
- [ 880] PODSEVALOV,V.N.,  
PEROVA,L.I. (1973) [TECHNOCHEMICAL CHARACTERISTICS OF SOME ATLANTIC FISH SPECIES.]TR.ALT.NAUCHNO-ISSLED.INST.RYBN. KHOZ. OKEANOGR. 52:146-164. (IN RUSSIAN).
- [ 881] POINSARD,F.,  
VILLEGAS,L. (1975) EVALUATION OF THE TRAWLING FISHERY ALONG THE ATLANTIC MOROCCAN COAST.JTRAV.DOC.DEV.PECHE MAROC. (NO.12),PP.37. (IN FRENCH).
- [ 882] POLL,M. (1953) [FISH III,TELEOSTEANS MALACOPTERYGIANS.]EXP.OCEAN. BELGE.(1948-1949),4(2). (IN FRENCH).
- [ 883] POPE,J.G. (1974) CONTRIBUTION TO THE PROBLEM OF DESIGNING LENGTH SAMPLING SCHEMES FOR THE NEW ENGLAND SILVER HAKE. ICNAF RES.DOC.74/83.SER.NO.3319.PP.3. (MIMED).
- [ 884] POREBSKI,J.,  
KORONKIEWICZ,A. (1975) DISTRIBUTION OF EGGS AND LARVAE OF MERLUCCIIUS SPP. IN SOUTHEAST AFRICAN WATERS ACCORDING TO THE MATERIALS COLLECTED BY R/V "PROFESOR SIEDLECKI" IN NOVEMBER-DECEMBER 1972 AND JANUARY-FEBRUARY 1973. ICSEAF COLL.SCI.PAP.(2):92-101.
- [ 885] POREBSKI,J. (1975) APPLICATION OF THE SURFACE ADHESION TEST TO IDENTIFY THE EGGS OF THE HAKE (MERLUCCIIUS SPP.). ICSEAF COLL.SCI.PAP.(2):102-106.
- [ 886] POREBSKI,J. (1976) THE MORPHOLOGY AND DISTRIBUTION OF HAKE (MERLUCCIIUS SPP.) IN EARLY STAGES OF DEVELOPMENT,AS A BASIS FOR THE DETERMINATION OF REGIONS AND PERIODS OF CONCENTRATION OF THE SPECIES. ICSEAF COLL.SCI.PAP. (3):165-170.

- [ 887] PORTALES,H.T. (1970) DISTRIBUTION AND ABUNDANCE OF SPECIES (WITH EMPHASIS ON THE HAKES) CAPTURED DURING EXPLORATORY FISHING ALONG THE CHILEAN COAST. M.SC. THESIS., UNIV. OF WASHINGTON, USA. 90PP..
- [ 888] POSTEL,E. (1950) NOTE ON THE PRESENCE OF HAKE ALONG THE LENGTH OF THE SENEGAL COAST. JBULL.SERV.L ELEVAGE IND.ANIM. A.O.F., III(1). (IN FRENCH).
- [ 889] POSTEL,E. (1951) CONTRIBUTION TO THE STUDY OF THE BIOLOGY OF THE BLACK HAKE (MERLUCCIOUS SENEGALENSIS CADENAT) ALONG THE SENEGAL COAST. JBULL.SERV.L ELEVAGE IND.ANIM. A.O.F., IV(4). (IN FRENCH).
- [ 890] POSTEL,E. (1955) THE BLACK HAKE (MERLUCCIOUS SENEGALENSIS CADENAT) RAPP.P.V. REUN. CONS. FERM. INT. EXPLOR. MER, 137:49-52. (IN FRENCH).
- [ 891] POSTEL,E. (1966) THE HAKE AND ITS FISHERY. PECHE MARIT. NO. 1064:3-7 (IN FRENCH).
- [ 892] POULSEN,E.M. (1952) INFORMATION TO THE GOVERNMENT OF CHILE ON BIOLOGICAL INVESTIGATIONS CONCERNING FOOD FISHES OF CHILE, WITH SPECIAL REFERENCE TO THE HAKE. J FAO, ROMA, INFORME ETAP NO. 45:78PP. (IN PORTUGUESE).
- [ 893] POULSEN,E.M. (1957) THE HAKE FISHERIES OFF THE WEST COAST OF CHILE. EIGHTH PAC.SCI. CONG., PROC. 3:241-245.
- [ 894] PSHENICHNII,B.P. (1966) THE HAKE OF SOUTHWESTERN AND SOUTH AFRICA. J RYB. KHOZ.-VO, NO. 10. (IN RUSSIAN).
- [ 895] PSHENICHNII,B.P. (1966) THE HAKE OF SOUTH WEST AND SOUTH AFRICA. J RYB. KHOZ. 42(10):8-11. (IN RUSSIAN).
- [ 896] PSHENICHNII,B.P. (1970) ON THE METHODS OF AGE DETERMINATION AND ESTIMATION OF GROWTH RATE OF HAKE. J TRUD. VSESOUJZ. NACH.-ISSLED. INST. MORSK. RYB. KHOZ., 71:210-219. (IN RUSSIAN).
- [ 897] PSHENICHNII,B.P. (1970) METHODS OF DETERMINATION OF THE AGE AND GROWTH RATE OF HAKE FROM SOUTHWEST AFRICA AND THE AGULHAS PLATEAU AREA. FISH. RES. BD. CANADA TRANS. SERIES NO. 1717, PP-23.
- [ 898] PSHENICHNII,B.P., ASSOROV,V.V. (1970) SOME BIOLOGICAL CHARACTERISTICS OF HAKE (MERLUCCIOUS) OF THE ATLANTIC OCEAN NEAR THE SOUTH WEST COAST OF AFRICA. J VOP. IKHTIOL. 9(3):423-430 (IN RUSSIAN).
- [ 899] PSHENICHNII, B.P. (1972) INEKOTORYJE DANNYE O CHARAKTERIE IKROMIETANIA I PLODOVITOSTI MIERLUZY BANKI AGULIAS. J RYB. CHOZY. NO. 9, PP24. (IN RUSSIAN).
- [ 900] PSHENICHNII,B.P. (1974) SOME DATA ON THE GROWTH OF THE SOUTH AFRICAN HAKE -MERLUCCIOUS MERLUCCIOUS CASTELNAU. J ICSEAF (1973) S.P. NO. 10. (IN SPANISH). (MIMEO).
- [ 901] PSHENICHNII,B. (1976) ON SOME CHANGES IN LINEAR LENGTH OF SOUTH AFRICAN HAKE (MERLUCCIOUS MERLUCCIOUS CAPENSIS CAST). ICSEAF COLL. SCI. PAP. (3):175-178.
- [ 902] PSHENICHNII,B.P. (1977) ON THE POSSIBILITY OF DETERMINING AGE OF SOUTH AFRICAN HAKE BY SOME OTOLITH PARAMETERS AND FISH BODY LENGTH. ICSEAF COLL. SCI. PAP. (4):145-150.
- [ 903] QUAGLIA,G.B., AUDISIO,M. (1974) EFFECTS INDUCED BY COOKING ON THE COMPOSITION OF FATTY ACIDS OF THE LIPIDS OF DIFFERENT SPECIES OF DEEP FROZEN FISH, PART 2 FREE FATTY ACID COMPOSITION. BOLL. SOC. ITAL. BIOL. SPERIMENTALE. 50(4): 161-167.
- [ 904] QUERO,J.C., MERIEL-BUSSY,P. (1967) THE HAKE FISHERY BY MESH NETTING ON THE FRENCH ATLANTIC COAST AND MORE PARTICULARLY TO LA ROCHELLE. J ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1967/G:11. (MIMEO). (IN FRENCH).
- [ 905] QUERO,J.C. (1968) THE HAKE FISHERY WITH GILL NETS ON THE FRENCH ATLANTIC COAST. J SCI. ET PECHE, NO. 163:14PP (IN FRENCH).
- [ 906] QUERO,J.C., LABASTIE,J. (1973) AN EASIER TECHNIQUE FOR READING OTOLITHS OF HAKE (MERLUCCIOUS MERLUCCIOUS) OF A GREAT LENGTH. J ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1973/G:8. (MIMEO). (IN FRENCH).

- [ 907] QUIJADA,S.B. (1913) ILLUSTRATED CATALOGUE AND DESCRIPTION OF THE COLLECTION OF CHILEAN FISHES AND OTHERS .J SANTIAGO CHILE.(IN SPANISH ).
- [ 908] RADAKOV,D.V. (1963) MATERIALS ON THE DISTRIBUTION OF MARINE FISHES ON THE COAST OF THE REPUBLIC OF GUINEA.ICES.ATLANTIC COMMITTEE.CM1963. (MIMEO).
- [ 909] RAE,B. (1952) PRELIMINARY NOTE ON THE SCOTTISH HAKE FISHERY. ICES,NOTE 2E.COL.MERLU.MIMEO REPORT.
- [ 910] RAFFINESQUE,S.C. (1810) CHARACTERISTICS OF SOME NEW GENUS AND SPECIES OF ANIMALS AND PLANTS OF SICILY. REEDIT.A.ASHER, AMSTERDAM,1967:107PP.(IN ITALIAN).
- [ 911] RAPSON,W.S.,  
SCHWARTZ,H.M.,  
RENSBURG,N.J.VAN. (1944) SOUTH AFRICAN FISH PRODUCTS.VI THE STOCKFISH OR HAKE (MERLUCCIOUS CAPENSIS,CAST.)J.SOC.CHEM.INDUST. (LONDON).63(10):313-316.
- [ 912] RATTRAY,J.M. (1947) OBSERVATIONS ON THE FOOD-CYCLE OF THE SOUTH AFRICAN STOCKFISH,MERLUCCIOUS CAPENSIS CAST,OFF THE WEST COAST OF SOUTH AFRICA;WITH A NOTE ON THE FOOD OF THE KINGKLIP,GENYPTERUS CAPENSIS(SMITH).ANN.S. AFRICAN MUS.36(4):315-331.
- [ 913] RAZNIENSKI,J.,  
WIKTOR,K. (1967) AN ATTEMPT TO ISOLATE CERTAIN COMMUNITIES OF DEMERSAL FISH OCCURRING ALONG THE N.W. AFRICAN SHELF BETWEEN CAPE BOJADOR AND THE MOUTH OF THE GAMBIA RIVER.ICES.DEMERSAL FISH (SOUTHERN) COMMITTEE. CM1967/G:4.(MIMEO).
- [ 914] REDEL,E.S.,  
BERLANDE,E.L. (1956) [STUDY OF THE AEROBIC HETEROTROPHIC BACTERIA IN THE ROE OF THE EUROPEAN HAKE (MERLUCCIOUS MERLUCCIOUS L.)].AN.BROMAT.,MADRID,8:679-681. (IN SPANISH).
- [ 915] REGAN,C.T. (1906) DESCRIPTIONS OF NEW OR LITTLE-KNOWN FISHES FROM THE COAST OF NATAL.ANN.NATAL GOVT. MUS.1(1):1-6.
- [ 916] REID,S.A. (1974) [TESTING OF HAKE WITH HX AS AN OBJECTIVE MEANS OF ESTABLISHING THEIR FRESHNESS.] INVEST.PESQ.INST. FOM.PESQ.CHILE.(NO.18),PP26.(IN SPANISH).
- [ 917] RICHARDS,S.W. (1976) AGE GROWTH AND FOOD OF BLUEFISH POMATOMUS SALTATRIX FROM EAST CENTRAL LONG ISLAND SOUND FROM JULY THROUGH NOVEMBER 1975.TRANS.AM.FISH.SOC. 105(4):523-525.
- [ 918] RIED,A. (1974) [MEASUREMENTS OF HYPOXANTHINE IN CHILEAN HAKE AS AN OBJECTIVE METHOD FOR DETERMINING ITS FRESHNESS] INVEST.PESQ.INST.FOM.PESQ.,SANTIAGO.NO.18:1-26. (IN SPANISH).
- [ 919] RIPLEY,W.E. (1946) THE SOUFFIN SHARK AND THE FISHERY.CAL.FISH GAME, 64:7-37.
- [ 920] RITZHaupt,H. (1967) [PRELIMINARY RESULTS OF THE EXPLORATORY TRIPS OF THE FACTORY SHIP RUDOLF LEONHARD FROM JULY 17 TO OCT.31,1966 AND THE RESEARCH SHIP ERNST HAECHEL FROM JAN.3 TO APRIL 5,1967 TO SOUTHWEST AFRICA.] FISCH.FORSCH.WISS.SCHRIFT.ROST.-MAR.GER.SONDERHEFT 5(1):101-106.(IN GERMAN).
- [ 921] RIZZO,L. (1929) [PARASITISM IN FISHES.RESEARCHES ON MERLUCCIOUS MERLUCCIOUS.]BOLL.PESCA,PISCICOLL.E IDROBIOL.(ROMA) 5(6):947-961.(IN ITALIAN).
- [ 922] RIZZO,L. (1930) [CONTRIBUTION TO THE STUDY OF THE BIOLOGY OF FISH. NOTE I. RESEARCH IN MERLUCCIOUS MERLUCCIOUS L. .J BOLL.PESCA,PISCIC.IDROBIOL.VI:41-44.(IN ITALIAN).
- [ 923] ROBINSON,E.S. (1959) RECORDS OF CESTODES FROM MARINE FISHES OF NEW ZEALAND. TRANS.ROY.SOC.N.Z. 86:143-153.
- [ 924] ROBLES,R.,  
PEREIRO,J.A.,  
FERNANDEZ,A.,  
GARCIA,J.M.,  
LENS,S. (1975) [STUDIES ON THE DISTRIBUTION,SELECTIVITY, AND MARKETING OF EUROPEAN HAKE,MERLUCCIOUS MERLUCCIOUS L.,FROM THE SHELF OF NW SPAIN.] ICES. DEMERSAL FISH (SOUTHERN) COMMITTEE.CM1975/G:7.(MIMEO).(IN FRENCH).



- [ 925] ROBLES,R., (1975)  
PEREIRO,J.A.,  
IGLESIAS,S.,  
PEREIRO,F.J.  
[A STUDY OF THE GROWTH OF EUROPEAN HAKE, MERLUCCIIUS MERLUCCIIUS L., FROM NW SPAIN.] ICES, DEMERSAL FISH (SOUTHERN) COMMITTEE, CM1975/G:8. (MIMEO). (IN FRENCH)
- [ 926] ROBLES,R., (1975)  
ET AL.  
[STUDIES OF DISTRIBUTION, SELECTIVITY AND SIZE OF EUROPEAN HAKE, MERLUCCIIUS MERLUCCIIUS, L., ALONG THE GALICIAN COAST.] BOL. INST. ESP. OCEANOGR. (NO. 190):1-39. (IN SPANISH).
- [ 927] ROBLES,R., (1975)  
IGLESIAS,S.,  
PEREIRO,J.A.  
[PRELIMINARY DATA ON THE DYNAMICS OF THE MERLUCCIIUS MERLUCCIIUS STOCK OF THE COAST OF GALICIA SPAIN.] BOLETIN DEL INSTITUTO ESPANOL DE OCEANOGRAFIA, 196:1-21. (IN SPANISH).
- [ 928] ROBLES,R., (1975)  
PEREIRO,J.A.,  
FERNANDEZ,A.M.,  
GARCIA,J.M.,  
LENS,S.  
[STUDIES OF DISTRIBUTION, SELECTIVITY AND MARKET FOR INVERTEBRATES.] PHYSIS, SECTION A: LOS OCEANOS Y SUS ORGANISMOS, 32(85):467-480. (IN SPANISH).
- [ 929] ROCHAT,H., (1976)  
RECHIS,G.,  
KOPEYAN,C.,  
GREGOIRE,J.,  
RIETSCHOTEN,J.V.  
USE OF PARV ALBUMIN AS A PROTECTING PROTEIN IN THE SEQUENATOR: AN EASY AND EFFICIENT WAY FOR SEQUENCING SMALL AMOUNTS OF PEPTIDES. FEBS LETTERS. 64(2):404-408.
- [ 930] RODRIGUEZ,O., (1963)  
VIVES,F.,  
EZAMA,A.,  
CENDRERO,O.  
TRAWL SELECTIVITY EXPERIMENTS IN MARIN (PONTEVEDRA SPAIN). FAD FISH. TECH. PAP. NO. 16
- [ 931] RODRIGUEZ,O., (1964)  
VIVES,F.,  
CENDRERO,O.,  
LARRANAGA,E.,  
BARCELO,J.,  
GUEVARA,J.W.,  
BOVEDA,R.  
EXPERIMENTS ON THE SELECTIVITY OF TRAWL NETS IN THE GULF OF BISCAY. PUBLNES. TEC. JTA. EST. PESCA, 3:11-44. (IN SPANISH).
- [ 932] ROEDEL,H. (1930) [FISH OTOLITHS FROM THE PALEOZOIC ERA.] ZEITSCHR. GESCHIEBEFORSCH. 6(2):49-77. (IN GERMAN).
- [ 933] ROHR,B.A., (1977)  
GUTHERZ,E.J.  
BIOLOGY OF OFFSHORE HAKE, MERLUCCIIUS ALBIDUS, IN THE GULF OF MEXICO. FISHERY BULL. 75(1):147-158.
- [ 934] ROJAS,P.Z. (1973) [COMPARATIVE ELECTROPHORESIS OF THE PROTEINS OF THE FLUIDS OF MERLUCCIIUS POLYLEPIS AND M. GAYI.] INV. MAR. (IN SPANISH).
- [ 935] ROJO,A.L., (1969)  
SILVOSA,J.M.  
[INVESTIGATIONS ON THE HAKE (MERLUCCIIUS MERLUCCIIUS HUBBSI) OF THE BONAERENSE SECTOR. CRUISE "MERLUZA 68-I" (20 NOV-5 DEC. 1968). JINFMES. TEC., PROY. DES. PESQ., ARGENTINA NO. 17:1-34. (IN SPANISH).
- [ 936] ROJO,A.L., (1969)  
SILVOSA,J.M.  
[BIOLOGICAL STUDY OF THE HAKE (MERLUCCIIUS MERLUCCIIUS HUBBSI) OF THE PATAGONIAN SECTOR. CAMPANA EXPLORATORY 69/I-PATAGONIA (24 FEBRUARY-24 MARCH 1969). JINFMES. TEC., PROY. DES. PESQ., ARGENTINA, NO. 18 :1-40. (IN SPANISH).
- [ 937] ROJO,A.L., (1969)  
SILVOSA,J.M.  
[STOCK ASSESSMENT OF THE MERLUZA (MERLUCCIIUS MERLUCCIIUS HUBBSI) ON THE SLOPE OF SECTOR BONAERENSE]. INFMES. TEC. PROY. DES. PESQ., ARGENTINA NO. 20:1-42. (IN SPANISH).

- [ 938] ROJO,A.L., (1970)  
SILVOSA,J.M. [EXPLORATORY FISHING OF PRIMAVERA ON THE  
BONAERENSE SHELF. "MERLUZA 69-II",21-27 SEPT.  
1969. JINFMES.TEC.,PROY.DES.PESQ.,ARGENTINA,NO.22  
:1-18.(IN SPANISH).
- [ 939] ROJO,A.L., (1970)  
SILVOSA,J.M. [THE HAKE OF THE GULF SAN MATIAS,NUEVO AND THE  
ADJACENT SHELF (CRUISE "MERLUZA 70-I",28JAN-  
1 FEB.1970. JINFMES.TEC.,PROY.DES.PESQ.,ARGENTINA,  
NO.23:1-44. (IN SPANISH).
- [ 940] ROJO,A.L., (1970)  
SILVOSA,J.M. [SELECTIVITY OF THE COMMERCIAL TRAWL NET IN  
THE ARGENTINE HAKE FISHERY. JINFMES.TEC.PROY.DES.  
PESQ.,ARGENTINA,NO.24:37-48.(IN SPANISH).
- [ 941] ROJO,A.L., (1970)  
SILVOSA,J.M. [INDICES OF RELATIVE ABUNDANCE IN THE ARGENTINE  
HAKE FISHERY FROM 1967 TO THE FIRST TRIMESTER OF  
1970. JINFMES.TEC.,PROY.DES.PESQ.ARGENTINA,NO.26  
:1-26.(IN SPANISH).
- [ 942] ROJO,A.L., (1971)  
DANTE,A.A.  
CAPEZZANI,D.A.A. [MORPHOMETRIC AND MERISTIC CHARACTERISTICS OF THE  
HAKE(MERLUCCIOUS MERLUCCIOUS HUBBSI). JINVEST.PESQ.  
35(2):589-637.(IN SPANISH).
- [ 943] ROJO,A.L. (1972)[HAND LINE RETURNS OF HAKE IN THE ARGENTINE  
INDUSTRY. JBOLN.INST.ESP.OCEANOGR.NO.151.21PP.  
(IN SPANISH).
- [ 944] ROJO,A. (1976)[OSTEOLOGY OF THE ARGENTINIAN HAKE,MERLUCCIOUS  
HUBBSI. BOLETIN DEL INSTITUTO ESPANOL DE  
OCEANOGRAFIA. 219:1-61.(IN SPANISH).
- [ 945] ROUNSEFELL,G.A. (1975)ECOLOGY, UTILIZATION, AND MANAGEMENT OF MARINE  
FISHERIES.THE C.V. MOSBY CO.,ST.LOUIS,USA.  
PP.516.
- [ 946] ROUX,E.R. (1946)A PRELIMINARY INVESTIGATION OF THE GENERAL BIOLOGY  
OF THE SOUTH AFRICAN HAKE OR STOCKFISH.
- [ 947] ROUX,E.R., (1946)  
MOLTEND,C.J. SOUTH AFRICAN FISH PRODUCTS.PART XXIII.VARIATIONS  
IN THE OIL AND VITAMIN A CONTENTS OF THE LIVER OF  
THE CAPE HAKE (MERLUCCIOUS CAPENSIS CAST.) J.SOC.  
CHEM.IND.,LONDON,65:281-284.
- [ 948] ROUX,E.R. (1947)THE GROWTH RATE OF THE CAPE HAKE OR STOCKFISH.  
S.AFR.SCI.1(2):46-48.
- [ 949] ROUX,E.R. (1949)HAKE CATCH DATA FROM WEST GROUND.S.AFR.SCI.,II(7)  
:144-147.
- [ 950] ROUX,E.R. (1949)MIGRATIONS OF THE CAPE HAKE OR STOCKFISH,  
MERLUCCIOUS CAPENSIS CAST. ,ON THE WEST COAST OF  
SOUTH AFRICA.TRANS.ROY.SOC.S.AFR.32:217-231
- [ 951] ROUX,C. (1957)[MARINE FISH OF THE COAST OF A.E.F.] IN:MOLLUSCS,  
CRUSTACEANS,MARINE FISH OF THE COAST OF A.E.F.  
(M.M.J.COLLIGNON,M.ROSSIGNOL AND C.ROUX(EDS.)),  
MINISTERE DE LA FRANCE D OUTRE MER,PARIS.(IN  
FRENCH).
- [ 952] ROWAN,A.N., (1951)  
MARKS,R.H. FRESH STOCKFISH:SOFTENING OF FLESH.FISHING  
INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.ANNUAL  
REPORT,4:11.
- [ 953] ROWAN,A.N. (1952)FRESH STOCKFISH.FISHING INDUSTRY RESEARCH  
INSTITUTE,CAPE TOWN. ANN. REPT. 5:7.
- [ 954] ROWAN,A.N., (1953)  
WILLMER,J.S. FRESH STOCKFISH:FRESHNESS TESTS.FISHING INDUSTRY  
RESEARCH INSTITUTE,CAPE TOWN. ANN. REPT. 6:8.
- [ 955] ROWAN,A.N. (1956)THE ASSESSMENT OF FRESHNESS OF FISH BY ODOUR.  
FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.  
ANN. REPT. 10:8.
- [ 956] ROWAN,M.K. (1956)CHLOROMYXUM THYRSITES IN VARIOUS SOUTH AFRICAN  
FISHES.FISHING INDUSTRY RESEARCH INSTITUTE,CAPE  
TOWN.ANN. REPT. 9:7.
- [ 957] ROWAN,M.K. (1960)SKIN FLORA OF SOUTH AFRICAN FISHES.FISHING  
INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.ANNUAL  
REPORT, 14:9.

- [ 958] RUIVO,L.N. (1962) [PARASITIC COPEPODS OF FISH OF THE ANGOLAN COAST (FAUNA LIST).]NOTAS,CENT.BIOL.PISC.,LISBOA,NO.33. (IN PORTUGUESE).
- [ 959] RUSSELL,F.S. (1926) THE VERTICAL DISTRIBUTION OF MARINE MACROPLANKTON. II.THE PELAGIC YOUNG OF TELEOSTEAN FISHES IN THE DAYTIME IN THE PLYMOUTH AREA, WITH A NOTE ON THE EGGS OF CERTAIN SPECIES. JOUR.MARINE BIOL.ASSOC. 14(1):101-159.
- [ 960] RUSSELL,E.S. (1931) HAKE (ENGLAND). RAPP.CONS.EXP.MER.84:25.
- [ 961] RUSSELL,E.S. (1934) SIZE LIMITS AND MESH REGULATIONS FOR SEA FISH. RAPP.P.V.REUN.CONS.PERM.INT.EXPLOR.MER,90:1-31.
- [ 962] RUSSELL,E.S. (1939) AN ELEMENTARY TREATMENT OF THE OVERFISHING PROBLEM RAPP.P.V.REUN.CONS.PERM.EXPLOR.MER,110:5-14.
- [ 963] RUSSO,A. (1926) [FISHING IN THE GULF OF CATANIA (SICILY)] J.BOLL. PESCA. PISICOLT. E IDROBIOL.(ROMA) 2(3):3-47. (IN ITALIAN).
- [ 964] SAETERSDAL,G. (1968) REVIEW OF INFORMATION ON THE BEHAVIOUR OF GADOID FISH. EXPER.PAP.,FAO.CONF.FISH.BEHAVIOUR REL.FISH. TECHN.TACT.,BERGEN,NORWAY,R/10:201-216.
- [ 965] SAETERSDAL,G., VILLEGAS,L. (1968) [STUDY OF THE SIZE,GROWTH AND MATURITY OF THE HAKE (MERLUCCIIUS GAYI) IN CHILEAN WATERS. ] PUBLNES.INST.FOM.PESQ.,NO.34.(IN SPANISH).
- [ 966] SAETERSDAL,G., VILLEGAS,L. (1968) [INFORMATION ON SELECTIVITY EXPERIMENTS ON HAKE WITH TRAWL NET.] BOLN.CIENT.INST.FOM.PESQ NO.9.(IN SPANISH).
- [ 967] SAETERSDAL,G., AVILES,S. (1968) [CATCH AND EFFORT STATISTICS OF THE CHILEAN HAKE FISHERY 1959-1965. ] PUBLNES.INST.FOM.PESQ. NO.39.(IN SPANISH).
- [ 968] SAETERSDAL,G. (1969) REVIEW OF INFORMATION ON THE BEHAVIOUR OF GADOID FISH. IN: PROCEEDINGS OF FAO CONFERENCE ON FISH BEHAVIOUR IN RELATION TO FISHING TECHNIQUES AND TACTICS. FAO FISH.REP.NO.62(2):201-215.
- [ 969] SAETERSDAL,G., VILLEGAS,L. (1970) [REPORT ON HADDOCK SELECTION EXPERIMENTS WITH MESH TRAWLS.] INST.FOM.PESQ.BOL.CIENT.9.1-16. (IN SPANISH).
- [ 970] SALAS,E.M. (1972) [A PARASITOLOGICAL INVESTIGATION OF THE HAKE MERLUCCIIUS GAYII PERUANUS.] INFORME,INST.MAR.PERU (NO.40).PP.13.(IN SPANISH).
- [ 971] SANCHEZ,L., PONCE,I. (1970) [COMPARATIVE PROPERTIES OF GASTRIC ENZYMES FROM MERLUCCIIUS-GAYI.] ARCHIVOS DE BIOLOGIA Y MEDICINA EXPERIMENTALES.7(1-2-3).(IN SPANISH).
- [ 972] SANCHEZ,J.T., LAM,R.C. (1973) [TECHNOLOGY OF SALTED AND ARTIFICIALLY DRIED HAKE (MERLUCCIIUS GAYI PERUANUS).] INFORME,INST.MAR.PERU (NO.43):1-34. (IN SPANISH).
- [ 973] SANTANDER,H., DE CASTILLO,O.S. (1969) [DEVELOPMENT DISTRIBUTION OF EGGS AND LARVAE OF HAKE, MERLUCCIIUS GAYI (GUICHENOT), OFF THE COAST PERU.] INST.MAR.PERU BOL.2(3):80-107. (IN SPANISH).
- [ 974] SARNITS,A.A., SAUSKAN,V.I., (1966) HYDROGRAPHIC CONDITIONS AND DISTRIBUTION OF SILVER HAKE (MERLUCCIIUS BILINEARIS MITCHILL) ON GEORGES BANK AND OFF NOVA SCOTIA IN 1964. ICNAF SERIAL NO. 1660(D.C.1).RES.DOC.66-51.PP8.(MIMED).
- [ 975] SARNITS,A.A., SAUSKAN,V.I. (1967) HYDROLOGICAL CONDITIONS AND DISTRIBUTION OF SILVER HAKE (MERLUCCIIUS BILINEARIS MITCHILL) ON GEORGES BANK AND OFF NOVA SCOTIA IN 1962-1964. ICNAF,RES. BULL.,4:76-86.
- [ 976] SATARK,E.C., MORRIS,E.L. (1907) THE MARINE FISHES OF SOUTHERN CALIFORNIA.UNIV. CALIF.PUBL.ZOOL.,3(11):159-251.
- [ 977] SAUNDERS,J.W. (1968) COAGULATION TEMPERATURE OF HAKE FLESH. FISHING INDUSTRY RESEARCH INSTITUTE,CAPE TOWN.ANNUAL REPORT,22:22.

- [ 978] SAUSKAN,V.I. (1964)RESULTS OF SOVIET OBSERVATIONS ON THE DISTRIBUTION OF SILVER HAKE IN THE AREAS OF GEORGES BANK(5Z) AND NOVA SCOTIA(4W)IN 1962-63.ICNAF SERIAL NO. 1357,(D.C.5)RES.DOC.NO.61.PP8.(MIMEO).
- [ 979] SAUSKAN,V.I. (1966)[GEOGRAPHICAL RANGE OF THE HAKE AND HAKE FISHERIES .JRYBN.KHOZ.,NO.8.(IN RUSSIAN).
- [ 980] SAUSKAN,V.I.,  
SEREBRYAKOV,V.P. (1968) REPRODUCTION AND DEVELOPMENT OF THE SILVER HAKE, MERLUCCIOUS BILINEARIS MITCHILL.PROB.ICHTH.8(3): 398-414.(ENGLISH TRANSLATION).
- [ 981] SAUSKAN,V.I.,  
SEREBRYAKOV,V.P.P. (1968) [REPRODUCTION AND DEVELOPMENT OF THE SILVER HAKE (MERLUCCIOUS BILINEARIS MITCHILL).] VOP.ICHTIOL. 8,(3):500-521. (IN RUSSIAN).
- [ 982] SAUSKAN,V.I. (1969)[THE MORPHOLOGY AND SYSTEMATICS OF THE ATLANTIC HAKE]. TRATL.AUCHISSELED INST.RYB.KHOZ,OKEANOGR. 22:164-187.(IN RUSSIAN).
- [ 983] SAUSKAN,V.I.,  
SEREBRYAKOV,V.P. (1970) [REPRODUCTION AND DEVELOPMENT OF THE SILVER HAKE (MERLUCCIOUS BILINEARIS).]VOP.IKHTIOL.9(3):423-430. (IN RUSSIAN).
- [ 984] SAUVAGE,H.E. (1888)[CATALOGUE OF THE FISH OF THE COAST OF BOULONNAIS.]BULL.SOC.Z.FR.XIII PP142-145, AND BULL.SCI.NORD. I.PP.438-443. (IN FRENCH).
- [ 985] SCHAEFERS,E.A.,  
POWELL,D.E. (1958) CORRELATION OF MIDWATER TRAWL CATCHES WITH ECHO RECORDINGS IN THE NORTHEASTERN PACIFIC. COMMERCIAL FISH.REV.20(2):7-15.
- [ 986] SCHAEFER,R.H., (1960)GROWTH AND FEEDING HABITS OF THE WHITING OR SILVER HAKE IN THE NEW YORK BIGHT.N.Y.FISH&GAME J.7(2):85-98.
- [ 987] SCHARFF,R.F. (1889)CATALOGUE OF THE COLLECTION OF IRISH FISHES IN THE SCIENCE AND ART MUSEUM,DUBLIN.8VO.34PP. (LIST ONLY.)
- [ 988] SCHLOTTFELDT,S.H.,  
SIMPSON,J.G. (1965) [ELECTROPHORETIC CHARACTERISTICS OF THE CRYSTALLINE PROTEINS OF THE EYE OF MERLUCCIOUS GAYI GAYI (GUICHENOT,1848) AND MERLUCCIOUS POLYLEPIS (GINSBURG,1954) IN CHILE. ]INVEST.ZOOL.CHIL., XII:45-65.(IN SPANISH).
- [ 989] SCHLOTTFELDT,H.S. (1968)[ELECTROPHORETIC PROPERTIES OF THE HEMOGLOBINS OF TWO ECONOMICALLY IMPORTANT GADIDS,MERLUCCIOUS GAYI AND MERLUCCIOUS POLYLEPSIS,IN AN ATTEMPT AT AN ANALYSES OF POPULATION STRUCTURE.]ARCH.FISCHER. 19(2-3):236-245.(IN GERMAN).
- [ 990] SCHMIDT,J. (1907)[ON THE POST-LARVAL DEVELOPMENT OF THE HAKE (MERLUCCIOUS VULGARIS FLEM).]MEDDEL.KOMM.HAVUNDERS. SERIE FISKERI,BAND II,NO.7.PP.11. (IN GERMAN).
- [ 991] SCHMIDT,J. (1909)[REPORT ON THE WORKINGS OF THE COMMISSION,A:IN THE PERIOD 1902-1907.B:SPECIAL PART,4 :THE DISTRIBUTION OF THE PELAGIC FRY AND SPAWNING REGION OF THE GADIDS IN THE NORTH ATLANTIC FROM ICELAND TO SPAIN.BASED CHIEFLY ON DANISH INVESTIGATIONS.]RAPP.P.V.REUN.CONS.PERM.INT.EXPLOR MER,10:277.(IN FRENCH).
- [ 992] SCHNAKENBECK,W. (1926)[TELEOST PHYSOCLISTI:GADIFORMES.]IN:GRIMPE,G.UND E.WAGLER(EDS.).TIERWELT NORD.U.OSTSEE LIEF.ACAD VERLAGAGES,LEIPZIG. (IN GERMAN).
- [ 993] SCHROEDER,W.C. (1931)AN ACCOUNT OF THE FISHES DREDGED BY THE"ALBATROSS II"ALONG THE CONTINENTAL SLOPE SOUTH OF NEW ENGLAND IN FEBRUARY AND MARCH 1929. COPEIA. (2):41-46.
- [ 994] SCHROEDER,W.C. (1955)REPORT ON THE RESULTS OF EXPLORATORY OTTER-TRAWLING ALONG THE CONTINENTAL SHELF AND SLOPE BETWEEN NOVA SCOTIA AND VIRGINIA DURING THE SUMMERS OF 1952 AND 1953.DEEP-SEA RES.3(SUPPL.): 358-372.
- [ 995] SCHULTZ,R.L. (1968)AGE COMPOSITIONS AND MORTALITIES OF SILVER HAKE IN SUBAREA 5.ICNAF SERIAL NO.2077(D.C.2).RES.DOC. 68/89.PP8.(MIMEO).

- [ 996] SCHWARTZ, J.W. (1973) FISH PROCESSING TECHNOLOGY: PRELIMINARY RESULTS FROM FIRST SURVEY CRUISE OF "R/V. PROFESOR SIEDLECKI". MIR-UNDP-FAO/POLISH-UNSF HIGHSEAS FISHERIES RESEARCH PROJECT. (REPORT CIRCULATED AT FAO TECHNICAL CONFERENCE ON FISHERY PRODUCTS, TOKYO).
- [ 997] SCOTT, W.B.,  
TIRBO, S.N. (1974) FOOD AND FEEDING HABITS OF SWORDFISH XIPHIAS GLADIUS IN THE NORTHWEST ATLANTIC OCEAN. NOAA TECHNICAL REPORT. 675:138-141.
- [ 998] SENSABAUGH, G.F., JR.  
KAPLAN, N.O. (1972) A LACTATE DEHYDROGENASE SPECIFIC TO THE LIVER OF GABOID FISH. J. BIO. CHEM. 247(2):585-593.
- [ 999] SEPULVEDA, V.I. (1969) [CONTRIBUTION TO THE STUDY OF THE HAKE (MERLUCCIOUS GAYI GUICHENOT, POPULATION IN THE VALPARAISO ZONE.] DEPTO. BIOL. MAR. OCEAN., UNIV. CAT. VALPO. (IN SPANISH).
- [1000] SEPULVEDA, J.I.,  
ARANA, P.E.,  
ROJAS, P.Z. (1972) [IDENTIFICATION OF UNIT POPULATIONS OF COMMERCIALY IMPORTANT FISH.] DEPTO. BIOL. MAR. OCEAN., UNIV. CAT. VALPO. MIMED REPORT. (IN SPANISH).
- [1001] SEPULVEDA, V.,  
IVAN, J.,  
ROJAS, P. (1973) [ELECTROPHORETIC RATING OF A FEW TISSUE PROTEINS OF HAKE (MERLUCCIOUS GAYI (GUICHENOT)) IN THE VALPARAISO ZONE.] INV. MAR., (IN SPANISH).
- [1002] SHIPPEN, H.H.,  
ALTON, M.S. (1967) PREDATION UPON PACIFIC HAKE, MERLUCCIOUS PRODUCTUS BY PACIFIC DOGFISH, SQUALUS ACANTHIAS. CALIF. FISH. & GAME. 53(3):218-219.
- [1003] SHORLAND, F.B. (1935) VITAMIN A CONTENT OF NEW ZEALAND LING-LIVER OIL. SEASONAL VARIATIONS IN THE VITAMIN A CONTENT AND GENERAL CHARACTERISTICS OF NEW ZEALAND LING-LIVER OIL. N.Z. J. SCI. TECH. 16:313-316.
- [1004] SILVOSA, J.M.,  
CAPEZZANI, D.A.,  
COUSSEAU, M.B. (1967) [ANALYSIS OF THE BIOSTATISTICS OF HAKE (MERLUCCIOUS HUBBSI) UNLOADED IN PUERTO DE MAR DEL PLATA DURING THE PERIOD 1965-1967.] CARPAS, D. TEC. 4/51. RID DE JANEIRO. (IN SPANISH).
- [1005] SILVOSA, J.M. (1971) [BIOLOGY OF THE HAKE AND SELECTIVITY EXPERIMENTS OF THE COMMERCIAL TRAWLS IN THE BONAERENSE SECTOR (CRUISE "MERLUZA 7-III". 30 JUNE-9 JULY 1970). ] INFMES. TEC. PROY. DES. PESQ., ARGENTINA, NO. 30:1-39. (IN SPANISH).
- [1006] SILVOSA, J.M.,  
CAPEZZANI, D.A. (1971) [BIOSTATISTICAL CONSIDERATIONS OF HAKE (MERLUCCIOUS MERLUCCIOUS HUBBSI) UNLOADED IN PUERTO DE MAR DEL PLATA.] CARPAS, D. TEC. 2/71. (IN SPANISH).
- [1007] SILVOSA, J.M.,  
CAPEZZANI, D.A.A. (1971) [BIO STATISTICAL CONSIDERATIONS ON THE CODFISH, MERLUCCIOUS MERLUCCIOUS HUBBSI, UNLOADED IN THE PORT OF MAR-DEL-PLATA ARGENTINA DURING THE PERIOD 1965-67.] CONTRIBUCIONES, INSTITUTO DE BIOLOGIA MARINA, MAR DEL PLATA, ARGENTINA. 86:1-46. (IN SPANISH).
- [1008] SIMMONDS, C.K.,  
FOWLER, G. DE V. (1965) SUPERCHILLING OF HAKE. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 19:17.
- [1009] SIMMONDS, C.K.,  
PECK, M.B. (1966) ELECTRONIC FISH TESTER. SUPERCHILLING OF HAKE. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 20:17.
- [1010] SIMMONDS, C.K. (1968) HANDLING OF FISH AT SEA. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 22:18.
- [1011] SIMMONDS, C.K.,  
SAUNDERS, J.W. (1968) UPTAKE OF SALT BY HAKE DURING STORAGE IN SEA WATER AND DILUTED SEA WATER. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANN. REPT. 22:19.

- [1012] SIMMONDS,C.K., (1971)  
RODRIGUES,J.DE.A.,  
PETRESCUE,J.,  
LAMPRECHT,E.,  
ELLIOTT,M.  
OBJECTIVE QUALITY TESTS FOR FROZEN HAKE. FISHING  
INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL  
REPORT, 25:34.
- [1013] SIMMONDS,C.K., (1972)  
HILLIER,W.R.,  
ATKINSON,A.M.  
FISH SMOKING. FISHING INDUSTRY RESEARCH INSTITUTE,  
CAPE TOWN. ANN. REPT. 26:18.
- [1014] SIMMONDS,C.K., (1972)  
PETRESCUE,J.  
MEASUREMENT OF RANCIDITY IN HAKE FLESH. FISHING  
INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL  
REPORT, 26:27.
- [1015] SIMMONDS,C.K., (1972)  
PETRESCUE,J.,  
HILLIER,W.R.  
OBJECTIVE QUALITY TESTS FOR FROZEN HAKE. FISHING  
INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL  
REPORT, 26:26.
- [1016] SIMMONDS,C.K., (1973)  
DE WIT,D.  
IDENTIFICATION OF CAPE HAKE SPECIES. FISHING  
INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL  
REPORT, 27:70.
- [1017] SIMMONDS,C.K., (1973)  
PETRESCUE,J.,  
COATZEE,P.,  
DE WIT,D.  
OBJECTIVE QUALITY INDICES FOR CHILLED AND FROZEN  
FISH. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE  
TOWN, ANN. REPT. 27:25.
- [1018] SIMMONDS,C.K., (1974)  
COATZEE,P.  
CHLORINATED WATER FOR WASHING HAKE FILLETS. FISHING  
INDUSTRY RESEARCH INSTITUTE, CAPE TOWN. ANNUAL  
REPORT, 28:12.
- [1019] SIMMONDS,C.K., (1974)  
COATZEE,P.,  
LAMPRECHT,E.  
CHILLED STORAGE OF WET FISH VS THAWED FROZEN FISH.  
FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN.  
ANN. REPT. 28:75.
- [1020] SIMMONDS,C.K., (1974)  
LAMPRECHT,E.  
THE PRESERVATION OF CHILLED HAKE WITH FORMALDEHYDE  
FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN.  
ANN. REPT. 28:75.
- [1021] SIMMONDS,C.K., (1974)  
LAMPRECHT,E.,  
NEWBERRY,E.R.  
THE CAUSES OF THE SPORADIC OCCURRENCE OF SOUR FISH  
FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN.  
ANN. REPT. 28:73.
- [1022] SIMMONDS,C.K., (1974)  
PETRESCUE,J.  
POLYPHOSPHATE DIPS FOR FROZEN HAKE. BREAK-UP OF  
FILLETS VS RIGOR STATUS. FISHING INDUSTRY RESEARCH  
INSTITUTE, CAPE TOWN. ANN. REPT. 28:8.
- [1023] SIMMONDS,C.K., (1975)  
LAMPRECHT,E.,  
RUTKOWSKI,P.,  
GOULY DE CHEVILLE,C.  
THE BACTERIOLOGY OF WET VS THAWED FROZEN FISH.  
FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN.  
ANN. REPT. 29:46.
- [1024] SINNHUBER,R.O., (1948)  
POWELL,D.E.  
VITAMIN A CONTENT OF HAKE LIVERS AND VISCERA. FISH.  
COMM. OREG. 1(1):17.
- [1025] SKAIFE,S.H. (1949) THE FISHING INDUSTRY OF SOUTH AFRICA. S. AFRICAN  
JOUR. SCI. 45:1-20.
- [1026] SLOSARCZYK,W. (1975) PERCENTAGE AND LENGTH OF HAKE IN THE POLISH  
COMMERCIAL CATCHES IN ICSEAF AREA DURING THE  
PERIOD FROM JUNE TO AUGUST 1973. ICSEAF COLL. SCI.  
PAP. (2):113-116.
- [1027] SMITH,H.M. (1898) SILVER HAKE: FISHES FOUND IN THE VICINITY OF WOODS  
HOLE. BULL. OF THE U.S. FISH COMMISSION, VOL. XVIII:  
85-111.

- [1028] SMITH, J.L.B. (1949) THE SEA FISHERIES OF SOUTHERN AFRICA. CENTRAL NEWS AGENCY, LTD. CAPE TOWN, UNION OF S. AFRICA, 550 PP.
- [1029] SMITH, J.W. (1967) WILLIAMS, H.H. THE OCCURRENCE OF THE BLOOD FLUKE APOROCOTYLE SPINOSICANALIS WILLIAMS, 1958 IN THE EUROPEAN HAKE, MERLUCCIIUS MERLUCCIIUS L., CAUGHT OFF THE BRITISH ISLES. J. HELMINTH. 41(1):71-88.
- [1030] SMITH, J.W. (1967) APOROCOTYLE MARGOLISI N. SP. (DIGENEA: APOROCOTYLIDAE) FROM MERLUCCIIUS PRODUCTUS. J. FISH. RES. BOARD CAN. 24(8):1763-1773.
- [1031] SMITH, J.W. (1969) ON APOROCOTYLE ARGENTINENSIS N. SP. (DIGENEA: SANGUINICOLIDAE) FROM MERLUCCIIUS HUBBSI, AND THE PHYLOGENY OF APOROCOTYLE ODHNER, 1900 IN HAKE. J. HELMINTH., XLIII(3/4):371-382.
- [1032] SMITH, V.J., (1974) LINN, J.S. THE RESIDUAL LIPIDS OF FISH PROTEIN CONCENTRATES. FISHERY BULL. 72(3):845-847.
- [1033] SMITH, G.J.D., (1974) GASKIN, D.E. THE DIET OF HARBOR PORPOISES PHOCOENA PHOCOENA IN COASTAL WATERS OF EASTERN CANADA WITH SPECIAL REFERENCE TO THE BAY OF FUNDY. CAN. J. ZOOLOG. 52(6):777-782.
- [1034] SMIT, P.G., (1971) RUSHBURNE, J.L. A SURVEY OF THE FISHING INDUSTRY IN SOUTH AFRICA AND SOUTH WEST AFRICA. STATSINFORM (PTY) LTD, SOUTH AFRICA, NO. 4, APRIL, 1971:71.
- [1035] SOUCHE, G. (1932) CONTRIBUTION TO THE ANATOMICAL AND COMPARATIVE STUDY OF THE PTERYGO-MAXILLARY MUSCLE IN BONY FISHES. BULL. STA. BIOL. ARCACHON. 29(1):41-82. (IN FRENCH).
- [1036] SOUTAR, A. (1967) THE ACCUMULATION OF FISH DEBRIS IN CERTAIN CALIFORNIA COAST SEDIMENTS. CALIF. COOP. OCEAN. FISH. INVEST., XI:136-139.
- [1037] SOUTAR, A., (1969) ISAACS, J.D. HISTORY OF FISH POPULATIONS INFERRED FROM FISH SCALES IN ANAEROBIC SEDIMENTS OFF CALIFORNIA. CALIF. COOP. OCEAN. FISH. INVEST., XIII:63-70.
- [1038] SPINELLI, J., (1973) STEINBERG, M.A., MILLER, R., HALL, A., LEHMAN, L. REDUCTION OF MERCURY WITH CYSTEINE IN COMMINUTED HALIBUT AND HAKE FISH PROTEIN CONCENTRATE. J. AGRIC. FOOD CHEM. 21(2):264-268.
- [1039] STAFFORD, J. (1907) PRELIMINARY REPORT ON THE TREMATODES OF CANADIAN MARINE FISHES. CONTRIBUTION TO CANADIAN BIOLOGY, VOL. 1902-1905:91-94.
- [1040] STANDER, G.H. (1951) FRESH STOCK FISH: TESTS FOR FRESHNESS. FISHING INDUSTRY RESEARCH INSTITUTE, CAPE TOWN, ANNUAL REPORT, 4:9.
- [1041] STARKS, E.C., (1907) MORRIS, E.L. THE MARINE FISHES OF SOUTHERN CALIFORNIA. UNI. CALIF PUBLS. ZOOLOG. 3(11):159-251.
- [1042] STEELE, D.H. (1958) FISHES TAKEN IN THE LAURENTIAN CHANNEL, GULF OF ST. LAWRENCE, BETWEEN BIRD ROCKS AND THE SAGUENAY RIVER, 1953 AND 1954. FISH. RES. BD. CANADA, MS. REPT. BIOL. STA., NO. 651:1-32.
- [1043] STEINDACHNER, F. (1891) ON A SPECIES TYPE DISTINCTION OF SOUTH AMERICAN HAKE. S. B. A. WIEN C. 1:364-372. (IN GERMAN).
- [1044] STEINER, G., (1946) ALBIN, F.E. RESUSCITATION OF THE NEMATODE TYLENCHUS POLYHYFNUS N. SP., AFTER ALMOST 39 YEARS DORMANCY. J. WASHINGTON ACAD. SCI. 36(3):97-99.
- [1045] STOUT, F.M., (1960) OLDFIELD, J.E., ADAIR, J. NATURE AND CAUSE OF THE "COTTON FUR" ABNORMALITY IN MINK. J. NUTR. 70(4):421-426.
- [1046] STOUT, V.F. (1968) PESTICIDE LEVELS IN FISH OF THE NORTHEAST PACIFIC BULL. ENVIRON. CONTAM. TOXICOL. 3(4):240-246.

- [1047] STOUT, F.M., (1968)  
ADAIR, J.,  
OLDFIELD, J.E. PACIFIC HAKE AS A MAJOR PROTEIN SOURCE FOR MINK  
RATIONS. NAT. FUR. NEWS, 39(12):16-22.
- [1048] STOUT, F.M., (1970)  
ADAIR, J.,  
OLDFIELD, J.E. FEEDING PACIFIC HAKE TO MINK. CIRC. U.S. FISH. WILDL.  
SERV., 322:149-152.
- [1049] STROGONOV, A.A. (1975) [A COMMERCIAL EXPERIMENT IN THE CENTRAL EAST  
ATLANTIC]. OKEANOLOGIYA, 15(3):545-549. (IN RUSSIAN).
- [1050] STUARDO, J., (1960)  
FAGETTI, E. CHILEAN PARASITIC COPEPODS. II A PRELIMINARY STUDY  
OF THE PARASITIC COPEPODA OF MERLUCCIVUS GAYI GAYI,  
IN VALPARAISO BAY]. REV. BIOL. MAR. 10(13):195-200  
(IN SPANISH).
- [1051] SVETOVIDOV, A.N. (1970) [THE SYSTEMATIC POSITION OF EUCLICHTHYS (PISCES,  
GADIFORMES)]. Zool. Zh. 48(12):1824-1831. (IN RUSSIAN)
- [1052] SVETOVIDOV, A.N. (1937) [ON THE CLASSIFICATION OF GADIFORMES OF THE ORDER  
ANACANTHINI]. BULL. ACAD. SCI. URSS, 4:1281-1288. (IN  
RUSSIAN).
- [1053] SVETOVIDOV, A.N. (1940) [THE PROBLEM OF THE DISTRIBUTION OF THE GADIDAE  
AND OF THE FAMILY OF GADIFORMES. ] BULL. SOC. NAT.,  
MOSCOW, SEC. BIOL., 94(1):50-60. (IN RUSSIAN).
- [1054] SVETOVIDOV, A.A. (1956) [THE ATLANTIC ORIGIN OF SOME GROUPS OF FISHES. PROC.  
OF THE XIV INTERNATIONAL CONGRESS OF ZOOLOGY,  
COPENHAGEN, 5-12 AUGUST 1953:118-124.
- [1055] SZIDAT, L. (1955) [PARASITIC FAUNA OF MERLUCCIVUS HUBBSI AS AN  
AUXILIARY CHARACTERISTIC FOR THE SOLUTION OF  
PROBLEMS OF SYSTEMATICS AND ZOOGEOGRAPHY OF GENUS  
MERLUCCIVUS L. ] REVTA. MUS. ARGENT. CIENC. NAT.  
BERNARDINO RIVADAVIA INST. NAC. INVEST. CIENC. NAT.  
(Zool.) III(1):1-54. (IN SPANISH).
- [1056] SZIDAT, L. (1960) [PARASITOLOGY AS AN AUXILIARY SCIENCE IN SOLVING  
PROBLEMS OF HYDROBIOLOGY, ZOOGEOGRAPHY AND  
GEOPHYSICS OF THE SOUTH ATLANTIC. ] LIBRO HOMENAJE  
AL DR. EDUARDO CABALLERO AND CABALLERO. JUBILEO  
1930-1960 :577-594. (IN SPANISH).
- [1057] TABETA, D., (1971)  
MISU, H. DISTRIBUTION OF BOTTOM FISHES IN THE WATERS OFF  
THE PACIFIC COAST OF SOUTH AMERICA. PAC. SCI. CONGR.  
PROC. 1:164.
- [1058] TAGLE, I. (1951) [PARASITES OF THE HAKE]. BOL. INFORM. PARASIT.  
CHILENAS, 6(1):8-9. (IN SPANISH).
- [1059] TANING, A.V. (1958) [OBSERVATIONS ON SUPPOSED INTERMINGLING ON A  
CERTAIN CONNECTION BETWEEN SOME STOCKS OF BOREAL  
AND SUBANTARCTIC DEMERSAL FOOD FISHES OF THE  
EASTERN AND WESTERN ATLANTIC. ICNAF, SPEC. PUBL., 1:  
313-325.
- [1060] TAYLOR, C.C., (1957)  
BIGELOW, H.B.,  
GRAHAM, H.W. CLIMATIC TRENDS AND THE DISTRIBUTION OF MARINE  
ANIMALS IN NEW ENGLAND. U.S. FISH AND WILDLIFE SERV.  
FISH. BULL. 57(115):293-345.
- [1061] TAYLOR, F.H.C., (1976)  
BARNER, L.W. THE DISTRIBUTION AND ABUNDANCE OF HAKE, WALL-EYE  
POLLOCK AND DOGFISH IN THE STRAIT OF GEORGIA IN  
1976 DETERMINED BY DIGITAL ECHO-INTEGRATION. FISH.  
RES. BD. CAN. MAN. REP. SERIES NO. 1410.
- [1062] TAYLOR, F.H.C., (1976)  
BARNER, L.W. THE DISTRIBUTION AND ABUNDANCE OF HAKE, POLLOCK,  
AND DOGFISH IN THE STRAIT OF GEORGIA IN 1975  
DETERMINED BY DIGITAL ECHO-INTEGRATION. FISH. RES.  
BD. CAN. MAN. REP. SERIES NO. 1411.
- [1063] TEJERINA, D.G. (1957) [BACTERIOLOGICAL STUDY OF PUTREFACTION IN  
MERLUCCIVUS MERLUCCIVUS]. MICROBIOL. ESPAOLA, 10(3):  
345-357. (IN SPANISH).
- [1064] TEMPLEMAN, W., (1957)  
SQUIRES, H.J.,  
FLEMING, A.M. NEMATODES IN THE FILLET OF COD AND OTHER FISHES  
IN NEWFOUNDLAND AND NEIGHBOURING AREAS. J. FISH.  
RES. BD. CAN., 14(6):831-897.



- [1065] TERRE, J. J. (1977) [PRELIMINARY ASSESSMENT OF THE CAPE HAKE ON THE CAPE CROSS FISHING GROUNDS.] ICSEAF COLL. SCI. PAP. (4):161-164. (IN SPANISH).
- [1066] TERRE, J. J., MARI, A. (1977) [ANALYSIS OF THE HAKE FISHERY IN THE ORANGE RIVER DIVISION]. ICSEAF COLL. SCI. PAP. (4):165-172.
- [1067] TESTAVERDE, S. A., ARTUNDUAGA, E. (1974) OCCURRENCE OF MERLUCCIOUS ANGUSTIMANUS OFF THE PACIFIC COAST OF COLUMBIA. COPEIA 1974:564-566.
- [1068] THORNE, R. E., LAHORE, H. W. (1969) ACOUSTIC TECHNIQUES OF FISH POPULATION ESTIMATION WITH SPECIAL REFERENCE TO ECHO INTEGRATION. WASH. UNIV., SEATTLE, FISH. RES. INST. REPT. NO. CIRC. - 69-10. PP. 15.
- [1069] THORNE, R. E., REEVES, J. E., MILLIKAN, A. E. (1971) ESTIMATION OF THE PACIFIC HAKE (MERLUCCIOUS PRODUCTUS) POPULATION IN PORT SUSAN, WASHINGTON, USING AN ECHO INTEGRATOR. J. FISH. RES. BD. CANADA. 28(9):1275-1284.
- [1070] THORNE, R. E. (1971) INVESTIGATIONS INTO THE RELATION BETWEEN INTERGRATED ECHO VOLTAGE AND FISH DENSITY. J. FISH. RES. BD. CAN. 28(9):1269-1273.
- [1071] THORNE, R. E. (1972) HAKE SURVEY. RES. FISH. COLL. FISH. UNIV. WASH., 1971 (35):112.
- [1072] THORNE, R. E. (1973) DIGITAL HYDRO-ACOUSTIC DATA-PROCESSING SYSTEM AND ITS APPLICATION TO PACIFIC HAKE STOCK ASSESSMENT IN PORT SUSAN, WASHINGTON. FISH. BULL. 71(3):837-843.
- [1073] THORNE, R. E. (1973) APPLICATION OF ACOUSTICS TO THE ASSESSMENT OF THE PACIFIC HAKE POPULATION IN PORT SUSAN, WASHINGTON, 1969-1973. OCEAN. 23:249-252.
- [1074] TILIC, I., MASCHKE, A. P. (1965) [COMMERCE AND CONSUMPTION OF FISHMEAL IN CHILE, PRESENT AND FUTURE.] INST. FOMENTO PESQ. PUBL. 13:1-17. (IN SPANISH).
- [1075] TILIC, I., MERY, J. (1966) [TRAWL FISHERY OF CHILE, 1965. STATISTICS AND ANALYSIS.] INST. FOMENTO PESQ. PUBL. 17:1-48. (IN SPANISH).
- [1076] TILLMAN, M. F. (1968) TENTATIVE RECOMMENDATIONS FOR THE MANAGEMENT OF THE COASTAL FISHERY FOR PACIFIC HAKE, MERLUCCIOUS PRODUCTUS (AYRES), BASED ON A SIMULATION STUDY OF THE EFFECTS OF FISHING UPON A VIRGIN POPULATION. M. SC. THESIS, UNIV. WASHINGTON, SEATTLE, USA, PP. 197.
- [1077] TODOROV, I. (1969) [COMPARATIVE STUDIES ON CERTAIN BIOCHEMICAL METHODS FOR DETERMINING THE FRESHNESS OF FROZEN SEA FISH. VET. MED. NAUKI. 6(1):45-51. (IN BULGARIAN)].
- [1078] TOLMACHEV, V. I. (1964) [THE INFLUENCE OF THE WEIGHT OF THE CATCH ON THE SELECTIVITY OF TRAWLS. JRYB. KHOZ., (12):45-46. (IN RUSSIAN)].
- [1079] TORREJON, S. E. (1962) [TECHNICAL REVIEW RELATED TO THE INTRODUCTION OF NEW METHODS FOR INDUSTRIAL PROCESSING OF THE COMMON HAKE (MERLUCCIOUS GAYI GAYI) FOR HUMAN CONSUMPTION IN CHILE. JREV. PESQUERA, NO. 84:1-6. (IN SPANISH)].
- [1080] TORREJON, S. E., TARKY, W. (1964) [SALTING AND DRYING OF THE COMMON HAKE]. GACETA PESQUERA DE CHILE, NO. 12:35-41. (IN SPANISH).
- [1081] TOURRASSE, G. DE LA. (1961) [THE FISHING OF HAKE WITH HAND LINES ON THE COAST OF BASCO-CANTABRIQUE. JPECHE MARIT., NO. 996:137-141. (IN FRENCH)].
- [1082] TROTTI, L. (1937) [BEHAVIOUR OF MESENCHYME OF LIVER OF MERLUCCIOUS PARASITIZED BY ASCARIS]. BOLL. MUS. E LAB. ZOOL. E ANAT. COMP. R. UNIV. GENOVA. 17(93):1-14. (IN ITALIAN).
- [1083] TRUJILLO, P. H. (1970) DISTRIBUTION AND ABUNDANCE OF SPECIES (WITH EMPHASIS ON THE HAKES) CAPTURED DURING EXPLORATORY FISHING ALONG THE CHILEAN COAST. MS. TH., UNIV. WASH. SEATTLE, 90PP.

- [1084] TRUJILLO,H. (1972) [DISTRIBUTION AND ABUNDANCE OF DEMERSAL RESOURCES (WITH EMPHASIS ON THE HAKES) CAPTURED DURING EXPLORATORY FISHING ALONG THE CHILEAN COAST 1964-1969.] BOL.CIENT.INST.FOM.PESQ.SANTIAGO.NO.17:1-94 (IN SPANISH).
- [1085] UTTER,F.M. (1969) BIOCHEMICAL POLYMORPHISMS IN THE PACIFIC HAKE (MERLUCCIIUS PRODUCTUS): A. ESTERASE POLYMORPHISM IN VITREOUS FLUIDS; B. LACTATE DEHYDROGENASE ISOZYMES; TRANSFERRIN VARIANTS. PH.D. THESIS. 1969 UNIVERSITY OF CALIFORNIA, DAVIS,CALIF.,USA.
- [1086] UTTER,F.M. (1969) BIOCHEMICAL POLYMORPHISMS IN THE PACIFIC HAKE (MERLUCCIIUS PRODUCTUS).ICES,25/1969 MIMED REPORT.
- [1087] UTTER,F.M. (1969) PROTEIN POLYMORPHISM IN SKELETAL MUSCLE OF PACIFIC HAKE. BUR.COMM.FISH.,BIOL.LAB.SEATTLE.
- [1088] UTTER,F.M.,  
HODGINS,H.O. (1969) BIOCHEMICAL POLYMORPHISMS IN THE PACIFIC HAKE (MERLUCCIIUS PRODUCTUS).SPECIAL MEETING ON THE BIOCHEMICAL AND SEROLOGICAL IDENTIFICATION OF FISH STOCKS,NO.25..
- [1089] UTTER,F.M.S. (1969) TRANSFERRIN VARIANTS IN PACIFIC HAKE (MERLUCCIIUS PRODUCTUS).J.FISH.RES.BD.CANADA.26(12):3268-3271.
- [1090] UTTER,F.M.,  
STORMONT,C.J.,  
HODGINS,H.O. (1970) ESTERASE POLYMORPHISM IN VITREOUS FLUID OF PACIFIC HAKE,MERLUCCIIUS PRODUCTUS,ANIMAL BLOOD GROUPS. BIOCHEM.GENET.1(2):69-82.
- [1091] UTTER,F.M.,  
HODGINS,H.O. (1970) LACTATE DEHYDROGENASE ISOZYMES OF PACIFIC HAKE (MERLUCCIIUS PRODUCTUS).J.EXP.ZOOL.172(1):59-67.
- [1092] UTTER,F.M.,  
HODGINS,H.O. (1971) BIOCHEMICAL POLYMORPHISMS IN THE PACIFIC HAKE (MERLUCCIIUS PRODUCTUS).J.DU CONS.INT.EXPL.MER. 161:87-89.
- [1093] VALENCIA,M.E.,  
SANAHUJA,J.C. (1969) [INDICATIONS OF QUALITY IN FISH AND FISH PRODUCTS] ANAL.DE BROMATOL.,21(1):45.(IN SPANISH).
- [1094] VALENCIA,M.E.,  
SANAHUJA,J.C. (1974) [IDENTIFICATION OF COMMERCIAL FISH SPECIES IN THE SOUTHWEST ATLANTIC USING DISC ELECTROPHORESIS.] CARPAS,RIO DE JANEIRO,D.TEC.,5/7:10PP.(IN SPANISH)
- [1095] VAN ECK,T.H.,  
BOTH,A.L.,  
VON BRANDT,A.,  
BOHL,H. (1968) THE SELECTIVITY OF SYNTHETIC FIBRE CODENDS FOR THE CAPTURE OF SOUTH AFRICAN HAKE.S.AFR.SHIP.NEWS FISH.IND.REV.23(1):124-135.
- [1096] VAN ECK,T. (1969) THE SOUTH AFRICAN HAKE,MERLUCCIIUS CAPENSIS OR MERLUCCIIUS PARADOXUS.S.AFR.SHIP.NEWS FISH.IND.REV. 24(5):95-97.
- [1097] VAN WYK,G.F. (1944) SOUTH AFRICAN FISH PRODUCTS.PART VIII.COMPOSITION OF THE FLESH OF CAPE FISHES.J.SOC.CHEM.IND.,LOND., 63:367.
- [1098] VARELA,G.,  
WOJCIECH,R. (1956) [ON VARIOUS BIOCHEMICAL PROCESSES IN THE DECOMPOSITION OF THE MERLUZA.]AN.BROMAT.,MADRID, 8(1):5-18.(IN SPANISH).
- [1099] VARELA,S.C.,  
CONTRERAS,E.G. (1968) [PERSPECTIVES ON THE APPLICABILITY OF HAKE VISCERA TO OBTAIN INDUSTRIAL ENZYMATIC EXTRACTS.]BOLN. CIENT.INST.FOM.PESQ.,NO.7.(IN SPANISH).
- [1100] VASQUEZ,L.R.,  
LASTAPE,H.S.,  
VILLAR,H.O.,  
GORINO,V. (1964) [THE HAKE FISHERY IN THE ARGENTINE SEA DURING 1963 :AREAS OF CAPTURE AND HARVESTING.]DIRECCION GENERAL DE PESCA Y CONSERVACION DE LA FAUNA,BUENOS AIRES.(IN SPANISH).

- [1101] VASQUES,A., (1975)  
LOPEZ-VEIGA,E.C.,  
LABARTA,E.  
SELECTIVITY OF HAKE AND HORSE MACKEREL WITH TRAWL  
GEARS OF POLYETHYLENE AND POLYPROPYLENE IN THE  
FISHERY OF GALICIA,ICES.DEMERSAL FISH (SOUTHERN)  
COMMITTEE. CM1975/G:4. (MIMEO).
- [1102] VAZQUEZ,A., (1975)  
LOPEZ-VEIGA,E.C.,  
LABARTA,E.,  
LARRANETA,M.G.  
[SELECTIVITY OF HAKE AND HORSE-MACKEREL WITH TRAWL  
GEARS OF POLYETHYLENE AND POLYPROPYLENE IN THE  
FISHERY OF GALICIA.]INF.TECN.INST.INV.PESQ.,  
BARCELONA,NO.21,PP.24 (IN SPANISH.)
- [1103] VESTNES,G., (1963)  
SAETERSDAL,G.  
[HYDROACOUSTICS AND ITS UTILIZATION FOR THE  
FISHERIES.]PUBLNES.INST.FOM.PESQ.,NO.20(IN  
SPANISH).
- [1104] VESTNES,G., (1965)  
STROM,A.,  
VILLEGAS,L.  
[REPORT ON THE EXPLORATORY SURVEY WITH M/S CARLOS  
DARWIN IN THE TALCAHUANO-VALDIVIA AREA,DECEMBER  
1964 TO FEBRUARY 1965].INST.FOMENTO PESQ,PUBL.6:  
1-32. (IN SPANISH).
- [1105] VESTNES,G., (1965)  
STROM,A.,  
SAETERSDAL,G.,  
VILLEGAS,L.  
[REPORT ON EXPLORATORY INVESTIGATIONS IN THE AREA  
OF TALCAHUANO-VALDIVIA AND PUERTO MONTT,CARRIED  
DURING JUNE-JULY 1965, ON THE M/S CARLOS DARWIN.]  
INST.FOMENTO PESQ,PUBL.10:1-8.(IN SPANISH).
- [1106] VESTNES,G., (1966)  
STROM,A.,  
SAETERSDAL,G.,  
TRUJILLO,H.  
[REPORT ON EXPLORATORY INVESTIGATIONS IN THE AREA  
OF TALCAHUANO-VALDIVIA , OCTOBER-NOVEMBER 1965, ON  
THE M/S CARLOS DARWIN.] INST.FOMENTO PESQ,PUBL.  
16:1-7. (IN SPANISH).
- [1107] VILELA,A.J. (1923)  
[THE FISH AND THE DERIVED INDUSTRY IN THE DISTRICT  
OF MOCAMEDES.]MOCAMEDES,:147-148.(IN PORTUGUESE).
- [1108] VILLEGAS,L., (1968)  
SAETERSDAL,G.  
[PRELIMINARY NOTES ON MARKING EXPERIMENTS  
ON THE HAKE (MERLUCCIOUS GAYI) IN CHILE.] PUBLNES.  
INST.FOM.PESQ.,NO.37.(IN SPANISH).
- [1109] VINOGRADOV,V.I. (1971)  
STUDIES OF FEEDING OF SILVER HAKE,MERLUCCIOUS  
BILINEARIS(MITCHILL),AND RED HAKE,UROPHYCIS CHUSS  
(WALBAUM),IN THE NORTHWEST ATLANTIC AREA,1965-1967  
ICNAF SERIAL NO.2608(B.G.1) RES.DOC.71/114.PP17.  
(MIMEO).
- [1110] VINOGRADOV,V.I. (1972)  
STUDIES OF THE FOOD HABITS OF SILVER AND RED HAKE  
IN THE NORTHWEST ATLANTIC AREA,1965-1967.INT.COMM.  
NORTHWEST ATL.RES.BULL.:41-50.
- [1111] VIVES,F., (1966)  
BAS,C.,  
LOPEZ,J.,  
MORALES,E.  
[THE TRAWL FISHERY IN THE PROVINCE OF  
TARRAGONA.]PUBLNES.TEC.JTA.ESTUD.PESCA,5:263-304.  
(IN SPANISH).
- [1112] VLADYKOV,V.D., (1961)  
MCALLISTER,D.E.  
PRELIMINARY LIST OF MARINE FISHES OF QUEBEC.NAT.  
CAN.,88(3):53-78.
- [1113] VLADYKOV,V.D. (1972)  
MORPHOLOGICAL DIFFERENCES IN MALE GONADS AMONG  
NINE GENERA OF GADIDAE PISCES.J.FISH RES.BD.CANADA  
29(12):1709-1716.
- [1114] VOJK,V., (1931)  
SKORIC,V.,  
KLAS,Z.  
[A NEW PHOSPHORESCENT BACTERIUM FROM THE ADRIATIC  
SEA AND THE PH RANGE OF ITS LUMINOSITY.]BULL.  
INTERNAT.ACAD.YUGOSLAVE SCI.ET BEAUX-ARTS,CL.  
SCI.MATH ET NAT. 25:86-88.(IN YUGOSLAVIAN).

- [1115] WAGENKNECHT, W.,  
HORN, R. (1967) [SPAWNING CHARACTERISTICS OF SEA HAKE AND OTHER FOOD FISHES OF SOUTHWEST AFRICAN WATERS.] FISCH. FORSCH., 5(3):97. (IN GERMAN).
- [1116] WAGENKNECHT, W.,  
LANGECKER, L. (1969) [A SUMMARY OF CHARACTERISTICS OF WEST AFRICAN FOOD FISHES.] LEBENSMITTEL-INDUSTRIE, 16(8):306. (IN GERMAN).
- [1117] WAITE, E. R. (1907) A BASIC LIST OF FISHES OF NEW ZEALAND. REC. OF CANT. MUS. 1:3-39.
- [1118] WAITE, E. R. (1911) SCIENTIFIC RESULTS OF THE NEW ZEALAND GOVERNMENT TRAWLING EXPEDITION, 1907. IN: PISCES. RECORDS OF THE CANT. MUS. 1:157-258.
- [1119] WALDRON, K. D. (1972) FISH LARVAE COLLECTED FROM THE NORTHEASTERN PACIFIC OCEAN AND PUGET SOUND DURING APRIL AND MAY 1967. NOAA. TECH. REP. 663:1-16.
- [1120] WALD, G. (1939) ON THE DISTRIBUTION OF VITAMINS A1 AND A2. J. GEN. PHYSIOL. 22(3):391-415.
- [1121] WEILER, W. (1935) CNEMOPTERYX KUBACALCAI N. SP. FROM THE KLEINZELLER MARL NEAR BUDAPEST, AS WELL AS AN ADDITION TO THE NATURAL HISTORY OF THE GENUS OF NEMOPTERYX AG AND MERLUCCIOUS. J. PALAEONTOL. ZEITSCHR. 17(1/2):27-44. (IN GERMAN).
- [1122] WEILER, W. (1942) OTOLITHS FROM THE OLILOCENE AND MIOCENE PERIODS OF NORTH-WEST GERMANY AND THE RHINE REGION. J. ABHANDL. REICHSAMTZ BODENFORSCH. N.F. 206:1-140. (IN GERMAN.)
- [1123] WEISS, G.,  
CIECHOMSKI, J. D., DE. (1973) [PRESENCE OF EGGS AND LARVA OF HAKE, MERLUCCIOUS MERLUCCIOUS HUBBSI, OFF THE ARGENTINE COAST.] PHYSIS: 32(84):155-160. (IN SPANISH).
- [1124] WESSELS, J. P. H.,  
LAMPRECHT, E.,  
RODRIGUES, J. DE A.,  
SIMMONDS, C. K. (1972) PRESERVATION OF HAKE IN TREATED ICE. J. FOOD TECHNOL 7(3):303-307.
- [1125] WESSELS, J. P. H.,  
SPARK, A. A. (1973) THE FATTY-ACID COMPOSITION OF THE LIPIDS FROM TWO SPECIES OF HAKE. J. SCI. FOOD AGR. 24(11):1359-1370.
- [1126] WHITE, E. I. (1931) THE VERTEBRATE FAUNA OF THE ENGLISH EOCENE. VOL. I. FROM THE THANET SANDS TO THE BASEMENT BED OF THE LONDON CLAY. WITH APPENDICES ON THE OTOLITHS, BY G. A. FROST. BRITISH MUSEUM OF NATURAL HISTORY. PP 123.
- [1127] WHITLEY, G. P. (1937) FURTHER ICTHYOLOGICAL MISCELLANEA. MEMOIRS OF THE QUEENSLAND MUSEUM. 11:113-148.
- [1128] WILHELM, O. E.,  
VARGAS, V. (1960) [CONTRIBUTION TO THE STUDY OF PARASITIC HELMINTHS OF MERLUCCIOUS GAYI GAYI (GUICHENOT) IN THE PACIFIC WITHIN THE ZONE OF CONCEPCION (CHILE).] ACTAS Y TRAB. I CONGRESO SUDAMERICANO DE ZOOLOGIA, LA PLATA, II:261-268. (IN SPANISH).
- [1129] WILLIAMS, H. H. (1958) THE ANATOMY OF APOROCOTYLE SPINOSICANALIS SP. NOV. (TREMATODA: DIGENEA) FROM MERLUCCIOUS MERLUCCIOUS L. ANN. MAG. NAT. HIST., SER., 13(1):291-297.
- [1130] WILLIAMS, T.,  
MACDONALD, M. (1973) ENGLISH INVESTIGATIONS ON THE DISTRIBUTION OF PELAGIC D-GROUP GADDOIDS IN THE CENTRAL NORTH SEA IN 1973. ICES. DEMERSAL FISH (NORTHERN) COMMITTEE. CM1973/F:26. (MIMEO).
- [1131] WILLMOTT, S. (1964) OBSERVATIONS ON THE BLOOD-FLUKE (APOROCOTYLE SPINOSICANALIS) OF MERLUCCIOUS MERLUCCIOUS, AN IMPORTANT FOOD FISH. PROC. INTERNATL. CONGR. ZOOLOG. 16(1):141.
- [1132] WOODHEAD, P. M. (1964) DIURNAL CHANGES IN TRAWL CATCHES OF FISHES. RAPP. P. V. REUN. CONS. PERM. INT. EXPLOR. MER., 155:35-44.
- [1133] WOODHEAD, P. M. (1966) THE BEHAVIOUR OF FISH IN RELATION TO LIGHT IN THE SEA. OCEANOGR. MAR. BIOL., ANN. REV., 4:337-403.
- [1134] WRZESINKA, O. (1975) RELATION BETWEEN ENGRAULIS ANCHOITA CONCENTRATIONS AND PRESENCE OF MERLUCCIOUS HUBBSI ON THE PATAGONIAN CONTINENTAL SHELF OF ARGENTINA. MAR. BIOL. 32(1):13-17.

- [1135] WYSOKINSKI,A. (1976)REVISED ESTIMATE OF EQUILIBRIUM YIELD FOR THE HAKE STOCK USING THE BEVERTON-HOLT METHOD. ICSEAF COLL. SCI.PAP.(3):187-194.(FRENCH TRANSLATION:ICSEAF COLL.SCI.PAP.(3):195-201.)
- [1136] WYSOKINSKI,A. (1977)SOME NEW PROPOSALS ON THE AGE DETERMINATION OF THE SOUTH AFRICAN HAKE.ICSEAF COLL.SCI.PAP.(4):173-174
- [1137] YANEZ,E.,  
BALLESTER,D.,  
DONOSO,B. (1970)  
EFFECT OF DRYING TEMPERATURE ON QUALITY OF FISH PROTEIN.J.SCI.FOOD.AGR.21(8):426-428.
- [1138] YANEZ,E.,  
BALLESTER,D.,  
MONCKEBERG,F.,  
HEIMLICH,W.,  
RUTMAN,M. (1976)  
ENZYMATIC FISH PROTEIN HYDROLYZATE CHEMICAL COMPOSITION NUTRITIVE VALUE AND USE AS A SUPPLEMENT TO CEREAL PROTEIN.J.FOOD SCI.41(6):1289-1292.
- [1139] YUDKINS,W.H. (1943)TRASH FISH.YALE SCI.MAG.18(2):8-10,20.
- [1140] YUDKIN,W.H. (1945)OCCURRENCE OF THIAMINASE IN MARINE TELEOSTS.PROC. SOC.EXPTL.BIOL.AND MED.60(2):268-269.
- [1141] ZAKHAROV,G.P. (1968)ON HAKE ECOLOGY OF THE URUGUAY SHELF1.MATER RYBOKHOV.ISSLED SEVERN.BASS,MURMANSK URSS NO.12. :62-69.(IN RUSSIAN)
- [1142] ZINKEVICH,R.N.,  
SAUSKAN,V.I. (1968)  
ON THE BIOLOGY AND INDUSTRY OF PATAGONIAN HAKE.J RYB.KHOZ.,44(2):22-24.(IN RUSSIAN).
- [1143] ZOGRAF,N.V.,  
KAVRAISKI,F.F. (1889)  
LISTS AND DESCRIPTIONS OF THE COLLECTION OF FISH IN THE MUSEUM OF THE IMPERIAL MOSCOW UNIVERSITY.J ISVEST.MOSC.UNIV. 1 VI PART1. 50PP.(IN RUSSIAN).
- [1144] ZUPANOVIC,S. (1958)INFLUENCE OF THE INTENSITY OF EXPLOITATION ON FISH STOCK COMPOSITION.JFAO,FISH.TECH.PAP.NO.59/9/ 6671. (IN FRENCH).
- [1145] ZUPANOVIC,S. (1961)CONTRIBUTION TO THE KNOWLEDGE OF THE BIOLOGY OF MERLUCCIOUS MERLUCCIOUS L. IN THE MIDDLE ADRIATIC. PROC.GEN.FISH.COUN.MEDIT.,6:145-150.
- [1146] ZUPANOVIC,S. (1963)EXPERIMENTS ON THE FISHING EFFECTIVENESS OF TRAWLS USING WIRE CABLE BRIDLE AND WIRE CABLE WITH MANILA ICNAF,SPEC.PUBL.,NO.5:222-225.
- [1147] ZUPANOVIC,S. (1968)STUDY OF HAKE (MERLUCCIOUS MERLUCCIOUS) BIOLOGY AND POPULATION DYNAMICS IN THE CENTRAL ADRIATIC.FAO. GEN.FISH.COUNC.MEDITER.STUD.REV. 32:5-24.
- [1148] ZUPANOVIC,S. (1968)BEHAVIOUR OF HAKE (MERLUCCIOUS MERLUCCIOUS L.) IN RELATION TO TRAWLS WITH WIRE CABLE BRIDLES. EXPER.PAP.,FAO,CONF.FISH.BEHAVIOUR REL.FISH.TECHN. TACT.,BERGEN,NORWAY,E/14:409-416.

